Trabant 601

Trabant 601 > Spare parts

Trabant 601 > Spare parts > Exhaust system



Alu Spray 400ml

Spray on the basis of special mixture of resins and aluminium pigments. Aluminium-zinc doubleprotection. Best resistance to high temperatures. Excellent for use at exhaust systems and for car body works.

contens: 400ml product is free of FCKW heat resistance up to approx 800 °C



material: rubber

black rubber hose , fresh air 80x550 Prod.No. 709 9,55 connection hose between radiator-dummy and heating mixing chamber inside the engine compartment. The rubber hose ferried the fresh air to the car. It fit to all Trabant 601 models from april 1973.

Prod.No.

7493

13,29

material: rubber diameter: 80 mm lenght: 550 mm one piece will be needed

Black rubber hose , hot air 80x300mm

5,50 Prod.No. 7125 Connection hose between heating silencer and heating mixing chamber inside the engine compartment. The rubber hose ferried the hot air to the car. It fit to all Trabant 601 models from april 1973.

diameter: 80 mm lenght: 300 mm one piece will be n	reeded			
	Brass cover for exhaust, chromium-plate Universal cover for exhaust, chromium-plate 48 x 120 mm, round-convoluted-transversal cuted fit to pipe diameter 24 - 48 mm	Prod.No.	6302	19,24
	Brass cover for exhaust, chromium-plate, angular Universal brass cover for exhaust, chromium-plate 70 x 57 x 145 mm, angular-transversal cuted fit to pipe diameter 30 - 50 mm for all Trabant	Prod.No.	6301	14,99
	Brass cover for exhaustround, chromium-plate Universal brass cover for exhaust, chromium-plate 44 x 130 mm fit for all Trabant	Prod.No.	1090	19,24
Q	Clamp D=38mm Clamp for exhaust system Trabant 601 One piece will ne needed for connection between pre selincer and connec One piece will ne needed for connection between connection pipe and aft		48	2,38
	material: galvaniced steel for pipe diameter: 38 mm two pieces will be needed			

Clamp for mixing chamberProd.No.799512,20Steel mounting clamp for the mixing chamber for heating- fresh air system, fit to Trabant 601 2-stroke engine from vintage:
november 1976scope of delivery inclusive mounting clamp.

material: metal single part without mounting parts inlet diameter: 2x 80 mm original spare part one piece will be needed

Connection - pipe

Pipe between pre selincer and after muffler Trabant 601. Diameter: 38 mm, length: 2,0 m

made in EU
 one piece will be needed
 for shipping, the pipe have to be cuted (price + 15,00 Euro pipe coupling)



Exhaust manifold seal Prod.No. 41 0,98 Exhaust manifold seal for all Trabant 500,600 und 601 two stroke engine without vintage limit Limousine and station wagon.

Prod.No.

Prod.No.

Prod.No.

7304

30

30,50

0.35

0,30

34,84

44

Material: form-embossed graphited sealing paper made in Germany two pieces will be needed



 Exhaust manifold, complete
 Prod.No.
 42
 78,56

 Exhaust manifold, complete for Trabant 601 two stroke engine, with cover for heating system
 from vinatage: november 1976
 read

original-IFA-spare part cover: galvanized one piece will be needed



<u>Exhaust manifold, overhauled</u> Exhaust manifold, for Trabant 601 two stroke engine

sape part is complete overhauled with metal cover for heating system



exhaust nut with collar, copper platedProd.No.7305Secure nut for the Trabant manifold. Surface is plated with coper.Use for mounting without washer.7305

thread: M8 spanner: SW132 grate: 8.8 collar diameter: 17,3mm highness: 9,2mm



exhaust nut, copper plated Secure nut for the Trabant manifold. Surface is plated with coper.

thread: M8 spanner: SW12

Exhaustsystem Exhaustsystem Consist of:	n complete set for Trabant 601 two stroke engine.	Prod.No.	49	159,87
for shipping, the 1x pre-silencer 1x connection p 1x muffler with p 1x retainer roun 3x angular made in EU one set will be r	ipes d			
	Exhaustsystem complete, stainless steel Exhaustsystem set for Trabant 601 two stroke engine made of stainless s Consist of:	Prod.No. teel.	7263	599,00
	for shipping, the connection pipe have to be cuted (price + 15,00 Euro pip 1x pre-silencer 1x connection pipe 1x muffler with pipes made in EU one set will be needed	e coupling)		
	Please note: the surface is not like at the picture. It is stainless steel matt	/ lackluster.		
	 Please note: the surface is not like at the picture. It is stainless steel matt Hose aluminium - kopex, heated air 48 x 300 connection hose between pree-silencer and noise silencer for heating noise silencer for heating systemradiator(top) and exhaust manifold. heated air to the car. It fit to all Trabant 601 models from november 1976. 	Prod.No. systemradiat The rubber ho		tween
	Hose aluminium - kopex, heated air 48 x 300 connection hose between pree-silencer and noise silencer for heating noise silencer for heating systemradiator(top) and exhaust manifold.	Prod.No. systemradiat The rubber ho	or or be	tween
	Hose aluminium - kopex, heated air 48 x 300 connection hose between pree-silencer and noise silencer for heating noise silencer for heating systemradiator(top) and exhaust manifold. heated air to the car. It fit to all Trabant 601 models from november 1976. material: aluminium flexible inside diameter: 48 mm outside diameter: 54mm lenght: 300 mm	Prod.No. systemradiat The rubber ho	or or be	
	 Hose aluminium - kopex, heated air 48 x 300 connection hose between pree-silencer and noise silencer for heating noise silencer for heating systemradiator(top) and exhaust manifold. Theated air to the car. It fit to all Trabant 601 models from november 1976. material: aluminium flexible inside diameter: 48 mm outside diameter: 54mm lenght: 300 mm two pieces will be needed Metal angle for exhaust for Trabant exhaust system two stroke engine 	Prod.No. 9 systemradiat The rubber ho	or or be	tween ad the

inlet diameter: 2x 80 mm original spare part one piece will be needed



Mixing chamber used element Prod.No. 24,50 7534 Mixing chamber for heating- fresh air system, fit to Trabant 601 2-stroke engine from vintage: november 1976 Please note, this spare part is secound hand. It is complete checked at function and that all sealings for the flaps will be ok. Scope of delivery inclusive mounting clamp. material: metal inlet diameter: 2x 80 mm original spare part one piece will be needed Prod.No. 45 48,25 Muffler with pipe

Prod.No.

Prod.No.

6431

6196

48,25

29,98



Muffler with pipe for Trabant 601 made in EU one piece will be needed

Muffler with pipe

After muffler in hight quality.



cheap after muffler the quality is not the best (the postions of the mounting brackets are not correct)

Muffler with pipe for Trabant 601



Noise silencer for heating system Noise silencer for heating system fit to Trabant 601 2-stroke engine from vintage: november 1976

material: galvaniced metal inlet diameter: 1x 80 mm, 1x 48 mm outlet diameter: 80 mm original spare part one piece will be needed



pipe clamp made of 2,5 mm steel strip for pipe diameter: 38 mm zinc-coated widht: 25mm max. tightening torque: 20 Nm



pipe clamp d= 38,5mm Prod.No. 6385 2,69 exhaust pipe clamp flat steel pipe coupling d= 36-38 mm Prod.No. 6535 14.82 exhaust pipe coupling clamp. Brilliant for connecting pipe end with the same diameter. Consist of 1x sheet metal and 2x pipe clamp.

material: stainless steel-zinc-coated metal for pipe diameter: 36-38 mm length: 90 mm made in Germany max. tightening torque: 20 Nm



 Pre - silencer
 Prod.No.
 43
 76,04

 Pre - silencer complete with cover for heating system. Fit to Trabant 601 2-stroke engine from vintage:
 november 1976.

 pipe connection heated air diameter 120 mm

made in EU one piece will be needed



Retainer setProd.No.7492Mounting set for the Trabant 601 exhaust system (two stroke engine).scope of delivery:

2x pipe clamp 4x retainer angular, complete with mounting bolts 1x ratainer round 2x hexagon nut SW17 one set will be needed



	one set will be needed			
	Retainer, round Retainer round, for Trabant exhaust system 2-stroke engine	Prod.No.	46	2,55
6	material: rubber with vulcanized 90 degrees twisted metal plate length complete: 74 mm length rubber body: 24 mm diameter rubber body: 25mm (top-down) / 13 mm (middle) Made in EU one piece will be needed			
	Retainer, round (special offer) Retainer round, for Trabant exhaust system 2-stroke engine Retainer with fair quality of rubber insert and surface of sheet metall.	Prod.No.	6722	0,98
	material: rubber with vulcanized 90 degrees twisted sheet metal plates length complete: 82 mm length rubber body: 28 mm diameter rubber body: 34mm (top and down) / 16 mm (middle) Made in EU one piece will be needed			
0	Retainer,angular Retainer,angular for Trabant exhaust system two stroke engine	Prod.No.	47	1,95
	size: 84 x 30 x 9 mm hole distance: 57 mm material: rubber, black Made in EU scope of delivery with bushings 3x pieces will be needed			
0	Retainer,angular LDM special Retainer,angular for Trabant 500,600,601 exhaust system two stroke engine	Prod.No.	7099	3,99
0	size: 85 x 31 x 8,5 mm hole distance: 57 mm material: rubber-fabric-combination. black scope of delivery with bushings and mounting set 3x pieces will be needed			

37,60

Rubber hose, heated air 80x120

Prod.No. 710 4.10

1.87

connection hose between pree-silencer and noise silencer for heating systemradiator(down) or between noise silencer for heating systemradiator(top) and heating mixing chamber inside the engine compartment. The rubber hose ferried the heated air to the car. It fit to all Trabant 601 models from november 1976.

material: rubber diameter: 80 mm lenght: 120 mm two pieces will be needed



Stud M8 x 40

Prod.No. 6334 Plain stud thread on bouth ends diameter M8 length 40mm fit to:

Engine mounting front, 2 pieces gearbox mounting front,2 pieces gearbox-engine mounting rear, 2 pieces cylinder, 4 pieces carburettor flange, 2 pieces

Trabant 601 > Spare parts > Brakes



Brake hose retainer for Steering knuckle leaver left hand Prod.No. 5,50 7994 metal holder for the fron brake hose at the Trabant 500, 600 and 601 front axle right hand (driver side). Mouning at the rear side of the steering knuckle leaver bolt. The retainer will also used at the lock plate for this screw connection.

original spare part material: steel delivery without any mounting bits one piece will be needed



Brake hose retainer for Steering knuckle leaver right hand Prod.No. 7993 5 50 metal holder for the fron brake hose at the Trabant 500, 600 and 601 front axle right hand (codriver side).

Mouning at the rear side of the steering knuckle leaver bolt. The retainer will also used at the lock plate for this screw connection.

original spare part material: steel delivery without any mounting bits one piece will be needed



Brake pipe spanner 10-11mm angled Prod.No. 7702 21,30 Special tool for mounting or demounting of screw-cap for brakelines. type: level angleded Fit to brake screws SW10 and SW11.



Brake pipe spanner 10-11mm, straight Prod.No. 7703 Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW10 and SW11.



Brake pipe spanner 12-13mm, straight Prod.No. 7992 Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW12 and SW13.

10,47

14.26

	brake-cleaner 600ml quick-cleaner for brake and clutch parts	Prod.No.	6252	2,93
	FCKW free volume: 600 ml type: AD delivery as an single spray			
quick-cl	cleaner 660ml eaner for brake and clutch parts	Prod.No.	7898	2,64
typ: X-tr	660 ml			
	Brake-cleaner, one packing unit, 12x Sprayer 600ml Complete packing unit quick-cleaner for brake and clutch parts FCKW free content: 12x sprayer with volume of 600 ml	Prod.No.	7033	31,80
	Rubber lining EU for brake and clutch pedal-shaft Rubber pad for the clutch and brake pedal.	Prod.No.	8013	3,95
	material: rubber, black made in EU worse qulity two pieces will be needed			
	Rubber lining made in Germany for brake and clutch pedal-shaft Rubber pad for the clutch and brake pedal. New reproduction made in Germany in brilliant quality. Fit to many IFA cars like Trabant, P70/F8, Wartburg 311, Multicar	Prod.No.	184	8,57
	material: rubber, black made in Germany best quality two pieces will be needed			



sliding element rear

2 pieces Trabant 1,1 rear brake

bearing for sliding element Prod.No. 6335 2,10 The bearing for silding element fit to: sliding element front 2 pieces Trabant 601 front brake sliding element rear 2 pieces Trabant 601 rear brake

	Bleeder screw cap fit to all offered bleeder screws	Prod.No.	215	0,3
	Protect the bleeder screw hole from dust and water.			
3)	material: rubber made in Germany			
	Bleeder screw, front fit to front wheel brake cylinder Trabant 500,600,601 and wartburg 353 system at the fron axle).	Prod.No. 6 (older model w	213 ith drum I	1,9 orake
	galvaniced one piece for each wheel side (front-brake) will be needed the screw have to be fixed always at the upper wheel barke cylinder			
	Brake drum (single part), slotted The brake drum fit to the front and to the rear axle of Trabant 500, 600 a Also useable for QEK-camper	Prod.No. and 601 (all 2-str	304 oke typs).	39,1
	circle of wheel bolts: 4 x 160 mm diameter: 200 mm made in EU one piecewill be needed for each wheel			
)	Brake drum set, slotted The brake drum kit consist of two slotted brake drums. Fit to the front and to the rear axle of Trabant 500, 600 and 601 (all 2-str Also useable for QEK-camper	Prod.No. roke typs).	7621	69,0
	circle of wheel bolts: 4 x 160 mm diameter: 200 mm made in EU one set will be needed for each axle			
B	Brake hose retainer sacer spring for connection between flexible brake hose and brake pipe not the same design like the originale one (made for VW). This retaine and Wartburg.	Prod.No. r can be also us	6624 ed for Tra	0,9 abant
	electrogalvanized, black high quality made in Germany, spring metal one piece for each screw joint will be needed			
8	Brake hose retainer for Steering knuckle leaver left hand metal holder for the fron brake hose at the Trabant 500, 600 and 60 side). Mouning at the rear side of the steering knuckle leaver bolt. The retainer will also used at the lock plate for this screw connection.	Prod.No. 11 front axle rigi	7994 nt hand (d	5,5 driver
	original spare part material: steel delivery without any mounting bits			

one piece will be needed



Brake hose retainer for Steering knuckle leaver right hand Prod.No. 7993 5,50 metal holder for the fron brake hose at the Trabant 500, 600 and 601 front axle right hand (codriver side). Mouning at the rear side of the steering knuckle leaver bolt.

The retainer will also used at the lock plate for this screw connection.

original spare part
material: steel
delivery without any mounting bits
one piece will be needed



	delivery without any mounting bits one piece will be needed			
k:	Brake hose retainer, original style sacer spring for connection between flexible brake hose and brake pipe	Prod.No.	240	1,43
	surface bronzing one piece for each screw joint will be needed			
C	Brake pipe spanner 10-11mm angled Special tool for mounting or demounting of screw-cap for brakelines. type: level angleded Fit to brake screws SW10 and SW11.	Prod.No.	7702	21,30
G	Brake pipe spanner 10-11mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW10 and SW11.	Prod.No.	7703	10,47
C	Brake pipe spanner 12-13mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW12 and SW13.	Prod.No.	7992	14,26
	Brake shoe long, single part Brake shoe complete with lining, fit to the Trabant 601 models Limousine, sta	Prod.No. ation wagon	308 and kübel.	8,55
	use for duplex brake system of Trabant 601 from vintage 01.04.1968 scopf of delivery: one piece lining length: 215 mm lining thickness: 4 mm width: 30 mm for brake drum diameter: 200 mm For the front wheel brake 2 pieces will be needed for each one For the rear brake 2 pieces will be needed for each one			
	Brake shoe long, single part, overhauled Complete in Germany reclaimed brake shoe.	Prod.No.	7311	21,50



Brake shoe complete with lining, fit to the Trabant 601 models Limousine, station wagon and kübel.

use for duplex brake system of Trabant 601 from vintage 01.04.1968 scopf of delivery: one piece lining length: 215 mm lining thickness: 4 mm width: 30 mm for brake drum diameter: 200 mm For the front wheel brake 2 pieces will be needed for each one For the rear brake 2 pieces will be needed for each one



Brake shoe set front axle Prod.No. 7270 19,32 Complete set of brake shoes with lining for repairing of one front axle right and left hand. Fit to the Trabant 601 models Limousine, station wagon and kübel.

use for duplex brake system of Trabant 601 from vintage 01.04.1968 scopf of delivery: four piece lining length: 215 mm lining thickness: 4 mm width: 30 mm for brake drum diameter: 200 mm For the front wheel brake one set will be needed for each one

Brake shoe set Simplex front axle, overhauled	Prod.No.	7321	139,17
The set consists of four brake shoes fit to Trabant 500,600 and 601 with simplex front brake sys	tem.		
The brake shoes will be complete overhauled in Germany.			
Please note: your old brake shoes have to be shipped to us before we send you the spare part.			



brake-cleaner 600ml quick-cleaner for brake and clutch parts

FCKW free volume: 600 ml type: AD delivery as an single spray

> Prod.No. 7898 2,64

Prod.No. 6252

2,93



Brake-cleaner 660ml quick-cleaner for brake and clutch parts

FCKW free volume: 660 ml typ: X-treme delivery as an single spray

> Brake-cleaner, one packing unit, 12x Sprayer 600ml Complete packing unit quick-cleaner for brake and clutch parts

Prod.No. 7033 31,80

Prod.No. 6214

FCKW free

content: 12x sprayer with volume of 600 ml



countersunk-head screw for brake drum screw for brake drum Trabant

M6 x 10 mm with hexagon socket galvanized one piece for each brake drum 0,43



Front brake hose Prod.No. 230 5,89 flexible front brake hose connection between Inner front brake line right hand or Inner front brake line left hand and Outer front brake line right hand or Outer front brake line left hand Fit to Trabant 500,600 and 601 with type of Simplex and Duplex brake sytem.

high quality product new reproduction made in EU one piece for each wheel brake side



and the second s

	Holder for brake shoe, complete set Brake shoe holder can be used for Trabant 601 front brake. Each set is for one brake shoe and consist of:	Prod.No.	317	9,69
W VO	1x web 1x pressure spring 2x thrust bearing galvaniced made in EU			
	Holder single part steel Spring bearing for the brake shoe holder can be used for Trabant500- 601 fro material: steel priece for each piece two pieces will be needed for each brake shoe	Prod.No. ont brake.	7098	2,00
1	mounting bolt for wheel brake cylinder Bolt for wheel brake cylinder Trabant 601 front axle.	Prod.No.	6436	0,55
	hexagon socket screw M8 x 16mm strength class: 8.8 with external teeth lock washer galvaniced 2 pieces will be needed for one wheel brake cylinder			
Ż	Oversize-brake shoe long, single part, overhauled Complete in Germany reclaimed oversize brake shoe. The lining thickness is more than 4 mm. Brake shoe complete with lining, fit to the Trabant 601 models Limousine, sta	Prod.No. ation wagon		36,50
	use for duplex brake system of Trabant 601 from vintage 01.04.1968 scopf of delivery: one piece lining length: 215 mm width: 30 mm from brake drum diameter: 202 mm For the front wheel brake 2 pieces will be needed for each one For the rear brake 2 pieces will be needed for each one			
T	paste for brake cylinders special lubricants paste for brake cylinders no problems with brake fluid and rubber sleevs commended for new wheel brake cylinders	Prod.No.	6204	13,57



Plug original, Ø 22 mm, front (incl. 2 pieces) Prod.No. 8059 6,50 Rubber plug for dust sealing of the brake cylinder and guiding of the brake shoes for Trabant front wheel brake cylinder

set consist of two plug sleeves made in Germany set include sleeves for one front wheel brake side (for two wheel brake cylinder) for brake piston diameter 22,2 mm

The ring sleeve should only be changed, if inner surface of cylinder is okay. Otherwise the complete wheel brake cylinder should be changed.



00	Ring sleeve set original, Ø 22 mm, front (incl. 2 pieces) Ring seals for Trabant front wheel brake cylinder	Prod.No.	7502	8,49
	set consist of two ring sleeves made in Germany set include sleeves for one front wheel brake side (for two wheel brake cylind for brake piston diameter 22,2 mm	der)		
	The ring sleeve should only be changed, if inner surface of cylinder is okay. Otherwise the complete wheel brake cylinder should be changed.			
00	Ring sleeve, Ø 22 mm, front (incl. 2 pieces) Ring sleeve for Trabant front wheel brake cylinder. Made in EU.	Prod.No.	216	7,90
00	set include sleeves for one front wheel brake side (for two wheel brake cylind for brake piston diameter 22,2 mm made in Europe	ler)		
	Screw-cap for brakeline 4,75x0,7 Trabant Screw-cap for breakline 4,75mm x 0,7mm fit to Trabant 500, 600, 601 and Trabant 1,1	Prod.No.	264	0,69
	Simplex wheel-brake cylinder front, overhauled Wheel brake cylinder (simplex) for the front brake system of the Trabant 500 Spare part is comlete overhauled. Please note, your old brake cylinder h before we send you the spare part. {L[complete with ring sleeves][brake pistion diameter 22,20mm][up to vinta 601][inclusive bleeder screw]	nave to be	shipped to	
₩ ₽	Sliding element, complete, front brake Front brake sliding element Trabant 601. Consist of 1 paar, complete set for one brake:	Prod.No.	315	12,85
	2x sliding pin 2x holder 2x compressing spring material: galvaniced metal made in EU one piece will be needed for each front brake			

	Upper release spring (long) spring for brake shoes front and rear axle	Prod.No.	314	2,90
	length: 132 mm diameter: 10 mm galvaniced made in EU 2 pieces for each front wheel brake side 1 piece for each rear wheel brake side			
	Wheel-brake cylinder front, left hand Brake cylinder left hand for Trabant as an reproducition spare part. Type: Duplex brake system. Wheel brake cylinder for Trabant 601 front brake with brake drum. scope of delivery: {L[complete with ring sleeves][without bleeder screw][brake-piston D= needed for one frontbrake]	Prod.No.	211 pieces w	25,27 ill be
	Wheel-brake cylinder front, left hand, original Complete in Germany overhauled wheel brake cylinder. Type: RENAK BZ45 Shipping only after your old brake cylinder with the mark RENAK BZ45 Wheel brake cylinder for Trabant 601 front brake with brake drum. scope of delivery:	Prod.No. was send to ou	7163 r compan <u>i</u>	19,34 y.
	complete with ring sleeves without bleeder screw brake-piston D= 22,2 mm two pieces will be needed for one frontbrake			
	Wheel-brake cylinder front, right hand, original Complete in Germany overhauled wheel brake cylinder. Type: RENAK BZ45 Shipping only after your old brake cylinder with the mark RENAK BZ45 Wheel brake cylinder for Trabant 601 front brake with brake drum. scope of delivery:	Prod.No. was send to ou	7164 r compan <u>y</u>	19,34 y.
	complete with ring sleeves without bleeder screw brake-piston D= 22,2 mm two pieces will be needed for one frontbrake			
R	<u>Wheel-brake cylinder, complete, front, right hand</u> Brake cylinder right hand for Trabant as an reproducition spare part. Type: Duplex brake system. Wheel brake cylinder for Trabant 601 front brake with brake drum. scope of delivery: {L[complete with ring sleeves][without bleeder screw][brake-piston D= needed for one frontbrake]	Prod.No. 22,2 mm][two	210 pieces w	25,27 ill be

Trabant 601 > Spare parts > Brakes > Rear brake

made in Germany



 Bleeder screw cap
 Prod.No.
 215
 0,35

 fit to all offered bleeder screws
 Protect the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the bleeder screw hole from dust and water.
 Image: Comparison of the





 Brake hose retainer
 Prod.No.
 6624
 0,99

 sacer spring for connection between flexible brake hose and brake pipe
 0,99

 not the same design like the originale one (made for VW). This retainer can be also used for Trabant and Wartburg.

	electrogalvanized, black high quality made in Germany, spring metal one piece for each screw joint will be needed			
9	Brake hose retainer, original style sacer spring for connection between flexible brake hose and brake pipe	Prod.No.	240	1,43
	surface bronzing one piece for each screw joint will be needed			
2	Brake pipe spanner 10-11mm angled Special tool for mounting or demounting of screw-cap for brakelines. type: level angleded Fit to brake screws SW10 and SW11.	Prod.No.	7702	21,30
2	Brake pipe spanner 10-11mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW10 and SW11.	Prod.No.	7703	10,47
2	Brake pipe spanner 12-13mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW12 and SW13.	Prod.No.	7992	14,26
(1)	Brake shoe set rear axle, overhauled The set consists of four brake shoes fit to Trabant 500,600 and 601. The breke shoes will be complete overhauled in Germany. Please note: your old brake shoes have to be shipped to us before we send	Prod.No.	7322 re part.	122,17
	brake-cleaner 600ml quick-cleaner for brake and clutch parts	Prod.No.	6252	2,93
	FCKW free volume: 600 ml type: AD delivery as an single spray			

Brake-cleaner 660ml quick-cleaner for brake and clutch parts

FCKW free volume: 660 ml typ: X-treme delivery as an single spray Prod.No. 7898 2,64

			7000	04.00
	Brake-cleaner, one packing unit, 12x Sprayer 600ml Complete packing unit quick-cleaner for brake and clutch parts	Prod.No.	7033	31,80
	FCKW free			
	content: 12x sprayer with volume of 600 ml			
b —	Cable conduit, complete with threaded rod for adjustment of handbrake	Prod.No.	182	4,98
	fit to all Trabant 500, 600, 601 and Trabant 1.1 galvaniced metal original spare part delivery without adjustment nut (ArtNr.: 6068)			
	countersunk-head screw for brake drum	Prod.No.	6214	0,43
(12)	screw for brake drum Trabant	1100.110.	0214	0,40
	M6 x 10 mm			
	with hexagon socket galvanized			
	one piece for each brake drum			
0	Dust cup sleeves rear wheel brake cylinder Simplex, Trabant Rubber sleeve as dust cap for repairing of the wheel brake cylinder typ Can be mounted at the fornt and rear axle.		7741	4,50
	fit to Trabant 500 and Trabant 600			
	delivery as an single part	plata Trabant)		
Hand broke low	two pieces will be needed for one brake cylinder (8 pieces for the com		0000	
Hand brake lev Lever for hand br	<u>er</u> ake single part. Delivery without machanical parts.	Prod.No.	6306	35,53
original made in (one piece will be				
	g brake comlete for the parking brake of the Trabant 500,600,601 and 1.1	Prod.No.	6857	65,20
delivery inclusive one piece will be	unkock push button and toothed segment needed			
	Spring for brake shoes front and rear axle	Prod.No.	313	2,45
	longth, 67 mm			
	length: 67 mm diameter: 10 mm			
	made in EU			
	1 piece will be needed for each rear wheel brake side			

1 piece will be needed for each rear wheel brake side



Mounting screw wheel brake cylinder, rear axle, Trabant Prod.No. 7532 0,95 Hexagon bolt inclusive lock washer for mounting the rear brake cylinder at the drum brake base plate. Fit to all kind of Trabant 500,600, 601 and 1.1 models.

	surface: zinc galvaniced grade: 10.9 scope of delivery inclusive lock washer two pieces will be needed for each wheel brake cylinder			
	nut for cable conduit speciall nut for adjustment of handbrake and clutch cable	Prod.No.	6068	3,76
	fit to all Trabant 500,600,601 and 1,1 hexagon nut, galvaniced original spare part one piece will be needed for each one			
And the second s	paste for brake cylinders special lubricants paste for brake cylinders no problems with brake fluid and rubber sleevs commended for new wheel brake cylinders	Prod.No.	6204	13,57
	Pressure web, left hand - rear wheel brake The pressure web is fixed between the two rear wheel brake shoes to mechanical handbrake to both of the brake shoes.	Prod.No. transmit the	306 power d	8,55 of the
	material: metal, galvaniced place: rear wheel brake, left hand original spare part fit to Trabant 601 and Trabant 1,1 one piece will be needed			
	Pressure web, right hand - rear wheel brake The pressure web is fixed between the two rear wheel brake shoes to mechanical handbrake to both of the brake shoes.	Prod.No. transmit the	307 power o	8,55 of the
	material: metal, galvaniced place: rear wheel brake, right hand original spare part fit to Trabant 601 and Trabant 1,1 one piece will be needed			
	Rear brake hose short brake hose with female and male thread connection suitable for rear brake of Trabant 601 and some trailer types	Prod.No.	231	5,84
	thread: M10 x 1 length complete: 18 cm two pieces will be needed			



Rear brake shoe set completeProd.No.31229,47The brake shoe rear set consist of an metal basic part and an lining.Complete set inclusive 4 brake shoes: 2 x with long lining and 2 x with short lining inclusive mountedlever for the hand brake cable.Fit to Trabant 601 and Trabant 1,1.Also fit to some trailers and campers like Qek and Camptourist / Klappfix with hydraulic brake system.

Prod.No.

Prod No.

212

6040

27,78

27,59

2x lining length: 215 mm 2x lining length: 165 mm lining thickness: 4 mm wide: 30 mm for brake drum diameter: 200 mm one set will be needed for each car



<u>Rear wheel-brake cylinder</u> complete with ring sleeves, brake pistion diameter 19,05 mm, without bleeder screw up to vintage: 31.3.1968 for Trabant 500, 600, 601 also for QEK-caravan with hydraulic brake system



Rear wheel-brake cylinder

complete rear wheel brake cylinder with ring sleeves, brak-piston D=15,87mm. Fit to Trabant 601 from 1.4.1968 onwards.

scope of delivery: inclusive ring sleeves, without bleeder screw break piston diameter: 15,87mm also used for some IFA-vehicles, Camptourist tent trailer made in EU two pieces will be needed

also for Camptourist tent trailer



Rear wheel-brake cylinder, originalProd.No. 719119,34Complete in Germany overhauled rear wheel brake cylinder with ring sleeves, brak-pistonD=15,87mm.Mark: RENAK BZ 105Fit to Trabant 601 from 1.4.1968 onwards.

scope of delivery: inclusive ring sleeves and bleeder screw break piston diameter: 15,87mm also used for some IFA-vehicles, Camptourist tent trailer two pieces will be needed

also for Camptourist tent trailer Please note, we can only exchange you this spare part if you ship 1x wheel brake cylinder with the mark Renak BZ 105 to our company in advance!



 Rear wheel-brake cylinder, original 19mm
 Prod.No.
 7462
 35,00

 Complete in Germany overhauled rear wheel brake cylinder with ring sleeves, brak-piston
 D=19,04mm.

 Fit to Taylow 1004 on the 00 4000 and Taylow 14 and the product

Fit to Trabant 601 up to 03.1968 and Trabant 1,1 all models.


scope of delivery: inclusive ring sleeves and bleeder screw break piston diameter: 19,04mm also used for some IFA-vehicles, Camptourist tent trailer two pieces will be needed

20	Ring sleeve, Ø 15,87 mm, rear, EU (incl. 2 pieces) ring sleeve for rear brake cylinders (Art.No. 6040)	Prod.No.	217	7,72
	made in EU			
	contents: The ring sleeve should only be changed, if inner surface of cylinder is okay. Otherwise the complete wheel brake cylinder should be changed.			
	Ring sleeve, Ø 15,87 mm, rear. original Sleeve set fit to rear brake cylinders (Art.No. 7191) contents:	Prod.No.	7307	9,04
90	2x ring sleeve 2x plug (rubber guide for brake shoe) set can be uesed for one brake cylinder made in Germany			
	The ring sleeve should only be changed, if inner surface of cylinder is okay. Otherwise the complete wheel brake cylinder should be changed.			
	Ring sleeve, Ø 19,05 mm, rear (incl. 2 pieces) Ring sleeve for wheel brake cylinder D=19,05mm 2 pieces in one set. Fit to Trabant 500,600 und 601 up to 31.3.1968 and all Trabant 1.1 The ring sleeve should only be changed, if inner surface of cylinder is okay. Otherwise the complete wheel brake cylinder (Art.No. 212) should be chang	Prod.No.	223	6,79
	Rivet bolt for hand-brake lever Rivet bolt for mounting the hand brake lever at the rear brake shoe (short lin Fit to Tarabant 601 and Trabant 1,1 rear axle, Wartburg 311,312,353,1.3 Intercamp, Oase, Camptorist, Klappfix.		183 nger wie	1,21 Qek,
	Rivet bolt for mounting the hand brake lever at the rear brake shoe (short lin Fit to Tarabant 601 and Trabant 1,1 rear axle, Wartburg 311,312,353,1.3	ing).		
	Rivet bolt for mounting the hand brake lever at the rear brake shoe (short lin Fit to Tarabant 601 and Trabant 1,1 rear axle, Wartburg 311,312,353,1.3 Intercamp, Oase, Camptorist, Klappfix. material: steel, galvaniced	ing).		
	Rivet bolt for mounting the hand brake lever at the rear brake shoe (short lin Fit to Tarabant 601 and Trabant 1,1 rear axle, Wartburg 311,312,353,1.3 Intercamp, Oase, Camptorist, Klappfix. material: steel, galvaniced one piece for each rear brake <u>Screw-cap for brakeline 4,75x0,7 Trabant</u> Screw-cap for breakline 4,75mm x 0,7mm	ing). 3 and Anhä Prod.No.	nger wie	Qek, 0,69
	Rivet bolt for mounting the hand brake lever at the rear brake shoe (short lin Fit to Tarabant 601 and Trabant 1,1 rear axle, Wartburg 311,312,353,1.3 Intercamp, Oase, Camptorist, Klappfix. material: steel, galvaniced one piece for each rear brake <u>Screw-cap for brakeline 4,75x0,7 Trabant</u> Screw-cap for breakline 4,75mm x 0,7mm fit to Trabant 500, 600, 601 and Trabant 1,1 <u>Set of cup sleeves front wheel brake cylinder Simplex, Trabant 500</u>	ing). 3 and Anhä Prod.No.	nger wie 264	Qek, 0,69
	Rivet bolt for mounting the hand brake lever at the rear brake shoe (short lin Fit to Tarabant 601 and Trabant 1,1 rear axle, Wartburg 311,312,353,1.3 Intercamp, Oase, Camptorist, Klappfix. material: steel, galvaniced one piece for each rear brake Screw-cap for brakeline 4,75x0,7 Trabant Screw-cap for breakline 4,75mm x 0,7mm fit to Trabant 500, 600, 601 and Trabant 1,1 Set of cup sleeves front wheel brake cylinder Simplex, Trabant 500 Cup sleeve for wheel brake cylinder D=22,2mm front axle. 2 pieces in one set	ing). 3 and Anhä Prod.No.	nger wie 264	Qek,
Set of cup sleev	Rivet bolt for mounting the hand brake lever at the rear brake shoe (short lin Fit to Tarabant 601 and Trabant 1,1 rear axle, Wartburg 311,312,353,1.3 Intercamp, Oase, Camptorist, Klappfix. material: steel, galvaniced one piece for each rear brake Screw-cap for brakeline 4,75x0,7 Trabant Screw-cap for brakeline 4,75mm x 0,7mm fit to Trabant 500, 600, 601 and Trabant 1,1 Set of cup sleeves front wheel brake cylinder Simplex, Trabant 500 Cup sleeve for wheel brake cylinder D=22,2mm front axle. 2 pieces in one set fit to Trabant 500 / 600 The ring sleeve should only be changed, if inner surface of cylinder is okay.	ing). 3 and Anhä Prod.No.	nger wie 264	Qek, 0,69

The ring sleeve should only be changed, if inner surface of cylinder is okay. Otherwise the complete wheel brake cylinder (Art.No. 7320) should be changed.

fit to Trabant 500 / 600

	Simplex wheel-brake cylinder rear, overhauled Wheel brake cylinder (simplex) for the reart brake system of the Trabant 5		7320	35,90
	Spare part is comlete overhauled. Please note, your old brake cylinde before we send you the spare part.	er have to be	shipped	to us
	{L[complete with ring sleeves][brake pistion diameter 15,87mm][inclusive	bleeder screw]	
	Slealing for Hand brake lever	Prod.No.	1070	5,44
	Sliding element, complete, rear brake Rear brake sliding element Trabant 601. Consist of 1 paar, complete set for one brake:	Prod.No.	316	12,85
	2x sliding pin 2x holder 2x compressing spring material: galvaniced metal made in EU one piece will be needed for each front brake			
	toothed segment for hand brake lever single part	Prod.No.	6185	4,95
•	original made in Germany by IFA one piece will be needed			
	> Upper release spring (long) spring for brake shoes front and rear axle	Prod.No.	314	2,90
	length: 132 mm diameter: 10 mm galvaniced made in EU 2 pieces for each front wheel brake side 1 piece for each rear wheel brake side			





 Brake line distributor
 Prod.No.
 7908
 11,90

 Tey junction to connect the rear brake pipes right and left hand.
 The long brake pipe 1630mm and both rear brake hoses are mounted at the T-connector.
 axle with leaf spring.

 [L[original spare part][one piece will be needed]}
 Ended
 Ended
 Ended

	set, complete (coil spring) both connection tubes	Prod.No.	281	73,56
connection t	ube right side (article no. 218) and			
connection t	ube left side (article no. 219) have to ordered separately if needed			
	set, complete (leaf spring)	Prod.No.	280	70,21
	poth connection tubes			
	ube right side (article no. 218) and ube left side (article no. 219) have to ordered separately if needed			
	<u>n tube line, left side</u> nine connect the both wheelbrake cylinder left hand inside the brake drum direct	Prod.No.	119 Notes	7,80
This blake p	ipe connect the both wheelbrake cylinder left hand inside the brake drum direct	at the blake base	e plate.	
complete bo				
	ap for brakeline 4.75 x 0,7 ill be needed			
	e brake tube line 300mm			
diameter 4,7				
Connection	n tube line, right side	Prod.No.	218	7,80
	ipe connect the both wheelbrake cylinder rihgt hand inside the brake drum direc	rt at the brake bas	se nlate	
	ill be needed e brake tube line 300mm 75 x 0.7mm			
	Front brake hose	Prod.No.	230	5,89
	flexible front brake hose connection between Inner front brake line rig		ront brak	e line
	left hand and Outer front brake line right hand or Outer front brake line			
	Fit to Trabant 500,600 and 601 with type of Simplex and Duplex brake	Sytem.		
	high quality product			
	new reproduction made in EU			
	one piece for each wheel brake side			
7	Front centre brake line, complete (1000 mm)	Prod.No.	256	12,64
2	Pre-convoluted and bordered brake line.			
	Connection between Brake master cylinder to tube connector. Brake line for t	ne rear brake cyll	nders.	
/				
1 ~	length: 1000 mm			
(/	material: steel line, zinc-coated 4,75x0,7			
	scope of delivery with 2 pieces outlet nuts			
	fit to all Trabant 601			
	one piece will be needed			

(Co	Inner front brake line, complete, left side (350mm) Pre-convoluted and bordered brake line.	Prod.No.	255	9,80
\sim /	Connection between front brake hose to barke master cylinder ahead, front	left hand.		
	length: 350 mm material: steel line, zinc-coated 4,75x0,7			
and the second s	scope of delivery with 2 pieces outlet nuts			
	fit to all Trabant 601			
	one piece will be needed			
	Inner front brake line, complete, left side 1 circle Pre-convoluted and bordered brake line.	Prod.No.	250	9,25
	Connection between one-circle brake master cylinder to font brake hose left	t hand.		
. /				
\smile	length: 400mm			
	material: steel line, zinc-coated 4,75x0,7			
	scope of delivery with 2 pieces outlet nuts			
	fit to all Trabant 601			
	one piece will be needed			
	ake line, complete, right side (700 mm) and bordered brake line.	Prod.No.	254	12,80
	ween front brake hose to barke master cylinder ahead, front right hand.			
length: 700 mm material: steel li				
material: steel li	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts			
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601			
material: steel li scope of deliver	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601			
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601 e needed Inner front brake line, complete, right side 1-circle	Prod.No.	251	9,25
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts 601 e needed <u>Inner front brake line, complete, right side 1-circle</u> Pre-convoluted and bordered brake line.		251	9,25
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601 e needed Inner front brake line, complete, right side 1-circle		251	9,25
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts :601 e needed <u>Inner front brake line, complete, right side 1-circle</u> Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig		251	9,25
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig Iength: 700mm		251	9,25
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7		251	9,25
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig Iength: 700mm		251	9,25
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts		251	9,25
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601		251	9,25
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side (350 mm) Pre-convoluted and bordered brake line.	ht hand. Prod.No.		-
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side (350 mm)	ht hand. Prod.No.		-
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side (350 mm) Pre-convoluted and bordered brake line.	ht hand. Prod.No.		-
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts : 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side (350 mm) Pre-convoluted and bordered brake line.	ht hand. Prod.No.		
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts :601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side (350 mm) Pre-convoluted and bordered brake line. Connection between front brak hoseto wheel barke cylinder below, front left length: 350mm material: steel line, zinc-coated 4,75x0,7	ht hand. Prod.No.		-
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts :601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed <u>Outer front brake line, complete, left side (350 mm)</u> Pre-convoluted and bordered brake line. Connection between front brak hoseto wheel barke cylinder below, front left length: 350mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts	ht hand. Prod.No.		-
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed <u>Outer front brake line, complete, left side (350 mm)</u> Pre-convoluted and bordered brake line. Connection between front brak hoseto wheel barke cylinder below, front left length: 350mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601	ht hand. Prod.No.		-
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed <u>Outer front brake line, complete, left side (350 mm)</u> Pre-convoluted and bordered brake line. Connection between front brak hoseto wheel barke cylinder below, front left length: 350mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed	ht hand. Prod.No. hand.	253	8,90
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed <u>Outer front brake line, complete, left side (350 mm)</u> Pre-convoluted and bordered brake line. Connection between front brak hoseto wheel barke cylinder below, front left length: 350mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed <u>Outer front brake line, zinc-coated 4,75x0,7</u> scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed <u>Outer front brake line, complete, left side 1 circle, simplex</u>	ht hand. Prod.No.		-
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed <u>Outer front brake line, complete, left side (350 mm)</u> Pre-convoluted and bordered brake line. Connection between front brak hoseto wheel barke cylinder below, front left length: 350mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed	ht hand. Prod.No. hand.	253	8,90
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side (350 mm) Pre-convoluted and bordered brake line. Connection between front brak hoseto wheel barke cylinder below, front left length: 350mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side 1 circle, simplex Pre-convoluted and bordered brake line.	ht hand. Prod.No. hand.	253	8,90
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts for a needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side (350 mm) Pre-convoluted and bordered brake line. Connection between front brak hoseto wheel barke cylinder below, front left length: 350mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side 1 circle, simplex Pre-convoluted and bordered brake line. Connection between wheel brake cylinder to font brake hose left hand.	ht hand. Prod.No. hand.	253	8,90
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side (350 mm) Pre-convoluted and bordered brake line. Connection between front brak hoseto wheel barke cylinder below, front left length: 350mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side 1 circle, simplex Pre-convoluted and bordered brake line. Connection between wheel brake cylinder to font brake hose left hand. length: about 21 cm	ht hand. Prod.No. hand.	253	8,90
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts :601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side (350 mm) Pre-convoluted and bordered brake line. Connection between front brak hoseto wheel barke cylinder below, front left length: 350mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side 1 circle, simplex Pre-convoluted and bordered brake line. Connection between wheel brake cylinder to font brake hose left hand. length: about 21 cm material: steel line, zinc-coated 4,75x0,7	ht hand. Prod.No. hand.	253	8,90
material: steel li scope of deliver fit to all Trabant	ine, zinc-coated 4,75x0,7 ry with 2 pieces outlet nuts 601 e needed Inner front brake line, complete, right side 1-circle Pre-convoluted and bordered brake line. Connection between one-circle brake master cylinder to font brake hose rig length: 700mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side (350 mm) Pre-convoluted and bordered brake line. Connection between front brak hoseto wheel barke cylinder below, front left length: 350mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed Outer front brake line, complete, left side 1 circle, simplex Pre-convoluted and bordered brake line. Connection between wheel brake cylinder to font brake hose left hand. length: about 21 cm	ht hand. Prod.No. hand.	253	8,90

•	June of the second s			
	 <u>Outer front brake line, complete, right side (350 mm)</u> Pre-convoluted and bordered brake line. Connection between front brake hose to wheel barke cylinder below, front right side is the second secon	Prod.No.	252	8,90
.)	Connection between nont brake hose to wheel barke cylinder below, nont h	gni nanu.		
	length: 350mm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 601 one piece will be needed			
	Outer front brake line, complete, right side 1 circle, simplex Pre-convoluted and bordered brake line. Connection between wheel brake cylinder to font brake hose right hand.	Prod.No.	6699	9,25
	length: about 16 cm material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts fit to all Trabant 500, 600 and 601 with simplex brake system at front axle one piece will be needed			
	Rear brake hose short brake hose with female and male thread connection suitable for rear brake of Trabant 601 and some trailer types	Prod.No.	231	5,84
	thread: M10 x 1 length complete: 18 cm two pieces will be needed			
Bordered brake lin	<u>complete, left side (coil spring)</u> e. en rear brake hose to rear brake cylinder, left hand, rear axle with coil spring.	Prod.No.	261	9,43
	vith 2 pieces outlet nuts)1 from year april 1988 and all Trabant 1,1			
Rear brake line, Pre-convoluted an	complete, left side (leaf spring) d bordered brake line. en rear brake hose to rear brake cylinder, left hand, rear axle with leaf spring.	Prod.No.	259	11,07
scope of delivery w	, zinc-coated 4,75x0,7 vith 2 pieces outlet nuts)1 up to year april 1988 reeded			
Bordered brake lin	complete, right side (coil spring) e. en rear brake hose to rear brake cylinder, right hand, rear axle with coil spring.	Prod.No.	260	9,43
	vith 2 pieces outlet nuts)1 from year april 1988 and all Trabant 1,1			

	<u>Rear brake line, complete, right side (leaf spring)</u> Pre-convoluted and bordered brake line.	Prod.No.	258	11,0
\sim	Connection between rear brake hose to rear brake cylinder, right hand, r	ear axle with le	af spring.	
/				
	length: 550 mm			
	material: steel line, zinc-coated 4,75x0,7 scope of delivery with 2 pieces outlet nuts			
	fit to all Trabant 601 up to year april 1988			
	one piece will be needed			
Rear centre bra	ike line (1630 mm)	Prod.No.	257	19,
	nd bordered brake line.			
Connection betwe	een tube connector to distributor for brake line rear brake cylinders right and	left hand.		
length: 1630 mm				
	e, zinc-coated 4,75x0,7			
scope of delivery fit to all Trabant 6	with 2 pieces outlet nuts			
one piece will be				
Sile piece will be		Durch	004	
	<u>Screw-cap for brakeline 4,75x0,7 Trabant</u> Screw-cap for breakline 4,75mm x 0,7mm	Prod.No.	264	0
	fit to Trabant 500, 600, 601 and Trabant 1,1			
	Tube connector	Prod.No.	6315	2
	Tube connector for Screw-cap for brakeline standard-Flare E	1100.110.	0010	2
	Trabant 601 one piece will be needed:			
	connection from Front centre brake line and Rear centre brake line			
	The tube connector can be used for all kind of vehicles with brake line	n = 4.75 mm	and sta	adard
	flare (E)	es D = 4.75mm	1 and sta	ndard
Universal brake	e line set, PVC-coated 5m, 4,75x0,7	Prod.No.	262	13
	de of steel and plastic coated.			
One set constists	of 6mm x 0,7mm 5m long			
for Trabant, Wart	burg, Volkswagen			
Universal brake	e line set, PVC-coated 5m, 4,75x0,7	Prod.No.	7497	5
Brakepipeline ma	de of steel and plastic coated.			
	of 6mm x 0,7mm 5m long			
for Trabant, Wart	burg, Volkswagen			
	Universal brake line, CUNIFER 5m, 4,75x0,7	Prod.No.	6177	27
	Brakepipeline 4,75 x 0,7 mm			
	made of NiCuFe			
	length: 5m			
	for Trabant, Wartburg, Volkswagen			
Universal brake	e line, PVC-coated in 1 m pices max.5m, 6x0,7	Prod.No.	263	3
	de of steel and plastic coated.			
	n x 0,7mm maximum 5m long.			
	artburg, Volkswagen.			
Price per meter				

Price per meter.

Trabant 601 > Spare parts > Brakes > Brake master cylinder

	<u>4-eye junction for HBZ 1-circle</u> Four divider for Trabant 601 master brake cylinder singe-circle.	Prod.No.	7909	9,29
	material: Steel delivery without sealing rings genine spare part one piece will be needed			
0	<u>Aluminium-sealing ring 12x18x1 brake pipe splitter</u> Aluminium sealing ring for the connection between brake pipe splitter and be Trabant one and two circle brake master cylinders.	Prod.No. rake master	6605 cylinder. Fit	0,18 to
	material: aluminium inner diameter: 12 mm outer diameter: 18 mm thickness: 1,5 mm 2 pieces will be needed			
	Banjo screw Spezial banjo screw to connect the the brake pipe splitter and the two circle	Prod.No. brake maste	7107 r cylinder.	5,80
	material: Steel delivery without sealing rings spanner gap 17mm one piece will be needed			
	brake fluid, DOT4, 0,25 litre for use in Trabant, Wartburg, B1000, trailer and camper with hydraulical b other car types	Prod.No. orake systen	6200 n and a lot	1,99 of
	volume: 250 ml Additional comment: Notes for used oil disposal			



brake fluid, DOT4, 0,5 litre Prod.No. 6201 2,99 for use in Trabant, Wartburg, B1000, trailer and camper with hydraulical brake system and other cars

volume: 500 ml

Additional comment: Notes for used oil disposal





volume: 1,0 l

norms: FMVSS Nr.116 DOT4 und DOT3, SAEJ1703, DIN/ISO 4925

Additional comment: Notes for used oil disposal

, dada

Brake master cylinder, two circle,

Prod.No. 186

Prod.No.

Prod.No. 7127

7308

5,15

22.36

Prod.No.

6202

4,85

186 98,76

The 2-circle brake master cylinder was mounted from april 1980 at Trabant 601 it is a brake system with two separate brake circle. One supply the front wheel brakes and one the rear wheel brake cylinders.

The connection for the both front brake tube line is in driving direction at the front end of the brake master cylinder. The main tube line for the rear brake circle will be connected between the connections for the tank for brake fluid 2 circle.

complete mounted one piece will be needed



Brake master cylinder, two circle, original (+20? surcharge for old paft) od.No. 7165 87,55 Complete in Germany overhauled brake master cylinder. Type: IFA BHL

Shipping only after your old brake cylinder with the mark IFA BH1 was send to our company.

The 2-circle brake master cylinder was mounted from april 1980 at Trabant 601

it is a brake system with two separate brake circle. One supply the front wheel brakes and one the rear wheel brake cylinders.

The connection for the both front brake tube line is in driving direction at the front end of the brake master cylinder. The main tube line for the rear brake circle will be connected between the connections for the tank for brake fluid 2 circle.

complete mounted one piece will be needed



Cap for brake fluid reservoirProd.No.61396,65Special plastic cap for brake fluid tank, fit to 1- or 2-circle brake master cylinder.6,65

material: brake fluid resistent plastic colour: black one piece will be needed



Foot lever clutch

<u>Cap for stop-lamp oil-pressure switch</u> Rubber cap for the brake ligths switch. Best protection for dust and wather.

Fit to the vehicles: Trabant 500, 600, 601, 1.1 Wartburg 311, 312, 313, 353, 1.3 Barkas B1000,B1000-1 Framo, Mulicar M22, M24, M26



fit to Trabant 601 and Trabant 1,1 scope of delivery without Rubber lining for brake and clutch pedal-shaft one piece will be needed

Foot lever for the mecanical actuated cluch system of the Trabant 601 and 1,1.

11	Foot lever unit (overhauled)Prod.No.18559,37Foot lever unit constist of one lever for the hydraulic actuated brake system and one lever for the mecanical actuated cluch system. The set is complete pre-installed.59,37
▲	fit to Trabant 601 and Trabant 1,1 scope of delivery inclusive Rubber lining for brake and clutch pedal-shaft one piece will be needed
75	Holder for brake fluid reservoirProd.No.71505,50Retaining strap for brake fluid tank, fit to 2-circle brake master cylinder.
	material: steel surface: galvanized one piece will be needed
(P)	Master brake cylinder - one circle, complete Prod.No. 192 68,00 Single circle master cylinder used in Trabant 500, 600 and Trabant 601 upt to 03/1980 68,00
	new produced, made in EU delivery without reservior for brake fluid and mounting equipment one piece will be needed
	Master brake cylinder - one circle, original Prod.No. 7189 62,00 Single circle master cylinder used in Trabant 500, 600 and Trabant 601 upt to 03/1980 62,00
	overhauled spare part delivery without reservior for brake fluid and mounting equipment one piece will be needed Please note, we can only exchange you this spare part if you ship 1x used master brake cylinder with the type number TGL BH7 to our company in advance!
188 2.0 187	Pipe master brake cylinder - plastic reservoir (100mm) Prod.No. 187 1,05 Special rubber pipe (brake fluid resistant) for connection brake fluid reservoir and brake master cylinder. connection brake fluid reservoir and brake master
	length: 100 mm one piece will be needed
188	Pipe master brake cylinder - plastic reservoir (110mm) Prod.No. 188 1,05 Special rubber pipe (brake fluid resistant) for connection brake fluid reservoir and brake master cylinder. cylinder.
	length: 110 mm one piece will be needed
	release spring for pedal, late model Prod.No. 6643 1,96 release spring fit to brake pedal and clutch pedal of pedal unit Prod.No. 6643 1,96 length of the spring coil: 53mm diameter of the spring coil: 10mm total length of the spring: ca.122mm Prod.No. 6643 1,96
	fit to Trabant 601 and Trabant 1.1 two pieces will be needed

release spring for pedal, old model release spring fit to brake pedal and clutch pedal of pedal unit length of the spring coil: 69mm diameter of the spring coil: 8mm total length of the spring: ca.160mm

fit to Trabant 601 two pieces will be n	reeded			
\bigcirc	Rubber lining EU for brake and clutch pedal-shaft Rubber pad for the clutch and brake pedal.	Prod.No.	8013	3,95
	material: rubber, black made in EU worse qulity two pieces will be needed			
	Rubber lining made in Germany for brake and clutch pedal-shaft Rubber pad for the clutch and brake pedal. New reproduction made in Germany in brilliant quality. Fit to many IFA cars like Trabant, P70/F8, Wartburg 311, Multicar	Prod.No.	184	8,57
	material: rubber, black made in Germany best quality two pieces will be needed			
	Screw-cap for brakeline 4,75x0,7 Trabant Screw-cap for breakline 4,75mm x 0,7mm fit to Trabant 500, 600, 601 and Trabant 1,1	Prod.No.	264	0,69
	Sleeve set dual brake master cylinder, complete Complete repair set for the 2-circle brake master cylinder was mounted Trabant 601 it is a brake system with two separate brake circle. One supply the front whe wheel brake cylinders.			
	material: rubber made in EU one set will be needed			
	Sleeve set dual brake master cylinder, original Complete repair set for the 2-circle brake master cylinder was mounted Trabant 601 it is a brake system with two separate brake circle. One supply the front who wheel brake cylinders.	-		
	material: rubber made in Germany one set will be needed			
	Sleeve set single brake master cylinder, complete Complete repair set for the 1-circle brake master cylinder was mounted Trabant 601.	Prod.No. up to vinatge	189 e april 198	10,45 30 at

material: rubber made in EU one set will be needed

0

Prod.No. 7372 1,96

Stop-lamp oil-pressure switch pin plug



Sleeve set single brake master cylinder, original Prod.No. 7284 Complete repair set for the 1-circle brake master cylinder. The sleeves was mounted up to vinatge april 1980 at Trabant 601.

material: rubber made in Germany one set will be needed



Hydraulic pessure cennected switch for the brake lights. Type of the switch with flat plug contacts. delivery as original spare part or high quality EU production Fit to the vehicles: Trabant 500, 600, 601, 1.1 Wartburg 311, 312, 313, 353, 1.3 Barkas B1000,B1000-1 Framo, Mulicar M22, M24, M26 Stop-lamp oil-pressure switch srew connection Prod.No. 7595 11,87 Hydraulic pessure cennected switch for the brake lights. Type of the switch with srew contacts. delivery as original spare part Fit to the vehicles: Trabant 500, 600, 601, 1.1 Wartburg 311, 312, 313, 353, 1.3 Barkas B1000,B1000-1 Framo, Mulicar M22, M24, M26



Tank for brake fluid 1 circle Prod.No. 191 9,50 Reservoir for brake fluid for Trabant 601 with single-circle brake master cylinder, up to vintage: april 1980 and many trailer and camper with hydraulical brake system

scope of delivery: inclusive cap one piece will be needed



Tank for brake fluid 2 circle

Prod.No. 6142 15.50 Reservoir for brake fluid with two glands for Trabant 601 with 2-circle brake master cylinder, from vintage: april 1980.Fit also to Wartburg 353 and 1.3, Barkas B1000 with two circle brake master cylinder and Barkas B1000-1.

scope of delivery: inclusive cap, but without mounting parts one piece will be needed



W-eye junction for HBZ 2-circle Double divider for Trabant 601 master brake cylinder 2-circle.

material: Steel delivery without sealing rings genine spare part one piece will be needed

Trabant 601 > Spare parts > Electrical system

9,29

14,25

11.33

Prod No

Prod.No. 7122

102

Battery 6V 84Ah, dry (not charched)

-	-	2	1
	-	e	~
			T
	.st	Ø	

	Batterie for cars with 6V supply voltage. The capacity is 84 Ah. The starting p We just deliver this battery dry and uncharched. Design fit to historical vehicles.	power is 24()A.	
	length: 22,5 cm wide: 17,5 cm highness case: 20 cm total highness inclusive pins: 22 cm made in Germany			
Comple	<u>v acid 1,0 liter</u> te pre mixed batterie fluid for using at all starter batterys. used for 6,12 and 24V voltage system.	Prod.No.	7675	3,45
bottle w	s: 1 Liter rith child-proof lock note the instructions at the bottle			
\searrow	cable for positive pole of car battery connection cable between positive pole of car battery and the terminal screw	Prod.No. of starter.	6564	24,45
1	pre-finished one cable tail with battery pole terminal one cable tail with 8mm cable shoe for terminal screw of solenoid switch (me thick and robust isolation (outer diameter: 13,3mm new made in Germany	ounted on s	tarter)	
=	Cover for positive pole of car battery Plastic cover to protect the positive pole of car battery. Original spare part. Please note: fit only for original connetion wires betw terminal screw of starter.	Prod.No. een positive	8078 e pole an	5,20 d the
	original sape part delivery as single part one piece will be needed material: plasic, black			
-	electrical pump for windscreen washer electrical pump to put into the water bottle of windscreen washer voltage: 12V	Prod.No.	1125	42,46
	fit to follow washer systems: windscreen Trabant 601 rear window Wartburg 353 and 1.3 TOURIST (only for estate wagon)			
	<u>Float for transmitter fuel gauge</u> Plastic float for the sensor of the fuel gauge as an single part. Fit to all vehicle models: Trabant 601, Trabant 1.1, Wartburg 353, Wart Barkas B1000-1, Multicar.	Prod.No. tburg 1.3, E	7460 Brakas B [.]	11,74 1000,
	material: fuel resistant plastic, colour: withe made in Germany one piece will be needed			
	Fuse 8A white fuse for current up to 8A	Prod.No.	1220	0,18

Batterie for cars with 6V supply voltage. The capacity is 84 Ah. The starting power is 240A.

Prod.No. 1225

161,69

fit to all vehicles with this type of fuse

(Second Second	Fuse 16A red fuse for current up to 16A	Prod.No.	1221	0,18
10-11-11-11-11-11-11-11-11-11-11-11-11-1	fit to all vehicles with this type of fuse			
	Fuse box eigth fold Fuse box inclusive 8 fuses. Wire connection with mounting screws. Type with 8 single places for fuses. Cover mede of clear glass plastic. Useable for Ifa cars and many Old- and Youngtimers.	Prod.No.	8036	18,24
	Fuse box SDB/8 Retainer for the fuses (8 pieces) as terminal block with clamp connection Fit to Trabant 601 Limousine, Universal and Kuebel.	Prod.No. for the wires.	7475	11,52
	delivery complete cover delivery without fuses			
	Fuse box sixfold Fuse box inclusive 6 fuses. Wire connection with mounting screws. Type with 6 single places for fuses. Cover mede of clear glass plastic. Useable for Ifa cars and many Old- and Youngtimers.	Prod.No.	8035	19,54
TUD PCS PUDIBLES AUTO A EROCHES	<u>Fuse set</u> Torpedo-fuse kit ideal for traveles or for the daily use. Delivery with resealable blister box.	Prod.No.	6437	0,99
	Scope of delivery: 4x 8A (withe) 4x 16A (red)			
	Scope of delivery: 4x 8A (withe)	Prod.No. screw of geart	6563 box and e	
	Scope of delivery: 4x 8A (withe) 4x 16A (red) 2x 25A (blue) ground cable for car battery connection cable between negative pole of car battery and the mounting			
	Scope of delivery: 4x 8A (withe) 4x 16A (red) 2x 25A (blue) ground cable for car battery connection cable between negative pole of car battery and the mounting (earth-connection, ground). pre-finished one cable tail with battery pole terminal one cable tail with 8mm cable shoe thick and robust isolation (outer diameter: 13,3mm			ngine
	Scope of delivery: 4x 8A (withe) 4x 16A (red) 2x 25A (blue) ground cable for car battery connection cable between negative pole of car battery and the mounting (earth-connection, ground). pre-finished one cable tail with battery pole terminal one cable tail with 8mm cable shoe thick and robust isolation (outer diameter: 13,3mm new made in Germany Key switch One grade switch made of Duro-plastic Can be used for 6,12 (120W) and 24V (150W) electrical systems.	screw of gearb	box and e	19,95 ngine 1,95

A-0-	Plug for socket, without pull relief Prod.No. 8121 3,9 Double-pole plug for the standard socket.
	for 6V and 12V fit for many IFA-vehicles without wire pull relief
P	Relais 12V 30A (changeover contact)Prod.No.68905,5Additional relais for operating supply 12V DC with changeover contact. The maximum current 30ampere.
	5 x blade terminal connection pins (6 x 0,8mm 1x changeover contact (can be used as changeover-, make- or break contact Max. continuous current with 12V DC: 40A (make contact no.87)/ 30A (break contact no.87a) plastic case dimensions: 28 x 28 x 25 mm (without mounting lug)
•	Relais 6V 30AProd.No.61849,5additional relais for operating supply 6V. The maximum current 30 ampere.
KA. 69/30A 67 30 65 86	4 x connection pin plastic case dimensions: 27 x 27 x 14 mm We don't can ensure a permanent current of 30A. For permanent current up to about 15A made in GDR
	Rocker switch rear window defroster Prod.No. 7627 9,8 Angular single step switch with function light for mounting for example at the dashboards. Colour of the switch: yellow Symbol: window defroster Can be used for 6,12 and 24V electrical systems. Space saving frame size, best use for additional electrical units at Old- and Youngtimers. Delivery without bulbs, it will be for example glas base bulb 12V 1,2W one needed.
0	Rubber membrane plug for holes with diameter of 15mmProd.No.67960,9Membrane plug made of black rubber to shut round holes in car bodys (such as service holes) or as variable cable grommet seal for some wires (also with plugs)
	fit to hole diameter of 15 mm inner diameter of membrane (max. usable diameter): 9 mm outer diameter (total): 20 mm
0	Rubber membrane plug for holes with diameter of 18,5mmProd.No.68950,9Membrane plug made of black rubber to shut round holes in car bodys (such as service holes) or as variable cable grommet seal for some wires (also with plugs)0,9
	fit to hole diameter of 18,5 mm (0,728") inner diameter of membrane (max. usable diameter): 11 mm (0,433") outer diameter (total): 23 mm (0,906")
6	Rubber membrane plug for holes with diameter of 20,5mmProd.No.67971,0Membrane plug made of black rubber (Polychloropren) to shut round holes in car bodys (such as service holes) or as variable cable grommet seal for some wires (also with plugs)1,0
	fit to hole diameter of 20,5 mm inner diameter of membrane (max. usable diameter): 13,5 mm outer diameter (total): 25 mm thickness: 7 mm

Rubber membrane plug for holes with diameter of 25mmProd.No.76251,27Membrane plug made of black rubber (Polychloropren) to shut round holes in car bodys (such as service holes) or as
variable cable grommet seal for some wires (also with plugs)1,27

fit to hole diameter of 25 mm inner diameter of membrane (max. usable diameter): 18,5 mm outer diameter (total): 30,5 mm thickness: 7 mm

thickness: 7 mm				
	Rubber membrane plug for holes with diameter of 28mm Membrane plug made of black rubber to shut round holes in car bodys variable cable grommet seal for some wires (also with plugs)	Prod.No. s (such as servic	6798 e holes) or	1,57 · as
	fit to hole diameter of 28 mm inner diameter of membrane (max. usable diameter): 21 mm outer diameter (total): 35 mm			
\bigcirc	Rubber membrane plug for holes with diameter of 32mm Membrane plug made of black rubber to shut round holes in car bodys variable cable grommet seal for some wires (also with plugs)	Prod.No. s (such as servic	7613 e holes) or	2,23 * as
	fit to hole diameter of 32 mm inner diameter of membrane (max. usable diameter): 25 mm outer diameter (total): 39 mm thicknes of the menbrane: 1mm total thickness: 9mm			
	Rubber membrane plug for holes with diameter of 37mm Membrane plug made of black rubber to shut round holes in car bodys variable cable grommet seal for some wires (also with plugs)	Prod.No. s (such as servic	6799 e holes) or	1,75 * as
	fit to hole diameter of 37 mm inner diameter of membrane (max. usable diameter): 29 mm outer diameter (total): 44 mm			
	Rubber membrane plug for holes with diameter of 47mm Membrane plug made of black rubber to shut round holes in car bodys variable cable grommet seal for some wires (also with plugs)	Prod.No. s (such as servic	6800 e holes) or	2,98 · as
	fit to hole diameter of 47 mm inner diameter of membrane (max. usable diameter): 36 mm outer diameter (total): 54 mm thicknes of the menbrane: 1mm total thickness: 10mm			
	<u>Sealing for transmitter fuel gauge</u> Rubber seal for the sensor of the fuel gauge as an single part. Fit to all vehicle models: Trabant 601, Trabant 1.1, Wartburg 353, Barkas B1000-1, Multicar.	Prod.No. Wartburg 1.3, E	7461 Brakas B10	5,50 000,
	material: fuel resistant rubber, colour: black made in Germany one piece will be needed			

Signal horn 6V Universal signal horn for the supply voltage 6V. Also for any type of vehicle with voltage of 6V. Best use for Old-and Youngtimers.	Prod.No.	7618	29,90
 metal-body, colour black outside diameter: 125mm inclusive grounding clip one piece will be needed			
Signal horn, 12V universal signal horn for the supply voltage 12V. Also for any type of vehicle with voltage of 12V (like Audi, VW, Opel, Ford a	Prod.No.	1205	14,87
galvaniced metal-body inclusive grounding clip made in Germany one piece will be needed			
Single grade pull switch Small pull switch for mounting for example at the dashboards. Can be used for 6,12 and 24V electrical systems. Space saving frame size, best use for additional electrical units at Old- and	Prod.No. Youngtimers	7589 S.	3,28
Switch and timing switch for wiper motor, second hand switch for wiper motor 12V combination switch with 2 level timing and 2 level of wiper speeds, button for	Prod.No. or screen wa	1117 ter.	38,08
second hand, checked for funktion one piece will be needed			
Switch for rear wiper motor Switch for the Trabant Universal (station wagon) electrical wiper motor rear	Prod.No. screen	7104	18,50
Voltage changer from 6V to 12V DC/DC-voltage converter to run a 12V-device in a car with voltage of 6V	Prod.No.	1200	79,08
Technical data: Input voltage: 5,5V up to 8V			
Output voltage: 12V Power rating: 10A			
 max. current consumption: 24A Connectors: 2x blade terminal 6,3x0,8mm for input and output Dimensions (WxHxD): 150mm x 85mm x 70mm Weight: 0,6kg			



 Water vessel for windscreen washer system, singel part
 Prod.No.
 6908
 12,50

 Water bottle for windscreen washer system, to use in tandem with electrical pump bottle
 Volume: 1,5 liter
 12,50

 original spare part
 fit to follow washer systems:
 windscreen Trabant 601
 Vartburg 353 and 1.3 TOURIST rear window

 single part without pump, cap and metal holder
 Prod.No.
 6908
 12,50



windscreen washer kit Prod.No. 6907 Complete kit for windscreen washer system with electrical pump and water bottle voltage: 12V Scope of delivery:

bottle 1,5 liter cap metal holder wash pump 12V

1m plastic hose (connection pump-spray jet 1 piece of two double jet washer inclusive retainer spring

fit to follow washer systems: windscreen Trabant 601 Wartburg 353 and 1.3 Tourist rear window



 Windscreen washer kit 6V
 Prod.No.

 Set for windscreen washer system with electrical pump and water bottle voltage: 6V
 Scope of delivery:

bottle 1,5 liter

cap metal holder wash pump 12\

Ideal for upgrate the mechanical hand pump into an electrical system.



Wiper motor 12 V (from 88)	Prod.No.	1115	95,30
windscreen wiper motor			
built-in from year 1988			
The differnt between wiper motor, built in from year 1988 and later to the wip	per motor up	to 1987 is	the
form of motor shaft.			
To see on the picture below is the conical shaft of a wiper motor built-in from	n year 1988	. In contras	t to
this wiper motor the wiper motor built-in up to year 1987 has a cylindrical sha	aft.		
Wiper motor 12 V (up to 87)	Prod.No.	1113	95,68
The differnt between wiper motor, built in up to 1987 and later to the wipe	er motor bui	lt-in from y	ear
1988 is the form of motor shaft.			

To see on the picture below is the cylindrical shaft of a wiper motor built-in up to year 1987. In contrast to this wiper motor the wiper motor built-in from year 1988 has a conical shaft.

	A DECK DECK DECK DECK DECK DECK DECK DECK
0	- The second
· · · · ·	18 222
100	
A CONTRACTOR	

Wiper motor 12 V, secound hand (from 88)Prod.No.111667The differnt between wiper motor, built in from year 1988 and later to the wiper motor up to 1987 is the

form of motor shaft. To see on the picture below is the conical shaft of a wiper motor built-in from year 1988. In contrast to this wiper motor the wiper motor built-in up to year 1987 has a cylindrical shaft.

Wiper motor 12 V, secound hand (up to 87)

Prod.No. 1114 69,16

holder	
pump 12V	

67,92

56,53

25,90

7597



Wiper motor 6 V Wiper engine for the Trabant with 6V electrical system. Original spare part. type: 6V, 5,5 Nm

Prod.No. 7706 72,30

Trabant 601 > Spare parts > Electrical system > Dynamo



•	<u>Alternator DC 6V</u> Dynamo for vehicles with 6V direct current. Fit to the folloing cars: : Trabant, Wartburg 311, 312 und Framo.	Prod.No.	761	95,33
r	new spare part (original-IFA-part) type: 220W scope of delivery without belt pulley			
	mostly the generator has an external regulator.			
	Armature for dynamo 6V Dynamo rotour as an single part. Best use for refresh the dynamo. Fit to direct current dynamos with 6V. Useabe for the car types: Trabant 500,600,601 Barkas V901 (Framo)	Prod.No.	7806	36,81
	Single spare part, without bearings or mounting bits original spare part one piece will be needed			
AL	Auxiliary diode base plate for Dynamo AC Spare base plate pre installed with excitation diodes. Best use for exchanging the single complete componet. Delivery without mounting parts. Fit to dynamo 12V Trabant 601 Trabant 1,1 and Wartburg 1,3 as well Barkas B1000-1	Prod.No.	7622	9,77
	original spare part one base plate will be needed			

Ball bearing for Dynamo (old type) Prod.No. 7796 Grooved ball bearing to retain the dynamo armature at teh case. Fit to direct current dynamos with 6V or 12V. Useabe for the car types: Trabant 500,600,601 Wartburg 311,312,313,353

Single spare part, delivery without mounting bits high quality made by FAG two pieces will be needed

Barkas V901 (Framo)

8,47



Bearing cover rotary current generator Prod.No. 772 1,25 Metal cover for the rear ball bearing (rotor shaft rear 6303ZZ) of the rotary current generator to the collector ring. Original spare part (NOS)

metal, galvaniced For each generator one piece will be needed Fit to all generators 12V Trabant 601, Trabant1.1, Wartburg 353, Wartburg 1.3, Barkas B1000 und B1000-1



Bolt for Dynamo (new type) Mounting bolt for the DC generator 12V Trabant

tensile strength rate 8.8 one piece will be needed



Bolt for regulator Mounting bolt for regulator and cutout relay. Original spare part (NOS)

threed: M5 length: 49mm delivery inclusive nut SW8 For each generator tow pieces will be needed Fit to all generators 12V Trabant 601, Trabant1.1, Wartburg 353, Wartburg 1.3, Barkas B1000 und



Brush for Dynamo (DC) Brush for the direct current dynamo with 6V.

price for each one two pieces will be needed

B1000-1



Prod.No. Brush for Dynamo AC Spare brush fit to AC Dynamo 12V Trabant 601 and dynamo 12V Wartburg 353 and Barkas B1000

original spare part price for each one two pieces will be needed

size: 15,5mm x 10mm x 5mm wire: 30mm



Brush spring for dynamo older type Spring for the brushes to connect the rotor. Fit to direct current dynamos with 6V or 12V. Useabe for the car types: Trabant 500,600,601 Wartburg 311,312,313,353 Barkas V901 (Framo)

Single spare part original spare part two pieces will be needed Prod.No. 7808 1,85

Prod.No. 7180

Prod.No. 7600

Prod.No.

769

770

1,95

2,45

3.68

5,63

\frown	Bushing for dynamo AC Metal ring between front wheel bearing and V-pully / ventilator. Fit to all alternative of the second seco	Prod.No. nating currer	7797 nt dynamos.	2,90
$\mathbf{\bigcirc}$	delivers as an single part original spare part one piece will be needed			
	Bushing kit for dynamo AC Metal bushing with rubber sleeve for the rear dynamo retainer at the rear bea	Prod.No. aring case.	7794	5,20
	Set consist of one bushing and one rubber ring original spare part one piece will be needed			
	Connection wire starter-dynamo Cable harness complete ready made for mounting. Connection between starter motor and AC dynamo at the Trabant 601. Red cable for batterie charge power and blue wire for charge control light. The blue cable will be connected by plug to the main cable harness near the Fit to AC generator 12V Trabant	Prod.No. signal horn.	7961	9,90
	Two core dynamo harness, engine compartment high quality reproduction one piece will be needed made in Germany			
	Contact box for dynamo older type Wire connection terminal box for mounting at the dynamo case. Delivery inclusive contact for wires DF and D+. Inclusive clamp bolt for connective Fit to direct current dynamos with 6V or 12V. Useabe for the car types: Trabant 500,600,601 Wartburg 311,312,313,353 Barkas V901 (Framo)	Prod.No.	7811 ushes.	4,15
	Single spare part original spare part one piece will be needed			
	<u>Contact rail for dynamo older type</u> Middle contact for connection the wire D- at the electrical box. Fit to direct current dynamos with 6V or 12V. Useabe for the car types: Trabant 500,600,601 Wartburg 311,312,313,353 Barkas V901 (Framo)	Prod.No.	7809	1,70
	Single spare part original spare part one piece will be needed			
	Diode base plate for Dynamo AC Spare base plate complete pre installed with excitation diodes and plus diode Best use for exchanging the complete componet. Delivery without mounting parts. Fit to dynamo 12V Trabant 601 Trabant 1,1 and Wartburg 1,3 as well Barkas B1000-1	Prod.No. es.	7601	28,75
	original spare part			

one base plate will be needed



Dust cap for ball bearing trunnion bearing A-SProd.No.78031,80Metal cap for protection the grooved ball bearing at the trunnion bearing A-S front side agianst dust
and dirt.A-S front side agianst dustFit to direct current dynamos with 6V or 12V.
Useabe for the car types:
Trabant 500,600,601
Wartburg 311,312,313,353
Barkas V901 (Framo)Fit direct current dynamos with 6V or 12V.

Single spare part original spare part outside diameter: 29mm inside diameter: 15mm one piece will be needed



Dust cap for ball bearing trunnion bearing rear

Prod.No. 7804 1,80

Prod.No. 7503

766

765

Prod.No.

166,40

8,50

8,50

Metal cap for protection of the grooved ball bearing at the trunnion bearing A-S rear side agianst dust and dirt.

Fit to direct current dynamos with 6V or 12V. Useabe for the car types: Trabant 500,600,601 Wartburg 311,312,313,353 Barkas V901 (Framo)

Single spare part original spare part outside diameter: 34mm inside diameter: 15mm one piece will be needed



Dynamo AC 12V (+100? deposit)

Rotary current generator complete overhauled spare part. Fit to Trabant 601 from vinatge October 1986. Scope of delivery inclusive voltage regulator.

Please note: for this spare part we will charge an additional deposit. This pledge is not included at the actually signified sale price (total: 266,40 Euro). The pledge will be paid back after your old spare part returns to our company. Please make sure, that we dont pay any return shipping costs or customs fees.

made in Germany



Dynamo retainer (new type)Prod.No.Retainer for Trabant AC generator 12V Trabant from vintage october 1983

material: steel scope of delivery without sleeve original spare part one piece will be needed



Dynamo retainer (old type) Retainer for Trabant DC alternator up to vintage october 1983

material: steel scope of delivery without sleeve original spare part one piece will be needed

	Field Ciol I for dynamo 6V Stator coil (Field coil no.1) for mounting inside of the dynamo case. The connecion wires have to be solided at the contacts. Best use for refresh the dynamo. Fit to direct current dynamos with 6V. Useabe for the car types: Trabant 500,600,601 Barkas V901 (Framo)	Prod.No.	7816	15,74
	Single spare part, without mounting bits original spare part one piece will be needed			
	Field Ciol II for dynamo 6V Stator coil (Field coil no.2) for mounting inside of the dynamo case. The connecion wires have to be solided at the contacts. Best use for refresh the dynamo. Fit to direct current dynamos with 6V. Useabe for the car types: Trabant 500,600,601 Barkas V901 (Framo)	Prod.No.	7817	15,74
	Single spare part, without mounting bits original spare part one piece will be needed			
	Graphite collector ring rotary current generator Collector ring for the generator rotor. Inclusive metal plates for mounting the rotor windings Original spare part (NOS)	Prod.No.	7599	23,95
	For each generator one piece will be needed Fit to all generators 12V Trabant 601, Trabant1.1, Wartburg 353, Wa B1000-1	rtburg 1.3, Bark	as B100) und
Spare plasic isolati Delivery without mo Fit to dynamo 12V		Prod.No.	7662	3,51
original spare part one isolating plate	will be needed			
QQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQ	Pessure spring carbon brush Coil spring for the carbon brushes at the rotary current generator. Original spare part (NOS) For each generator two pieces will be needed. Fit to all generators 12V Trabant 601, Trabant1.1, Wartburg 353, Wa B1000-1	Prod.No. rtburg 1.3, Bark	760 as B100	1,55) und



Pin bolt for dynamo older typeProd.No.78052,25Special pin for mounting the front and rear trunnion bearing A-S at the dynamo base case.Fit to direct current dynamos with 6V or 12V.Useabe for the car types:Trabant 500,600,601Wartburg 311,312,313,353Barkas V901 (Framo)

Single spare part original spare part thread: M5 length: 170mm two pieces will be needed

Plastic cap for Dynamo AC/DC 12V

Prod.No. 771

27,50



Regulator and cotout relay (6V/220W) for DC 6V DynamoProd.No.77685,50External mechanical regulator for use at the DC dynamo to control the battery voltage.Fit to Trabant 500, 600 and 601, Framo, Wartburg 311Virginal spare part.Statement

voltage: 6V use for DC dynamo: 220W made in Germany



Regulator and cotout relay 12V/220W for DC 6V DynamoProd.No.790485,50External mechanical regulator for use at the DC dynamo to control the battery voltage.Fit to Trabant 500, 600 and 601, Framo, Wartburg 311Original spare part.Fit to Trabant 500, 600 and 601, Framo, Wartburg 311

voltage: 12V use for DC dynamo: 220W made in Germany



Regulator and cutout relay for AC 12V DynamoProd.No.77536,32The voltage regulator is direct mounted at the dynamo. Fit to many IFA dynamos with rotary current.for example:

dynamo 12V Trabant dynamo 12V Trabant 1.1, Wartburg 1,3 and Barkas B1000-1 dynamo 12V Wartburg 353 and Barkas B1000

one piece will be needed

	Retainer for Ball bearing Trunnion bearing A-S Mounting holder for the grooved ball bearing at the trunnion bearing A-S from Fit to direct current dynamos with 6V or 12V. Useabe for the car types: Trabant 500,600,601 Wartburg 311,312,313,353 Barkas V901 (Framo)	Prod.No. t side.	7802	3,20
	Single spare part, delivery mounting screws original spare part one piece will be needed			
utom.	Retainer for contact rail Tinned metal pice to solder the wire of the field coil at the middle contact (D-) Fit to direct current dynamos with 6V or 12V. Useabe for the car types: Trabant 500,600,601 Wartburg 311,312,313,353 Barkas V901 (Framo)	Prod.No.	7812	0,90
	Single spare part original spare part one piece will be needed			
00	Retaining plate for Dynamo (new type) metal tongue for stretching the V-belt at the Trabantengine. Fit to DC generator 12V Trabant	Prod.No.	768	4,50
	best replecment for the original part made in Germany Surface galvaniced one piece will be needed			
	Retaining plate for Dynamo (old type) Holder to stretch the V-belt at the direct current (DC) dymamo for Trabant. Single spare part, delivery without mounting bits.	Prod.No.	767	3,50
\bigcirc	Roller bearing 6003 ZZ Single row roller bearing 6003, ZZ, 17x35x10. Made by FAG. Fit to AC generator 12V Trabant, Wartburg und Barkasrotor shaft front side	Prod.No.	6330	8,57
	ZZ- synonym for bearing cover, both side bearing play CN(CO)-normale bearing play one piece will be needed made by FAG			
	Roller bearing 6303 ZZ Single row roller bearing 6303, ZZ, 17x47x14. Made by FAG. Fit to AC generator 12V Trabant, Wartburg, Barkasrotor shaft rear side	Prod.No.	6333	9,79
	ZZ- synonym for bearing cover, both side bearing play CN(CO)-normale bearing play one piece will be needed made by FAG			



Trunnion bearing A-S dynamo older typeProd.No.780739,06Rear side trunnion bearing complete with pre-installed brushes and pressure springs.Best use foroverhauling.Fit to direct current dynamos with 6V or 12V.Useabe for the car types:Trabant 500,600,601Wartburg 311,312,313,353Barkas V901 (Framo)


Rear trunnion bearing made of aluminium as singe part fit to alternating current dynamo Trabant 601.

Single spare part without mounting equipment and bearing original spare part one piece will be needed



delivery without any mounting parts original spare part one piece will be needed

Trunnion bearing for dynamo AC



Wire clip for contact box U-bolt to mount the cover on top of the connection terminal box Fit to direct current dynamos with 6V or 12V. Useabe for the car types: Trabant 500,600,601 Wartburg 311,312,313,353 Barkas V901 (Framo)

Single spare part original spare part one piece will be needed

Trabant 601 > Spare parts > Electrical system > Ignition



Adapter M14 ignition ajustmentProd.No.681828,99adapter for the dial gauge to adjust the ignition point.Fit to the spark plug tap M14. Hexagon nut for mounting SW 22.usefull for the fallowing vehicles:

made in Germany material: brass Trabant 601 Wartburg 353 Barkas B1000



Adapter M18 ignition ajustment adapter for the dial gauge to adjust the ignition point. Fit to the spark plug tap M18. Hexagon nut for mounting SW 22. usefull for the fallowing vehicles:

made in Germany material: brass Trabant 500,600,601 Wartburg 311 Framo IFA F8 / F9 P70 Prod.No. 6819 28,99

Prod.No.

Prod.No. 7813

7798

24,64

1,50

 Bearing for electronic ignition distributor for EBZA
 Prod.No.
 8037
 12,20

 Radial roller bearing for the main shaft of the electronic ingnition base plate ignition sensor for the battery ignition system of the Trabant.
 12,20

Delivery as an both side covered bearing type:2RS.

made by FAG two pieces will be needed



Cap for Ignition coil

Rubber cap for connection wires pin 1 and pin 15 at the ignition coils. Useable for the 40mm and original 60mm coils with ring pin connection.

material: rubber, black

made in Europe



Centrifugal advance mechanism for tow lever contact breaker ignitionPcontrolete 803 22,36 Ignition cam advance for the pointer ingnition system of the Trabant 500,600 and 601. The centrifugal mechanism is only used by starting the engine. After the engine is running, the cam will stay at the normal driving ignition point. Delivery with hefts, springs and contact breaker cam.

7991

1,95

15,50

2.49

6,45

2,10

Prod.No.

Prod.No.

Prod.No. 7299

Prod.No.

805

822

6715



<u>Contact breaker Pertinax</u> used for 2 stroke engiene Trabant, Wartburg and Barkas for Trabant you will need two pices Wartburg and Barkas got three of them

old type of contact braker made of fabric reinforced plastic made in Germany



Contact breaker, EU Inexpensively breaker for the ignition controling. Used for 2 stroke engiene Trabant, Wartburg and Barkas for Trabant you will need two pices Wartburg and Barkas got three of them.

inclusive lube felt material: plastic original spare part made in EU



<u>Contact breaker, original</u> Breaker for the ignition controling. Best quality. used for 2 stroke engiene Trabant, Wartburg and Barkas for Trabant you will need two pices Wartburg and Barkas got three of them

inclusive lube felt material: plastic original spare part made in Germany



<u>Copper connection plug for ignition cable</u> Prod.No. easy to handle, just turn the connection plug into the ignition cable (spark- coil side)

fit to all Trabant with two stroke engine material: brass two pieces will be needed

	<u>Cover for ignition case</u> Sealing cover made of plastic for the Trabant 500, 600 and 601 ignition case. The cover protects the igniton sensor unit again dust and moisture. Original spare part.	Prod.No.	802	9,20
I IIII -	Dial gauge digitale type Good quality dial indicator for example to adujst the ignition timing.	Prod.No.	7301	43,59
. 15 10	case diameter: 58mm tolerance: 0,01mm effective range: 0-10mm made in China scope of delivery without seperate extension pin non shock proof			
	Dial gauge shock proof High quality dial indicator for example to adujst the ignition timing.	Prod.No.	6821	59,90
	case diameter: 58mm tolerance: 0,01mm effective range: 0-10mm made in Germany scope of delivery without seperate extension pin shock proof			
	Dial gauge simple type High quality dial indicator for example to adujst the ignition timing.	Prod.No.	6820	49,10
T	case diameter: 58mm tolerance: 0,01mm effective range: 0-10mm made in Germany scope of delivery without seperate extension pin non shock proof			
Ó	Dial gauge simple type Cheap dial indicator for example to adujst the ignition timing.	Prod.No.	7300	14,99
	case diameter: 58mm tolerance: 0,01mm effective range: 0-10mm made in China scope of delivery without seperate extension pin non shock proof			
	<u>electromagnetic shielding set 12V</u> With this set you can shield the ignition system of Trabant 601. So the broadcast reciever (car radio) can be used in better quality.	Prod.No.	1211	51,50
	This type of shielding set can only be used if voltage of Trabant is 12V, a Ad the ignition system is working with contact brakers (NOT with EBZA (e system)).	-		
	convine sanse part			

genuine sapre part one set will be needed



Electronic ignition base plate 12V, completeProd.No.79495,23Retrofitting kit for 12V ignition system of 2-stroke Trabant variants to change from contact breakersystem to electronic system.All mechanical parts will not changed. The centrifugal advance mechanismn will left, too. So thechange of ignition timing during low revs will work also after retrofitting.Advantage:

no mechanical contact breakers (no maintenance work for lubricating and readjusting) Simplified adjusting of ignition timing for cylinder 2 through automatic adoption of cylinder 2 timing If necessary the old contact breake ignition plate can be put back later

An additional wire for power supply of ignition system is to install from ignition coil (+12V, terminal 15) to base plate.



Electronic ignition base plate for 6V, completeProd.No.7536159,50Retrofitting kit for 6V ignition system of 2-stroke Trabant variants to change from contact breakersystem to electronic system.All mechanical parts will not changed. The centrifugal advance mechanismn will left, too. So thechange of ignition timing during low revs will work also after retrofitting.Special made for 6V system Trabant 500,600 and 601

Advantage:

no mechanical contact breakers (no maintenance work for lubricating and readjusting) Simplified adjusting of ignition timing for cylinder 2 through automatic adoption of cylinder 2 timing If necessary the old contact breake ignition plate can be put back later

An additional wire for power supply of ignition system is to install from ignition coil (+6V, terminal 15) to base plate.

Prod.No.

796

185,00



Electronic ignition control system EBZA Original spare part. ESE-2H 8389.19

	Electronic ignition distributor for EBZA	Prod.No.	797	72,00
601	Electronic ingnition base plate ignition sensor for the battery ignition system	m of the Traba	ant.	
	delivery inclusive with magnetic ring and sensor, but without towing arm			
	original spare part			
Electronic insert	for ignition control system EBZA	Prod.No.	7420	55,00
Circuit board as ins	ert for the original EBZA of the Trabant 601.			
Scope of delivery w	vithout pastic box but incusive connetion wires.			
ESE-2H 8389.19				
	Electronic unit for ignition sensor for EBZA	Prod.No.	7017	29,89
	Electronic ingnition base plate ignition sensor for the battery ignition system	m of the Traba	ant.	,

	Extensions pin for Dial gauge, 60mm Extension for dial gauge. Fit to all offered gauges	Prod.No.	7302	3,09
	thread: M2,5 diameter: 4mm tolerance: 0,01mm effective range: 0-10mm made in China scope of delivery without seperate extension pin non shock proof			
	Ignition cable (1 m long) price for one meter by ordering of two pieces, you will get one piece of 2m standard quality	Prod.No.	820	2,32
	Ignition cable set set consist of two ignition cable complete with spark plugs and rubber sealing	Prod.No. ng.	6031	14,95
	Ignition cable set, high quality set consist of: two ignition cable with right length (high quality made in Germanyd, very fle two ignition cable end plug spark plug, made in Germany (water proof) two rubber sealings	Prod.No. xible with sili		19,95
Germany - copper cable	Ignition cable, high quality (1 m long) excellent copper-ignition cable made in Germany low restistance for maximum ignition energy at the spark plug very flexible, also by cold temperatures, because of silicone isolation price for one meter by ordering of two pieces, you will get one piece of 2m high quality	Prod.No.	6405	4,95
	Ignition capacitor Spark capacitor fit to all Trabant, Wartburg and Barkas with tow stroke engi Trabant: 2 pieces will be needed Wartburg: 3 pieces will be needed B1000: 3 pieces will be needed	Prod.No. ne.	806	2,54

BOSCH

please note: ignition coils have to changed pairwise! voltage: 12V diameter: 55 mm lenght of case: 112 mm lenght complete: 144 mm material: alumium / plastic fit to all Trabant 601 with 12V system

Can be used for contact breaker ignition and electronic ignition (EBZA)



Ignition coil 12V, complete

Ignition coil 12V, Bosch

Ignition coil from Bosch.

Prod.No. 6490 39,40

Prod No. 812 19,90



Ignition coil 6V, diameter 40mm

18,77 Prod.No. 7987 This coils can be used for Trabant 500, 600 and 601, Wartburg 313 and Wartburg 313, Framo with voltage of 6V. Made in Europe. Sizes:

diameter: 40mm total lenght:130mm length of the aluminium case: 92mm threads for connection wires: M4



Ignition coil 6V, diameter 40mm, Germany Prod.No. 7990 67,33 This coils can be used for Trabant 500, 600 and 601, Wartburg 313 and Wartburg 313, Framo with voltage of 6V. Original spare part. Sizes:

diameter: 40mm total lenght:130mm length of the aluminium case: 92mm threads for connection wires: M4



Ignition coil 6V, diameter 62mm Prod.No. 810 37,11 This coils can be used for Trabant 500, 600 and 601, Wartburg 313 and Wartburg 313, Framo with voltage of 6V. Original spare part. Sizes:

diameter: 62mm total lenght:156mm length of the aluminium case: 121mm threads for connection wires:M5 made in Germany



Ignition look (old type)

Prod.No. 827 26,55 Fit to Trabant 500, 600 and 601 old type (6V) and Barkas B1000 (with ignition look inside dashboard). key switch for ignition and starter with four terminals:

- 30 permanent batterie power
- 15 ignition power supply
- 54 starter
- P special parking position of key (for car radio)



Ignition look (second hand)	Prod.No.	826	122,38
The ingition look fit to Trabant Trabant 601 (later models) and Trabant 1,1.			
Type of look system with mechanical anti-theft device.			
Complete unit with electric switch for ignition and starter motor.			
Delivery inclisive one key.			

Retainer for Ig	nition coil iner for mounting the ignition coils at the right hand wheel case.	Prod.No.	7997	3,44
	Somm coils 6v and 6V.			
material: steel, g	alvaniced			
	Rubber seal for cable glant of ignition case Rubber for sealing the ignition contorl cable into the ignition case.	Prod.No.	6208	1,76

Material: rubber, black made in Deutschland one piece will be needed



Screening set 6V

With this set you can shield the ignition system of Trabant 601. So the broadcast reciever (car radio) can be used in better quality.

This type of shielding set can only be used if voltage of Trabant is 6V and DC-generator is built in and the ignition system is working with contact brakers.

Prod.No.

Prod.No.

6893

1,45

1210

51,50

genuine sapre part one set will be needed



Seal for connection between ignition coil and ignition cable Prod.No. 6892 1,56 Rubber protection cap for ingniton coil. Protection against dust and spash water. Also for universal use.

lenght: 23 mm big inner diameter: ca. 14 mm small inner diameter: ca. 6 mm made of high quality rubber (soft) rubber colour: black

Seal for spark plug terminal



Best quality protection cap. Rubber protection cap for spark plug and ingniton wire. Protection against dust and spash water. Fit to spark plug terminals M14 and M18.

lenght total: 46,5 mm diameter (big opening)): 13 mm diameter (small opening): 5 mm Fit to ignition cable with outer diameter of 7 mm.



Seal for spark plug terminal M14Prod.No.8171,10Rubber protection cap for spark plug and ingniton wire. Protection against dust and spash water.

	Sensorring for electronic ignition bas plate EBZA Magnatic ring for the electronic ingnition base plate. Can be ussed for the battery ignition system of the Trabant. delivery as an single part with out any mounting parts original spare part	Prod.No.	7678	9,20
	Simple Ignition cable set (no interference suppression) Simple set of two ignition cables fit to Trabant 601 Wire colour: blue	Prod.No.	7019	9,80
4 7	Delivery without separately spark plugs (no interference suppression resistion cables are with crimp sleeve for contact to ignition coil and spark plu		d), the en	ds of
	<u>Spare key, copy is made from yor key number</u> Production of an spare key for door, ignition or fuel cap looks and so on You have to tell us your key number per email, fax or letter. Keys for the vehicles: Trabant, Wartburg, W50, Barkas LO, LD Multicar usw.	Prod.No.	1341	15,50
	delivery time about one to two weeks all Trabant keys possible			
-	Spark plug M14 - 175, *ISOLATOR* This spark plug is the basic type for Wartburg 353 and Barkas B1000 (2-stro High quality product. Plaes note: The electrode gap has to be adjusted compere to the ordes of the		1189 oducer.	2,31
	producer: BeruAG Isolator, Germany spark plug tap: M14 x 1,25 wrench opening: SW21 rating: 175			
	<u>Spark plug M14 - 225, *ISOLATOR*</u> standard spark plug for engine of Trabant 601 High quality product. Plaes note: The electrode gap has to be adjusted compere to the ordes of th	Prod.No. ne engine pr	1190 oducer.	2,31
	producer: BeruAG Isolator, Germany spark plug tap: M14 x 1,25 wrench opening: SW21 rating: 225			
- Carlos	Spark plug M14 - 260, *ISOLATOR* High quality product. Plaes note: The electrode gap has to be adjusted compere to the ordes of the	Prod.No. ne engine pr	1191 oducer.	2,31
	producer: BeruAG Isolator, Germany spark plug tap: M14 x 1,25 wrench opening: SW21 rating: 260			
	Spark plug M18 - 175, NGK Spark plug for using at tow stroke engines with thread M18. Good replacement for the original spare part (W18). The heating rate complies 175 (warm spark plug), best use for water cooled Made by NGK, Japan. Bosch Nr. M175 T1 spanner gap: SW 21	Prod.No. engines.	7529	6,75

- 1	Spark plug M18 - 225, *ISOLATOR* Spark plug for the tap M18.	Prod.No.	1192	12,50
	Spark plug M18 - 225, NGK Spark plug for using at tow stroke engines with thread M18. Good replacement for the original spare part (T18). The heating rate complies 225 (cold spark plug), best use for water and air Made by NGK, Japan. Bosch Nr. M225 T1	Prod.No.	7530 nes.	6,75
	Spark plug M18 - 260, NGK Spark plug for using at tow stroke engines with thread M18. Good replacement for the original spare part (T18). The heating rate complies 260 (cold spark plug), best use for water and a tuning engines. Made by NGK, Japan. Bosch Nr. M260 T1	Prod.No. ir cooled eng	7531 ines speci	6,75 ial for
	Spark plug set M14 - 175, *ISOLATOR* One set of sparkplugs, 10 pieces inclusive. This spark plug is the basic type for Wartburg 353 and Barkas B1000 (2-st High quality product. Plaes note: The electrode gap has to be adjusted compere to the ordes of		7387 oducer.	23,10
	inclusive 10 pieces of spark plugs M14, 175 producer: BeruAG Isolator, Germany spark plug tap: M14 x 1,25 wrench opening: SW21 rating: 175			
	Spark plug set M14 - 225, *ISOLATOR* One set of sparkplugs, 10 pieces inclusive. Standard spark plug for engine of Trabant 601 High quality product. Plaes note: The electrode gap has to be adjusted compere to the ordes of	Prod.No. the engine pr	7388 oducer.	23,10
	inclusive 10 pieces of spark plugs M14, 225 producer: BeruAG Isolator, Germany spark plug tap: M14 x 1,25 wrench opening: SW21 rating: 225			
	Spark plug set M14 - 260, *ISOLATOR* One set of sparkplugs, 10 pieces inclusive. High quality product. Plaes note: The electrode gap has to be adjusted compere to the ordes of	Prod.No. the engine pr	7389 oducer.	23,10
	inclusive 10 pieces of spark plugs M14, 260 producer: BeruAG Isolator, Germany spark plug tap: M14 x 1,25 wrench opening: SW21 rating: 260			
	Spark plug terminal M14 fit to all spark plags M14	Prod.No.	815	2,91
	without additional splash water protection made in Europe			



<u>Spark plug terminal M14 for electromagnetic shielding</u> Prod.No. 7147 Original spark plug M14 with connection tap for electromagnetic shielding set. fit to all spark plags M14

genuine spare part 5KOhm zack-no: HSL78830000 inclusive additional splash water protection made in Germany two pieces will be needed



Spark plug terminal M14, 5 kOhm

Fit to all spark plugs M14 with connector thread M4 With a five kohm resistor for suppression of interference it is a ideal replacement part for most (2-stroke) vehicles, which were bulit in G.D.R. For some ignitions systems (for example the Electronic ignition base plate have only to use in tandem

with such spark plug terminals (minimum resistor of 5 kohm)

suppression of interference (5 kOhm) with no additional splash water protection



Spark plug terminal M14, Made in Germany Prod.No. Fit to all spark plugs M14 Prod.No.

suppression of interference (1 kOhm) splash water protected

Spark plug terminal M18

fit to old type of spark plugs with thread type M18



Spark plug terminal original M14, 5 kOhmProd.No.68949,50Original terminal without spray water proof.Fit to all spark plugs M14 with connector thread M4With a five kohm resistor for suppression of interference it is a ideal part for most (2-stroke) vehicles,
which were bulit in G.D.R.For some ignitions systems (for example the Electronic ignition base plate have only to use in tandem
with such spark plug terminals (minimum resistor of 5 kohm)

suppression of interference (5 kOhm) with additional splash water protection for the ignition cable



Spark plug terminal original M14, 5 kOhm, sealed

Original terminal inclusive spray water proof. Fit to all spark plugs M14 with connector thread M4 With a five kohm resistor for suppression of interference it is

With a five kohm resistor for suppression of interference it is a ideal part for most (2-stroke) vehicles, which were built in G.D.R.

For some ignitions systems (for example the Electronic ignition base plate have only to use in tandem with such spark plug terminals (minimum resistor of 5 kohm)

inkusive rubber seal suppression of interference (5 kOhm) with additional splash water protection for the ignition cable



Spark plug terminal universal 5 kOhm Best terminal without metalcoat for all versions of sparks. Good replacment as the old type of spark plugs with thread type M18. Resistance type suppressor: 5kOhm producer: NGK inclusive rubber seal for ignition wire and spark plug. 7952

9,50

5,99

3,91

6.20

5,97

Prod No.

Prod.No.

Prod.No.

6826

6326

6644



Spark plug terminal, straigth original M14, 5 kOhmProd.No. 74776,50Original terminal as straight version.Fit to all spark plugs M14 with connector thread M4Vith a five kohm resistor for suppression of interference it is a ideal part for most (2-stroke) vehicles, which were bulit in G.D.R.For some ignitions systems (for example the Electronic ignition base plate have only to use in tandem with such spark plug terminals (minimum resistor of 5 kohm)

suppression of interference (5 kOhm) with no additional splash water protection for the ignition cable

spring for Centrifugal advance mechanism for tow lever contact breakenightition 6187 0,64



switch unit for ignition look switchProd.No.82512,51Switch unit for ignition look switch.Electrical part of ignition look switch wich is mounted at the backside.Latest version with six blad terminals.Best quality form the original manufacture made in Germany.Fit to Trabant 601 and Trabant 1.1



Towing arm for ignition distributorProd.No.798mechanical connection between crankshaft and magnetic ring of ignition sensorsurveyed part (second-hand)798



Two-lever contact breaker base plate, completeProd.No.Base plate for the contact ignition system of the Trabant 500,600 und 601.Scope of delivery: base plate, 2 pieces of contact braker, 2 pieces of condenser.All components premounted.State of the trabant state of t

new original spare part



	Two-lever contact breaker ignition system complete Complete ignition for the Trabant with 6V or 12V system. Set consist of:	Prod.No.	6983	88,44
	 1x ignition base plate complete with contact breaker and condensers 1x Centrifugal advance mechanism 1x ignition case 1x cover for ingnition housing 2x bolt M5 for fit the base plate original spare part 			
/	Wire harness for electronic ignition base plate Cable harness for the electronic base palte (green ignition board and black s The wires are complete inclusive the additional ignition +6V/12V (terminal 15	0,	7905	14,30
	fit to the offered 6V and 12V elektronical ignition boards			

made in Germany easy to install 27,04

45,20

804



Wire harness for ignition TrabantProd.No.77239,20Complete pree mounted wire set for the two-lever contact breaker ignition system of the Trabant.Wire colour: 1x green, 1x green, 1x green-red.Inclusive protection hose, black.One side will be mounted at the ingition interrupters and the other side at the ignition coils.One side will be mounted at the ingition interrupters and the other side at the ignition coils.

original spare partl scope of delivery inclusive sealing for base plate case one set will be needed

only use for contact braker ignition systems.

Trabant 601 > Spare parts > Electrical system > Starter



Amature complete for starter 6V Trabant Prod.No. 7628 62,20 Rotor shaft complete with collector ring for the starter motor Trabant with 6V electrical system. This is an new original spare part. Delivery without bearing bushings and mountng parts. Prod.No. 7658 2,93 Bolt for starter Bolt of the Bearing case of the starter engine. Connection bolt will be mounted at the beraing case threadholes and on the other side it will hold the rear case cover. Delivery as a single part without nuts an washers. Can be used for all kind of starters 6V and 12V left- and right turning (without Trabant 1.1, Wartburg 1.3 and Barkas B1000-1) original spare part surface: galvaniced total length: 16.5 cm delivery as an single part for each starter two pieces will needed



Brush for starter

Spare-brushes of the starter engine to solder on at the coil set. Can be used for all kind of starters 6V and 12V left- and right turning (without Trabant 1.1, Wartburg 1.3 and Baraks B1000-1) mounting place: brushholder bas plate

Prod.No.

785

3,85

size: 16X19x7 delivery as an single part for each starter two pieces will needed



Coil set complete for starter 6VProd.No.763021,89Coil kit complete with brushes for the starter motor with 6V electrical system.This is an new original spare part.Electrical system.Electrical system.One set will be needed.Electrical system.Electrical system.Electrical system.

/	_		
-		/)
		-	

Connection wire starter-dynamo Prod.No. 7961 Cable harness complete ready made for mounting. Connection between starter motor and AC dynamo at the Trabant 601. Red cable for batterie charge power and blue wire for charge control light. The blue cable will be connected by plug to the main cable harness near the signal horn. Fit to AC generator 12V Trabant

Two core dynamo harness, engine compartment high quality reproduction one piece will be needed made in Germany



Field coil 1 for starter 6V Prod No. 7631 Filed coil I for the starter motor with 6V electrical system. This coil have to be connectet with one end at the coil set and with the other end at the starter case. One piece will be needed This is an new original spare part.



Field coil 2 for starter 6V Prod.No. 7632 Filed coil II for the starter motor with 6V electrical system. This coil have to be connectet with one end at the coil set and with the other end at the starter case. One piece will be needed This is an new original spare part.



Freewheel for starter Trabant

Starter freewheel complete premounted inclusive pinion (9 teeth). Fit to Trabant (2-stroke). Can be used for starters 6V and 12V This part is made in Europe. High quality, best replacement for the genuine spare part.



Hexagon socket bolt M12

Prod.No. 6384 Bolt M12 with hexagon socket (inbus) to fix the starter threw the gearbox at the engine. Fit to 6V and 12V starters

delivery complete with washer size of allen key: SW 10 grade: 8.8 galvanized two pieces will be needed



Prod.No. Magnet, complete for starter 12V 784 39.79 Solenoid switch for starter for Trabant 601, Wartburg 353 and Barkas B1000.

operating voltage: 12V spare part made EU one piece will be needed



Magnet, complete for starter 6V Prod.No. Magnet switch for all starter types: Trabant 500,600,601, Wartburg 311,312,313 and Barkas B1000 with 6V system. This is an NOS spare part.

45,50

780

9,90

9.50

9,50

26.77

2,39

Prod.No. 7848



	Pole case complete for starter 6V Trabant Outer case complete with field coils, filed coil set, two brushes, feeld coil r magnet switch. Can be used for starter motor Trabant with 6V electrical system. Pars is complete premounted and can be installed as it is. This is an new original spare part. Delivery without bearing bushings and mountng parts.	Prod.No. etainer, conn	7642 lection wir	65,50 re for
	Protection cap for starter lite (plastic) Sealing cap to protect the starter wire (plus) against dust and moisture. Fit to the vehicles: P70, Trabant, Wartburg, Multicar, Framo and Barkas.	Prod.No.	786	2,28
	made in Germany one piece will be needed			
\frown	Ring gear for starter (6 mm) ring gear for engine starter Trabant 601 from march 1972. It will be fixed at width: 6mm	Prod.No. the fleywhee	685 I by shrink	23,42 king.
	outside diameter: ca.250 mm inside diameter: ca.228 mm tooth ratio: 100 one piece will be needed			
\bigcirc	Ring gear for starter (8 mm) ring gear for engine starter Trabant 601 up to march 1972. It will be fixed at width: 8mm outside diameter: ca.250 mm inside diameter: ca.228 mm tooth ratio: 100 one piece will be needed	Prod.No. the fleywhee	7795 I by shrin	23,42 king.
P ~	Spring for brush starter Pressure spring for the brushes of the starter engine. This spring will push the brush at the collector ring from the rotor shaft. Can be used for all kind of starters 6V and 12V left- and right turning (wit 1.3 and Barkas B1000-1) mounting place: brushholder bas plate original spare part	Prod.No. hout Trabant	7629 1.1, War	1,55 tburg
	delivery as an single part for each starter two pieces will needed <u>Starter 6V (+90? plege)</u> Starter for Trabant 500,600 and 601 voltage of 6V. Delivery complete with magnet switch. Brand new original spare part ! type of starter: 0,4kw (0,6hp), left turning Please note: for this spare part we will charge an additional deposit. This p actually signified sale price (total: 214,99 Euro). The pledge will be paid ba returns to our company. Please make sure, that we dont pay any return fees	ack after your	old starte	er 6V

made in Germany



Starter 12V, complete overhauled (+90? pledge) The starter is an complete in Germany overhauled spare part. Fit to Trabant 500,600 and 601 with 12V system. Delivery inclusive solenoid switch. Prod.No. 779 162,50

Please note: for this spare part we will charge an additional deposit. This pledge is not included at the actually signified sale price (total: 252,50 Euro). The pledge will be paid back after your old spare part returns to our company. Please make sure, that we dont pay any return shipping costs or customs fees.

made in Germany

Trabant 601 > Spare parts > Electrical system > Lighting



•	Adjust leaver Leaver for the headlights for the mechanical beam adjusting. Fit to Trabant 601 with R2 or H4 headlamp inserts and Trabant 1,1.	Prod.No.	7787	4,25
	original spare part two piece will be needed			
:0	Back up lamp for rear bumper Reversing fog light for the mounting on top of the bumber.	Prod.No.	97	22,88
	colour: black casing, claer glass size: 14 x 7,5 cm delivery without bulb original spare part			
2	Bulb carrier for flasher stop tail lamp Insert for the rear lights (three bulbs. Fit to Trabant 601 and 1,1 (only ca limousine. Original spare part delivery without bulbs made in Common	Prod.No. ero models)	7269 universal	9,75 and
	made in Germany two pieces will be needed			
2	Bulb retainer display instruments Holder for bulbs as an checked secound hand part. Can be used for nearly a Type with contact pin for wire plug: 6,3x0,8 (standart) Useabe for bulbs 6V, 12V oder 12V 2W with Ba7S base as speedome indecator lights.			2,50 and
	checked secound hand part delivery without bulb original part			
i.	Bulb retainer display instruments, screw pin Holder for bulbs with screw pin for wire connection. Can be used for nearly a Type with contact for screw connection: up tp 1,5 mmm ² . Useabe for bulbs 6V, 12V oder 12V 2W with Ba7S base as speedome indecator lights.			3,90 and

new spare part delivery without bulb

	3			
	Bulbs spare kit R2 / 6V Spare kit with different bulbs fit to voltage of 12V content:	Prod.No.	7145	14,68
	1x R2-lamp 45/40W with base P45t 1x spherical lamps 18W white with base Ba15s 1x tubular lamp 18W (C21W) with base SV 8,5 1x tubular lamp 5W (C5W) with base SV 8,5 1x bulb 4W (T4W) with base BA 9s 1x bulb for speedometer 0,6W with base BA 7s 1x spherical lamps 21W white with base Ba15s 1x spherical lamps 5W white with base Ba15s 1x Torpedo-fuse 8A 1x Torpedo-fuse 16A			
	Bushing for switch Bushing for the reverse gear switch of the Trabant 601 gearbox. This part install a switch for the reverse gear. It have to screwed in the gearbox next to			5,96 ant to
	material: matal bushing with innside and outside tap galvaniced			
-	Cap for stop-lamp oil-pressure switch Rubber cap for the brake ligths switch. Best protection for dust and wather.	Prod.No.	7308	5,15
	Fit to the vehicles: Trabant 500, 600, 601, 1.1 Wartburg 311, 31 B1000,B1000-1 Framo, Mulicar M22, M24, M26	2, 313, 35	3, 1.3 B	arkas
	r combined flasher stop tail lamp 601 rear light case, single part.	Prod.No.	88	15,40
delivery v new prod	vithout mounting parts, bulbs etc. uction			
New p	ined flasher stop tail lamp complete roduction of the the Trabant 601 rear light. of delivery:	Prod.No.	89	35,00
1x real 1x rubi 1x bulk 1x refle				
withou	2 ZOLUCI T			



Direction indicator switch (steering column) switch unit, mounted at the steering column left hand length of lever: 13,5 cm Prod.No.

Prod.No.

59

25,60

18,50

71

functions:

switch for direction indicator button for horn button for headlamp flasher switch for switching between low beam and high beam lights

fit to follow vehicles:

Trabant 601 Wartburg 353 Barkas B1000

complete unit made in EU one piece will be needed

Elektromagnetic dip switch 6V (High beam relais) relais for low beam / high beam lights

only fit for voltage of 6V fit for follow vehicles:

Trabant 601 Wartburg 353 B1000 for each vehicle, one relais is necessary

B1000

for each vehicle, one relais is necessary




 ne relais is necessary
 Prod.No.
 58
 29,59

 Relais for the electronical switch between low beam and high beam lights.
 Prod.No.
 58
 29,59

 Reproduction by the original manufactur with best quality.
 fit for follow vehicles:
 fit for voltage of 12V
 Trabant 601

 Wartburg 353
 Wartburg 353
 fit for voltage of 12V
 fit for voltage of 12V
 fit for voltage of 12V





Fog lamp angularProd.No.743132,70Rectangular fog light as very good replacement for the original lights.High quality made in Germany.1111The sizes agree with the genuine spare parts. technical details:111111

voltage: 12V oder 24V, bulb type: H3 dimensions: 160mm x 90mm scope of delivery without bulb, inclusive mounting parts the case of the lamp is mad of plastic, black

Can be used for Trabant, Wartburg, B1000 und Multicar.



 Frame for glass indicator, old design
 Prod.No. 8023
 3,00

 Metal frame for the original front indicator type indicator lamp with rounded edges for Trabant 601.
 Please note: dont fit to EU reproductions!

 The part is chrome coated but with poor quality.
 We sell this indicator frame only as an basic part. The customer have to finish the surface himself.

material: rubber, black delivery as an single original spare part

	Front rim, prime coated	Prod.No.	53	29,90
\bigcap	Headlamp rim for Trabant 500,600, 601 und 1,1. Mountable for R2 (Bilux) and H4 headlights.			
	Front rim fit to the left and to the right side material: metal shrink boot original spare part two pieces will be needed			
	<u>Fuse box eigth fold</u> Fuse box inclusive 8 fuses. Wire connection with mounting screws. Type with 8 single places for fuses. Cover mede of clear glass plastic. Useable for Ifa cars and many Old- and Youngtimers.	Prod.No.	8036	18,24
	<u>Fuse box sixfold</u> Fuse box inclusive 6 fuses. Wire connection with mounting screws. Type with 6 single places for fuses. Cover mede of clear glass plastic. Useable for Ifa cars and many Old- and Youngtimers.	Prod.No.	8035	19,54
	Glass for direction indicator lamp, front (white) Clear lense for the dircetion indicator Trabant 601.	Prod.No.	61	3,90
	material: plastic, colourless with E-icon made in EU needed accessory: yellow Bulb 12V / 21W			
	Glass for direction indicator lamp, front (yellow) Plastic indicator cap, angular type fit to Trabant 601 and Trabant 1,1. High quality like original.	Prod.No.	60	4,50
	delivery: single part colour: orange front left and right hand mountable made in Hungary two pieces will be needed			
	Glass for direction indicator lamp, front *SP* Plastic indicator cap, angular type fit to Trabant 601 and Trabant 1,1. Please note: worse quality !!!	Prod.No.	7183	1,85
	delivery: single part colour: orange front left and right hand mountable made in Hungary two pieces will be needed			
	Glass for flasher stop tail lamp (white / red) E-icon Rear light lense for Trabant 601.	Prod.No.	2101	7,67
	material: plastic colour for stop light and rear light: red colour for flasher: whites made in EU with E-icon			

	Glass for flasher stop tail lamp (red / red) E-icon Rear light lense for Trabant 601.	Prod.No.	2103	8,95
	material: plastic colour for stop light, rear light and flasher: red made in EU without E-icon			
	Glass for flasher stop tail lamp (white / white) E-icon Rear light lense for Trabant 601.	Prod.No.	2102	8,95
	material: plastic colour for stop light, rear light and flasher: white made in EU with E-icon			
	Glass for flasher stop tail lamp (yellow / yellow) E-icon Rear light lense for Trabant 601.	Prod.No.	2104	8,95
	material: plastic colour for stop light, rear light and flasher: orange made in EU with E-icon			
	Glass for flasher stop tail lamp (yellow / red) Rear light lense for Trabant 601 with colours like original.	Prod.No.	7095	2,95
	material: plastic colour for stop light and rear light: red colour for flasher: orange made in EU without E-icon special offer with reduced price subject to availability			
	<u>Glass for flasher stop tail lamp (yellow / red) E-icon</u> Rear light lense for Trabant 601 like original.	Prod.No.	2100	8,95
	material: plastic colour for stop light and rear light: red colour for flasher: orange made in EU with E-icon			
	o <mark>r, old design (orange)</mark> e front indicator lamp (rounded edges) for Trabant 601.	Prod.No.	7110	5,25
material: plastic colour: orange made in EU				
	o <mark>r, old design (withe)</mark> e front indicator lamp (rounded edges) for Trabant 601.	Prod.No.	7111	8,95
material: plastic colour: clear glass made in EU				

	Glass for license plate lights Clear lense of the rear numberblade lights. This glass have to be placed in boot and have to be fixed by the tonques. Can be used for limousine and sta		80 wer part	3,00 of the
	delivery as single part, without rubber sealings for each car, 3 pieces will be needed			
	Glass for rear fog lamp Spare lense for the original rear fog light.	Prod.No.	6667	9,90
	colour glass: red size: 14 x 7,5 cm original spare part			
- Star - Alle	Glass for rear reverse lamp Lense for the original reverse fog light.	Prod.No.	6668	9,90
	colour glass: clear size: 14 x 7,5 cm original spare part			
	Headlamp housing Head-lamp-housing without mechanical beam adjusting. Fit to Trabant 601 and 1,1.	Prod.No.	7209	15,50
No.	scope of delivery: inserts original spare part			
	Headlamp insert, for using H4 bulb Headlamp insert is an complete unit with light reflector.	Prod.No.	54	17,33
	scope of delivery: without bulbs It will be used one headlamp bulb H4 12V 50/55Wand one parking bulb 12V 4W			
	Headlamp insert, for using R2 bulb (old) Bilux - Headlamp insert is an complete unit with light reflector.	Prod.No.	55	17,39
	scope of delivery: without bulbs It will be used one headlamp bulb R2 12V 45/40W or one headlamp bulb R2 6V 45/40Wand one parking bulb 6V 4Wor oneparking bulb 12V 4W			
·Las.	Indicator insert complete, front Reflector single part for the indicator light angular type of Trabant 601 and 1,	Prod.No. 1.	64	9,74
	Indicator lamp complete, front orange Front indicator lamp with orange lense needed accessory: white bulb 12V / 21W	Prod.No.	65	14,60

	-	
F		
1	Concession in the	-
Acres 1		

Indicator lamp complete, front orange, original Original spare part: front indicator lamp with orange lense needed accessory: white bulb 12V / 21W



 Indicator lamp complete, front white
 Prod.No.

 Front indicator lamp with clear lense for Trabant 601
 scope of delivery:

Glass for direction indicator lamp white Seal for indicator insert front Seal for indicator lamp front Indicator insert complete front made in EU

with clear lense needed accessory:

yellow Bulb 12V / 21W



Indicator lamp complete, front, old design (orange)Prod.No.6619,95Front indicator lamp with orange lense (rounded edges) for Trabant 601.(EU reproduction)Scope of delivery:

Seal for indicator lamp front Indicator insert complete front made in EU

needed accessory:

indicator bulb 12V / 21W indicator bulb 6V 18W



Indicator lamp complete, front, old design (white)Prod.No.6719,95Front indicator lamp with clear lense (rounded edges) for Trabant 601.EU reproduction)EU reproduction)EU reproduction)EU reproductionEU reproduct

Seal for indicator lamp front Indicator insert complete front made in EU

with clear lense

indicator bulb 12V / 21W, orange indicator bulb 6V 18W, orange



Interior lamp Lamp for the Trabant 601 and 1,1 interior. For the insert will be nedded: 1x tubular bulb 6V: LDM-no.: 121 1x tubular bulb 12V: LDM-no.: 135

original spare part delivery without bulb Prod.No. 98 12,20

Prod.No.

7001

6321

21,00

13,87

7
)

Knob for push switch 6 / 12V Button insert for the push switchs. Colour: yellow Can be used for many Old and Youngtimers.

original spare part



	original spare part delivery as an single part with snap ring			
	Lamp spare kit H4 / 12V Spare kit with different bulbs fit to voltage of 12V content: 1x H4-lamp 60/55W with base P43t 2x spherical lamps 21W white with base Ba15s 1x tubular lamp 21W (C21W) with base SV 8,5 1x tubular lamp 5W (C5W) with base SV 8,5 1x bulb 4W (T4W) with base BA 9s 1x bulb for speedometer 2W with base BA 7s 1x Torpedo-fuse 8A 1x Torpedo-fuse 16A	Prod.No.	7057	8,55
	Lamp spare kit R2 / 12V Spare kit with different bulbs fit to voltage of 12V content:	Prod.No.	6623	14,68
	1x R2-lamp 45/40W with base P45t 2x spherical lamps 21W white with base Ba15s 1x tubular lamp 21W (C21W) with base SV 8,5 1x tubular lamp 5W (C5W) with base SV 8,5 1x bulb 4W (T4W) with base BA 9s 1x bulb for speedometer 2W with base BA 7s 1x Torpedo-fuse 8A 1x Torpedo-fuse 16A			
	LED Headlamp insert LED Headlight as an complete unit. Fit to Trabant, Trabant 1.1, Baraks B1000, Barkas B1000-1, W50, Multicar scope of delivery: inclusice LEDs price per piece electrical power: 12V	Prod.No.	8132 bikes.	249,00
	<u>Mounting bolt flasher complete, front</u> Screw for mounting the front indicator lamp. Delivery inclusive two sealings. Fit to the indicator lights left and right hand, angular type of Trabant 601 and Four pieces will be needed.	Prod.No. 1,1.	7776	1,00
Screw set made of	usive spring washer and nut for mounting the fog lights at the car body.	Prod.No.	8033	1,84
Cat is made of stair				

Prod.No. 7960

0,98

Set is made of stainless steel 1x screw, 1x nut und 1x spring ring two sets will be needed

Mounting bolt fog lamp - clamp	Prod.No.	8032	1,80
Hexagon screw inclusive spring washer and nut for mounting the fog lights at the adjustment cla	mp.		
Screw set made of stainless steel.			
Fit to the round models of the DDR produced fog lamps like at the example picture is shown.			

Set is made of stainless steel 1x screw, 1x nut und 1x spring ring two sets will be needed



Mounting nut for rotary headlamp / wiper switch Prod.No. 8030 2,98 Plasic nut for mounting ther two level light switch or thr wiper motor swith at the dashboard. Fit for Trabant 601 and 1.1.

Prod.No. 6823

2,00

made of plasic delivery as a single part colour black or white

Pin-adapter for bushing

Pin adapter for backwards speed lights.

material: metal

rial: metal				
0	Plate for mounting bolt flasher complete, front Thread abutment for screw for mounting the front indicator lamp. Delivery inclusive two sealings. Fit to the indicator lights left and right hand, angular type of Trabant 601 and 2 pieces will be needed.	Prod.No.	7777	1,00
Stainles	ed cover for Case for combined flasher stop tail lamp is steel cover for the Trabant 601 rear lights. note: r each piece	Prod.No.	92	49,23
	Rear fog lamp for rear bumper Rear fog light for the mounting on top of the bumber. colour: black casing, glass red size: 14 x 7,5 cm delivery without bulb original spare part	Prod.No.	96	22,88
	Rear fog lamp for rear bumper Rear fog light for the mounting on top of the bumber.	Prod.No.	7413	9,95

size: 14 x 7,5 cm delivery without bulb original spare part

	Rear reflector Catseye for the rear lights. Fit to Trabant 601 and 1,1 (only cero models) universal and limousine.	Prod.No.	7750	3,50		
	Original spare part delivery without mounting parts made in Germany two pieces will be needed					
	Reflector round, red (catseye) for rear bumperProd.No.69185,14Standard type of round reflector for rear bumper corner of Trabant 500 and 600 (P50/60)or some other oldtimers.000 </td					
	Outer diameter: 62,5 mm (2,46") Colour: red refelector area: 20 cm ² with base plate made of sheet metal centric mounting bolt M5 x 15 mm					
	Reflector round, red (catseye) for rear bumper, metal ringProd.No.69195,24Round reflector for rear bumper corner of Trabant 500 and 600 (P50/60) or some other oldtimers, with additional aluminium frame around it.Only partially fit to back light of Trabant 601 (mounting bolt could be to short).					
	Outer diameter: 63,5 mm (2,5") Colour: red refelector area: 20 cm ² aluminium ring frame with base plate made of sheet metal centric mounting bolt M5 x 15 mm					
	Replacement glass for RETRO rear fog lamp Red glass as spare part for our RETRO fog light	Prod.No.	7136	19,9		
	material: red glass made in Germany					
	Replacement glass for RETRO reverse lamp Red glass as spare part for our RETRO reverse indication lamp	Prod.No.	7137	8,9		
	material: clear (white) glass made in Germany					
	Retro back up lamp for rear bumper Chromed back up light for the mounting on top of the bumber. The lamp made of high end fabrication and the design fit brilliant to historic	Prod.No. cal cars.	6876	77,7		
ę	colour: chromium-plated casing, clear glass size: 11 x 5,5 cm delivery without bulb					

made in Germany

	Retro licence plate lights Chromed reversing registration plate light. Mounting with two M6 nuts. The lamp made of high end fabrication and the design fit brilliant to historical	Prod.No.	7989	12,87
	colour: chromium-plated casing, clear lense size: L=82mm x B=29mm x H=27mm bolt distance: 45mm	6413.		
	delivery without bulb made in Europe			
	Retro rear fog lamp for rear bumper Chromed reversing fog light for the mounting on top of the bumber. The lamp made of high end fabrication and the design fit brilliant to historical	Prod.No. cars.	6877	93,28
T	colour: chromium-plated casing, red glass size: 11 x 5,5 cm delivery without bulb made in Germany			
	Rotary headlamp switch Two level light switch for Trabant 601 and 1,1. Can be used for 6V and 12V electrical system. if available inclusive mounting nut and turning knob (made of plastic).	Prod.No.	95	20,97
	original spare part second hand			
	<u>Rubber plug for fog lamp</u> Rubber seal for the connection wire of the front fog lights. Fit to the round models of the DDR produced fog lamps like at the example p	Prod.No. bicture is sh	8031 own.	0,90
	delivery as an single part material: rubber, black			
	<u>Screw stainless steel for rear lights</u> Bolt for mounting the rear light lenses for Trabant 601. Can be used at the rear light top an bottom.	Prod.No.	7708	0,45
	material: stainless steel delivery as an single part four pieces will be needed			
	Seal for glass for flasher stop tail lamp Round rubber for seal the rear light lense to the rear lights base case.	Prod.No.	87	1,95
	sponge rubber, black length: ca. 65 cm two pieces will be needed			
	Seal for indicator insert, front Rubber seal between indicator insert and car body - side wings.	Prod.No.	62	6,30
	material: rubber form part fit to left and right hand made in EU			

		-	
8			
	1	-	
	-		

Seal for indicator insert, rubber, NOSProd.No.78319,94Rubber seal between indicator insert and car body - side wings.High quality genuine part.9,94

Prod.No.

63

0,95

material: rubber form part fit to left and right hand original spare part made in Germany for each car two pieces will be needed



Seal for indicator lamp, front Front rubber seal between the indicator lense and the base case. The sealing in an new reproduction equal to the original ones.

Fir to the original Trabant indicators and to the EU repros as well.

two pieces will be needed fit to Trabant 601 and Trabant 1.1 material: lightproof rubber, black best quality made in Germany



Seal for numberblade lightsProd.No.791,50Rubber sealing for glass of the rear numberblade light. This seal have to be placed under the threelenses inside the lower part of the boot and have to be fixed by the tonques. Can be used forlimousine and station wagon.

colour: red or black for each car, 3 pieces will be needed



Seal ring for head lamp Trabant 601 *original*Prod.No.5712,00This sealing ring is mounted behind the headlamp case. Last type with mechanical beam control.

coulor: black material: rubber original made in Germany two pieces will be needed



 Seal ring for head lamp Trabant 601 EU
 Prod.No.
 7219
 4,90

 This sealing ring is mounted behind the headlamp case. Last type with mechanical beam control.
 {L[coulor: black][material: rubber][cheaper quality][two pieces will be needed][]made in Europe}
 4,90



<u>Sealing for glass Indicator, old design</u> Rubber sealing for the original front indicator glasses type indicator lamp with rounded edges for Trabant 601. Sealing between indicator frame and base plate.

material: rubber, black delivery as an single

original spare part

Please note: the picture shows an glas which is not part of the article. It is only for illustrating!



Sealing plate for flasher stop tail lampProd.No.919,52Rubber seal for the rearlights. fit to Trabant 601 and 1,1 (only cero models) universal and limousine.

material: rubber coulor: black made in EU two pieces will be needed



Sealing plate, original for flasher stop tail lamp Prod.No. 8106 14.88 Original rubber for sealing the rearlights to the car body. Fit to Trabant 601 and 1,1 (only cero models) universal and limousine. Original spare part in brilliant quality and size.

material: rubber coulor: black original spare part made in Germany two pieces will be needed Set of switch for reverse speed



Switch set for mounting the reverse speed light. delivery inclusive wiring diagram and connection cable. original spare part.

Prod.No. 7292 19,50

7355

102

Prod.No.

Prod.No. 7451

29,65

11,33

11,87

9.56

Speedometer T601 Prod.No. Round tachometer for the speed of the Trabant 601 The spedometer is an genuine spare part and was mounted at the most types of Trabant 601 Limousine and Universal(station wagon) except model 1968.

speed display: 120km/h slot for alternator control light (red) slot for indicator control light (green) slot for high beam control light (blue) mounting diameter: 100mm tachoneedle colour: red



Stop-lamp oil-pressure switch pin plug Hydraulic pessure cennected switch for the brake lights. Type of the switch with flat plug contacts.

delivery as original spare part or high quality EU production Fit to the vehicles: Trabant 500, 600, 601, 1.1 Wartburg 311, 312, 313, 353, 1.3 Barkas B1000,B1000-1 Framo, Mulicar M22, M24, M26



Stop-lamp oil-pressure switch srew connection Prod.No. 7595 Hydraulic pessure cennected switch for the brake lights. Type of the switch with srew contacts.

delivery as original spare part Fit to the vehicles: Trabant 500, 600, 601, 1.1 Wartburg 311, 312, 313, 353, 1.3 Barkas B1000,B1000-1 Framo, Mulicar M22, M24, M26



Switch 6 / 12V Universal useable switch. Please choose Can be used for many Old and Youngtimers.

original spare part Original number: 8600.34

	Switch for reverse speed The electric switch for the backwards speed lights is mounted direct at the is switched mechanical by the shifting shaft position reverse gear. At the most cars, the switch have to screwed in the Bushing for switch.	Prod.No. gearbox cas	100 se. The co	15,94 ontact
	tap connection: M14 x 1,0 mm 2x plate terminal delivery without bushing and pin adapter made in Europe			
	Switch for warning flasher 12V old version of switch for warning flasher with red round push button fit to voltage of 12V	Prod.No.	85	29,18
	delivery without bulb contol bulb:Bulb 12V 2W original-spare part no.: 8600.31			
	Switch for warning flasher 6V 6V version of switch for warning flasher with red round push button fit to voltage of 6V delivery without control bulb	Prod.No.	86	34,20
The second	contol bulb:Bulb 6V 1,2W original-spare part no.: 8600.31/1			
	Wire set for switch for warning flasher 6V Cable set for the 6V version of switch for warning flasher. Fit to voltage of 6V. Can be used for many Old and Youngtimers. Best use for Trabant as connecton between flasher unit, fuse box and switch	Prod.No.	7441	5,60
	original spare part length about:630mm one set will be needed			
Trabant 601 >	Spare parts > fuel system			
\cap	<u>Aluminium-sealing ring 10x14x1 for fuel cock</u> Aluminium sealing ring for banjo screw of fuel cock:	Prod.No.	6383	0,14
\mathbf{O}	for direct connection of fuel hose metal coat			

for direct connection of fuel hose metal coat for fuel hose connector if you use common fuel hose (yard goods)

data:


material: aluminium inner diameter: 10 mm outer diameter: 14 mm thickness: 1 mm 2 pieces will be needed for one banjo screw

	Banjo screw, fuel cock banjo screw for connection flexible fuel hose with matal or normal fuel hose	Prod.No. at the fuel c	6538 ock.	4,95
	thread: M10x1 spanner gap: 14 one piece will be needed			
- Careford	bottom strainer for fuel cock Petrol filter (short) is mounted at the bottom side of the fuel cock.	Prod.No.	6133	5,65
	total length: 32 mm diameter: 12 mm tap: M10 x 0,75 made in Germany one piece will be needed			
	Case for fuel cock Fuel cock case as an single part Plasice pipe for the Trabant 500, 600 und Fit to fuel cocks with direcet and with extension control. Scope of delivery without any mounting parts.	Prod.No. 601.	7457	25,30
	material: aluminium one piece will be needed original spare part			
	Control element for fuel cock Extension control wire for petrol cock of the Trabant 601 from vintage Febr control with extension (LDM-no. 6077)	Prod.No. ruary 1981 wi	7412 th fuel co	9,45 ck for
	material: platic-metall combination, black original spare part one piece will be needed inclusive rubber bearing for retainer			
	Display for rate of flow display for rate of petrol flow, model with 7 LED	Prod.No.	6191	21,50
	mounting diameter: 60 mm made in Germany complete with mounting clamp supply voltage 12V			
Display for rate of point of p	<u>f flow</u> etrol flow, model with 7 LED	Prod.No.	6714	11,00
mounting diameter: made in Germany complete with mour				


complete with mounting clamp supply voltage 12V

\mathbf{O}	fiber-sealing ring for fuel cock fiber sealing ring for banjo screw of fuel cock:	Prod.No.	6546	0,10
U	for direct connection of fuel hose metal coat for fuel hose connector if you use common fuel hose (yard goods)			
	also fit for upper strainer of fuel cock			
	data:			
	material: fiber sheated plastic inner diameter: 10mm outer diameter: 14mm thickness: 1mm 2 pieces will be needed for one banjo screw			
	Float for transmitter fuel gauge Plastic float for the sensor of the fuel gauge as an single part. Fit to all vehicle models: Trabant 601, Trabant 1.1, Wartburg 353, Barkas B1000-1, Multicar.	Prod.No. Wartburg 1.3, I	7460 Brakas E	11,74 1000,
	material: fuel resistant plastic, colour: withe made in Germany one piece will be needed			
the last do not f complet	<u>ck for control with extension</u> version of fuel cock for Trabant 601 from vinatage: january 1981 it to Trabant 500 and 600 te component in original equipment quality n Germany	Prod.No.	6077	123,00
	c <mark>k for direct control</mark> ersion of fuel cock for Trabant 500, 600, 601 up to vinatage: january 1981.	Prod.No.	6080	123,00
	e component in original equipment quality			
	<u>fuel gauge (used)</u> red needle	Prod.No.	6135	34,67
CRATTSTORE	black ring mounting diameter: 60 mm for use with art.no. 6076 please ask for availablitiy			
0 1/2	fuel gauge black/black fuel gauge with background colour black and black ring	Prod.No.	6442	79,00
Kraftsioff	mounting diameter: 60 mm for use with art.no. 6076			
	New produced in Germany!			

1/2	fuel gauge black/chrome fuel gauge with background colour black and chromed ring	Prod.No.	6441	79,50
Krafistoff	mounting diameter: 60 mm for use with art.no. 6076			
	New produced in Germany!			
1/2	fuel gauge white/black fuel gauge with background colour white and black ring	Prod.No.	6444	79,00
Kraftstoff	mounting diameter: 60 mm for use with art.no. 6076			
e e	New produced in Germany!			
	fuel gauge white/chrome fuel gauge with background colour white and chromed ring	Prod.No.	6443	79,50
Kraftstoff	mounting diameter: 60 mm for use with art.no. 6076			
le or	New produced in Germany!			
The volume of	er, <u>250ml</u> ee over-wintering of engines and fuel tanks. of the boddle protect 50 liter petrol.	Prod.No.	6671	10,89
	Fuel tank plug, polished original fuel tank plug for Trabant 500,600,601 polished by LDM-tuning	Prod.No.	6324	17,35
	inclusive rubber sealing original spare part			
	Fuel tank, standard type Petrol tank for Trabant 601 with 26 litre of fuel.	Prod.No.	1235	249,42
	overhauled original tank sand blasded, basic colur and 2-K lublicated			
i	Fuel tank, with hole for fuel gauge petrol tank for 26 litre of fuel	Prod.No.	1236	264,01
	construction with hole for fuel gauge please ask for availability			
	plastic cap for fuel cock plastic cap mounted underside of fuel cock	Prod.No.	6566	9,20
	length: ca. 39 mm outer diamter: 28 mm (measured without the gills) original-IFA-spare part one piece will be needed fit to most fuel cock types made in GDR (lawn mower, moped u. ä.)			



	Ring eye D10mm, connection 6mm hose Ring terminal ideal for doing byself to fix fuel hoses.	Prod.No.	7537	2,48
07	Best use for many old- and Youngtimers to make fuel pessure pipes or hoses. Can be used for banjo screws D= 10mm	r normal pe	tol connec	tion
	Eye diameter: 10mm diameter pipe connection: 6mm			
Cart	Ring eye D10mm, connection 8mm hose Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes or hoses. Can be used for banjo screws D= 10mm	Prod.No. r normal per	7538 rtol connec	2,48 tion
	Eye diameter: 10mm diameter pipe connection: 8mm			
	Ring eye D12mm with pipe bend Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes or hoses. Can be used for banjo screws D= 12mm	Prod.No. r normal per	7517 rtol connec	3,59 tion
	Eye diameter: 12mm diameter pipe connection: 8mm pipe bend: 90 degree pipe length total: 74mm			
Contraction of the second	Ring eye D12mm, connection 6mm hose Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes or hoses. Can be used for banjo screws D= 12mm	Prod.No. r normal per	7539 rtol connec	2,4 tion
	Eye diameter: 12mm diameter pipe connection: 6mm			
	Ring eye D12mm, connection 8mm hose Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes or hoses. Can be used for banjo screws D= 12mm	Prod.No. r normal per	7540 rtol connec	2,49
	Eye diameter: 12mm diameter pipe connection: 8mm			
	Pubbar Fuel base 6 mm	Prod.No.	7113	4,44
0	Rubber Fuel hose, 6 mm Flexible fuel hose. The price is for each 50 cm lenght. If you order for example 3x 1 meter so you will get one piece with 3m length	and so on.		





Sensor for display for rate of flow Prod.No. 7533 35,50 Transmitter secound hand spare part for the display for rate of petrol flow.

made in Germany complete with mounting clamp supply voltage 12V



Transmitter for fuel gauge

Prod.No. 49,20 Sensor for fuel gauge with potentiometer for connection to all offert fuel gauges. Mounting place: on top / inside of the fuel tank. Scope of delivers complete with rubber sealing and float.

6076

Prod.No. 6155

Prod.No.

6382

4,25

made in Germany one piece will be needed



upper strainer for fuel cock Prod.No. 6094 Petrol filter (long) is mounted on top of the fuel cock to desposit dirt and rust from the gas tank.

total length: 80 mm diameter: 10 mm material: brass made in Germany one piece will be needed delivery without sealing ring

Trabant 601 > Spare parts > fuel system > 2-stroke oil



	ADDINOL SUPER 2T, 2-stroke motor oil, 1 Liter, MZ406	Prod.No.	6123	6,83
۱.	particulate with synthetic oil			
	no sheer minerally oil			
	volume: 1L			
1	Additional comment: Notes for used oil disposal			

ADDINOL

ADDINOL SUPER 2T, 2-stroke motor oil, 20 litre, MZ406 Prod.No. 6158 109,37 particulate with synthetic oil no sheer minerally oil content: 20L Additional comment: Notes for used oil disposal



ADDINOL SUPER 2T, 2-stroke motor oil, MZ405 sheer minerally oil volume: 1L Additional comment: Notes for used oil disposal



ADDINOL SUPER MIX, 2-stroke motor oil, 20 Liter, MZ405 sheer minerally 2-stroke-oil volume: 20L Additional comment: Notes for used oil disposal

5,45

89,65

ADDINOL	
MZ 408	
Contraction of the local division of the	

ADDINOL SUPER SYNTH 2T, full synthetic 2-stroke motor oil, 20 L, MZ 408. 6159 173,73 full synthetic oil best quality of 2-stroke oil volume: 20L also for sport-engines Additional comment: Notes for used oil disposal



ADDINOL SUPER SYNTH 2T, full synthetic 2-stroke motor oil, MZ 408 Prod.No. 6156 12,97 full synthetic oil best quality of 2-stroke oil volume: 1L also for sport-engines Additional comment: Notes for used oil disposal

Prod.No.

6671

10,89

2,00



fuel stabiliser, 250ml

for trouble free over-wintering of engines and fuel tanks. The volume of the boddle protect 50 liter petrol.



Oel bottles without fluid, four 1 LiterProd.No.7900New unused ol bottle inclusive cap.Best use to ladle off form bigger tanks. Take on at journeys for instance two stroke oel.Bottle without any print.

Bottle without substance actualy colour: silver gray for one Liter volume




 PUTOLINE, TT Scooter, full synthetic 2-stroke motor oil with strawberry smell
 Prod.No.
 6390
 12,74

 full synthetic oil
 best quality of 2-stroke oil
 content: 1L
 12

reduce carbon deposits suitable for premix and autolube injection systems clean burning minimise smoke extend engine component life also for sport-engines for mixing ratio: 1:50 1:33 1:25 (2%-4%)

Additional comment: Notes for used oil disposal



<u>Two Stroke Oil 2-TT, 1 Liter</u> Particulate with synthetic oil oil, mad by Sartol. Volume: 1L Additional comment: Notes for used oil disposal Prod.No. 7624 5,27



<u>Two Stroke Oil 2-TT, 5 Liter</u> Particulate with synthetic oil, made by Sartol. volume: 5L Additional comment: Notes for used oil disposal

Prod.No. 7701 21,97

Trabant 601 > Spare parts > Carburettor

	Accelerator pedal with pressure spring Gas pedal with additional pressure point spring for Trabant 601 latest model.	Prod.No.	7977	21,50
	Original spare part one piece will be needed			
	Adjusting screw for carburettor bowdencable Bowdencable adjusting screw for the throttle control Trabant 500, 600 and 60	Prod.No. 1.	6547	2,98
	length total: 48 mm thread: M8 one piece will be needed			
0	Aluminium-sealing ring 12x18x1,5 for carburettor Aluminium sealing ring for banjo screw of fuel cock:	Prod.No.	6427	0,19
	for direct connection of fuel hose metal coat for fuel hose connector if you use common fuel hose (yard goods)			
	data:			
	material: aluminium inner diameter: 12 mm outer diameter: 18 mm thickness: 1,5 mm 2 pieces will be needed for one banjo screw			
	Banjo screw, carburettor banjo screw for connection flexible fuel hose with matal or normal fuel hose a thread: M12 x 1,5	Prod.No. It the carbu	6539 rettor.	4,95
	spanner gap: 14 one piece will be needed			
•	Bolt for U-bolt Bolt for clamp throttle valve.Fit to all Trabant 601 carburettors without vinta HB and H1-1).	Prod.No. age limit (ca	6544 arburettor	1,55 type
	material: steel pin original spare part one piece will be needed			
	Carburettor 28H1-1E, complete overhauled (+ 30,00 EURO pledge) Complete overhauled carburettor for Trabant 601 from vintage: july 1984.	Prod.No.	743	126,00
	Carburettor 28HB 4- Overhauled carburettor BVF HB4 Fit to Trabant 601. Delivery only in exchange after you shiped your old carburettor to our compa	Prod.No. ny in advan	7044 ce.	189,00



Carburettor 28HB, complete overhauled (+30,00 EURO pledge) Prod.No. 116,00 739 Complete overhauled carburettor for Trabant 500, 600 and 601 up to vintage: july 1984.



carburettor hose

Connection hose form air-filter box to carburettor. Fit to all Trabant carburetors (old type of carburettor and new type of carburettor)with two stroke engine.

Prod.No.

Prod.No.

730

735

7834

Prod.No. 6428

7.29

2,06

0.85

0,10

material: rubber average lenght: 390 mm, at 120 mm - 45 degrees convoluted outside diameter: 55 mm inside diameter: 46mm one piece will be needed



Carburettor lid seal (old type) Seal for carburettor cap. carburettor(old type) Typ 28HB1-... The carburettor cap is fixed with 3 bolts M6.

fit to Trabant 600 and 601 up to year july 1984 one piece will be needed

Carburettor lid seal, paper (new type) Prod.No. Paper seal for carburettor type: carburettor(new type) Typ 28H1. The carburettor cap is fixed with 4 bolts M6. The seal is made in EU, worse quality.

material: simple sealing paper



fit to Trabant 601 from year july 1984 one piece will be needed			
Carburettor lid seal, rubber (new type) Spezial rubber seal for carburettor type: carburettor(new type) Typ 28H1. The carburettor cap is fixed with 4 bolts M6. The seal is manufactured in Germany and fit brilliant.	Prod.No.	734	2,49
material: fuel resistant rubber, colour black fit to Trabant 601 from year july 1984 one piece will be needed			

fiber-sealing ring 12x19x1,5 for carburettor fiber sealing ring for banjo screw of carburettor:

for direct connection of fuel hose metal coat for fuel hose connector if you use common fuel hose (yard goods)

data:

material: fiber sheated plastic inner diameter: 12 mm outer diameter: 19 mm thickness: 1,5 mm 2 pieces will be needed for one banjo screw

0	fiber-sealing ring 8x12x1 fiber sealing ring for the main jet sealing bolt carburettor type 28 H1-1 data:	Prod.No.	6697	0,10
	material: fiber sheated plastic inner diameter: 8 mm outer diameter: 12 mm thickness: 1,0mm one piece will be needed			
Ο	fiber-sealing ring for needle valve fiber sealing ring for float needle valve, fit to Trabant, Wartburg, Barkas, ZW1 data:	Prod.No. 103.	6540	0,10
	material: fiber sheated plastic size: 10mm x 14mm x 1,0mm one piece will be needed			
0	fiber-sealing ring for screw plug (28H1-1) fiber sealing ring for big screw plug of carburettor type 28H1-1 (last variant of data:	Prod.No. Trabant 601	6925 I carburetto	0,15 or
	material: fiber sheated plastic size: 18mm x 22mm x 1,5mm one piece will be needed			
\bigcap	fiber-sealing ring for screw plug of float chamber (28H1-1) fiber sealing ring for big screw plug of carburettor type 28H1-1 (last variant of data:	Prod.No. Trabant 601	6924 I carburetto	0,25 or
	material: fiber sheated plastic size: 18mm x 22mm x 1,5mm one piece will be needed			
(and	Float (new carburettor) For carburettor type 28H 1-1	Prod.No.	741	14,30
	material: bras-gauge for Trabant carburettor from vintage: july 1984 one piece will be needed			
	Float (old carburettor) For carburettor type 28HB 1	Prod.No.	740	13,78
	material: bras-gauge for Trabant carburettor up to vintage: july 1984 one piece will be needed			

•				
	Float needle valve, complete The needle velve controls the volume of the float housing.	Prod.No.	742	5,18
	material: brass nozzle: 20 typ: tongued fit to all Trabant carburettor typs one piece will be needed			
	Fuel hose set for KMVA Complete premounted hose set for the Trabant 601 with fuel isplay for rate	Prod.No. e of flow.	7544	24,5
	made in Germany fuel hose with fabric surface one set will be needed			
\bigcap	Fuel hose, 6 mm Flexible fuel hose with texture. The price is for each 1m lenght. If you order for example 3x 1m so you will get one piece with 3m length an	Prod.No. nd so on.	728	5,1
\bigcirc	inside diameter: 6 mm material: petrol resistant rubber made in Germany			
\bigcap	Fuel hose, 8 mm Flexible fuel hose with texture. The price is for each 50 cm lenght. If you order for example 3x 1m so you will get one piece with 3m length an	Prod.No. nd so on.	729	6,2
\bigcirc	inside diameter: 8 mm material: petrol resistant rubber made in Germany			
\frown	Fuel hose, metal coat flexible fuel hose complte with matal coat between petrol tank and carbu (2-stroke) without display for rate of flow.	Prod.No. rettor. For all	731 kind of Tra	16,4 abant
	length: 740mm one piece will be needed			
Ø	Isolating plate carburettor-flange This isolating plate is an heating protection between engine and carbure the carburettor-flange (engine side) between two of carburettor-flange se		733 nting will	2,5 be at
	fit to all Trabant with two stroke engine material: pressed fiber paper thickness: 2mm one piece will be needed			
	 Petrol filter universal Gasoline filter for the universal duty. The filter will be mounted between the fuel line. 	Prod.No.	7224	3,5
	connection diameter: 6 and 8mm material: petrol resistant plastic with parer filter			

	Release spring for Carburettor Release spring for throttle valve	Prod.No.	6542	2,3
Ð	length total: 43 mm diameter: 13 mm galvaniced one piece will be needed			
F	Ring eye D10mm with pipe bend Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes of hoses. Can be used for banjo screws D= 10mm	Prod.No. or normal pe	7516 rtol conne	3,29
	Eye diameter: 10mm diameter pipe connection: 6mm pipe bend: 90 degree pipe length total: 55mm			
0	 Ring eye D10mm, connection 6mm hose Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes of hoses. Can be used for banjo screws D= 10mm 	Prod.No. or normal pe	7537 rtol conne	2,4 ction
	Eye diameter: 10mm diameter pipe connection: 6mm			
Orthe	Ring eye D10mm, connection 8mm hose Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes of hoses. Can be used for banjo screws D= 10mm	Prod.No. or normal pe	7538 rtol conne	2,4 ction
	Eye diameter: 10mm diameter pipe connection: 8mm			
-0	Ring eye D12mm with pipe bend Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes of hoses. Can be used for banjo screws D= 12mm	Prod.No. or normal pe	7517 rtol conne	3,5 ction
	Eye diameter: 12mm diameter pipe connection: 8mm pipe bend: 90 degree pipe length total: 74mm			
Care	Ring eye D12mm, connection 6mm hose Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes of hoses. Can be used for banjo screws D= 12mm	Prod.No. or normal pe	7539 rtol conne	2,4 ction
	Eye diameter: 12mm diameter pipe connection: 6mm			

	Ring eye D12mm, connection 8mm hose Ring terminal ideal for doing byself to fix fuel hoses.	Prod.No.	7540	2,49
Office	Best use for many old- and Youngtimers to make fuel pessure pi hoses. Can be used for banjo screws D= 12mm	pes or normal pe	rtol conne	ction
	Eye diameter: 12mm diameter pipe connection: 8mm			
	Rubber Fuel hose, 6 mm Flexible fuel hose. The price is for each 50 cm lenght. If you order for example 3x 1 meter so you will get one piece with 3m	Prod.No. length and so on.	7113	4,44
	inside diameter: 6mm outside diameter: 12mm material: petrol resistant rubber made in Germany			
	Rubber Fuel hose, 8 mm Flexible fuel hose. The price is for each 1m lenght. If you order for example 3x 1m so you will get one piece with 3,00m lenght.	Prod.No.	6308	5,10
	inside diameter: 7,5 mm outside diameter: 13,5mm material: petrol resistant rubber made in Germany			
	Sealing (carburettor-flange) Paper seal between engine flange - isolating plate carburettor - carbu 500, 600 und 601.	Prod.No. rettor. Fit to all mo	732 dels of Tra	0,89 abant
	material: fuel resistant sealing paper high quality made in Germany thickness: 0,5 mm 2 pieces will be needed			
4 • • • •	Self-repair-set carburettor (new type) Self-repair-set for carburettor-type: 28 H 1-1 fit to all carburettors from vintage: july 1984. set consist of:	Prod.No.	745	17,99
4 1	1x gauge needle valve 5x nozzle (40, 45, 75, 100, 115) 1x CO-bolt with sealing ring 1x tick-over bolt with sealing ring			
	Self-repair-set carburettor (old type) Self-repair-set for carburettor-type 28 HB 1 fit to all carburettors up to vintage: july 1984. set consist of:	Prod.No.	744	14,04
1	1x gauge needle valve 3x nozzle (50, 115, 125)			

	<u>Self-repair-set PLUS carburettor (new type)</u> Repeirset for Trabant carburettor typ 28 HB 1 fir to all carburettors from vintage: july 1984. set consist of:	Prod.No.	6022	27,51
	1x gauge needle valve 5x nozzle (40, 45, 75, 100, 115) 1x CO-bolt with sealing ring 1x tick-over bolt with sealing ring 1x float 1x carburettor lid seal 2x Sealing carburettor-flange			
	<u>Self-repair-set PLUS carburettor (old type)</u> Repeirset for Trabant carburettor typ 28 HB 1 fit to all carburettors up to vintage: july 1984. set consist of:	Prod.No.	6021	21,18
	1x gauge needle valve 3x nozzle (50, 115, 125) 1x CO-bolt with sealing ring 1x float 1x carburettor lid seal 2x Sealing carburettor-flange			
0	Splicing plate for release spring Cover plate for mounting at the engine. The release spring will be lowered in cable. The spare part is new and made of stainless steel. thickness: 1 mm made in Germany	Prod.No. n to release	7272 the carbu	1,99 rettor
200	one piece will be needed <u>Starter top part (old type of carburettor)</u> For carburettor types:	Prod.No.	6183	28,23
	28 HB 2 28 HB 3-1 28 HB 4-1 original spare part one piece will be needed			
$\langle \rangle$	Startmixture bowdencable (new type of carburettor) only for carburettor type 28 H 1-1 (last builded type)	Prod.No.	751	15,73
\sim	total lenght: 125cm			
\frown	Startmixture bowdencable (old type of carburettor) For carburettor types:	Prod.No.	752	15,73
\bigcirc	28 HB 2 28 HB 3-1 28 HB 4-1 total length: 110cm			



<u>Stud M8 x 40</u> Plain stud thread on bouth ends diameter M8 length 40mm fit to:

Engine mounting front, 2 pieces gearbox mounting front,2 pieces gearbox-engine mounting rear, 2 pieces cylinder, 4 pieces carburettor flange, 2 pieces

T-hose connector 6mm

Flexible pipe connector for three hoses. Useable for fuel hoses with 6mm inside diameter.

material: plastic (Polyamid) can be also installed at water, air, oil systems



Throttle bowdencable, originalProd.No.7508,90Bowdencable is the connection between the throttle control and throttle valve carburettor. Fit to
carburettor type Block carburettor 28 HBand economizing carburettor 28H Trabant 500, 600 and 601

Prod.No.

Prod No

Prod.No.

7815

5.49

6334

7957

1,87

2,49

original spare part, best quality NOS length total: 920 mm lenght bowden sheathing: 780 mm diameter steel wire: 2 mm diameter bowden sheathing: 5,5 mm one piece will be needed

Throttle bowdencable,EU

Cheaper replacement for the original bowdencable.

It is the connection between the throttle control and throttle valve carburettor. Fit to carburettor type Block carburettor 28 HBand economizing carburettor 28H Trabant 500, 600 and 601

made in EU length total: 920 mm length bowden sheathing: 780 mm diameter steel wire: 2 mm diameter bowden sheathing: 5,5 mm one piece will be needed



Trabant 601 > Spare parts > Engine

	Ball bearing -middle Special bearing for the Trabant crankshaft.	Prod.No.	7267	24,95
	Fit to the middle shafts of crankshaft cylinder 1 and 2 (bearing position 2 and Fit to all Trabant two stroke enines. Made by the original manufacture.	d bearing po	sition 3)	
	scope of delivery without pin all parts in Germany two pieces will be needed			
00	Ball bearing set, side of flywheel Set to change the bearing with special dimensions into the bearing 6009N v Fit to outer stub shaft of crankshaft of Trabant 601 engine (side of flywheel) Diameter of stub shaft: 40mm		6103 ring.	49,00
	scope of delivery: 1x adapterring, 1x ball bearing all parts in Germany one set will be needed			
\\ \\\ /}}	Bolt-set engine	Prod.No.	7511	9,50
	g for crankshaft (V-belt pulley side) ression ring seal motor v-belt pulley side	Prod.No.	7333	9,50
original spare pa two pieces will be				
**	 Crankshaft, complete overhauled crankshaft for all Trabant 601 engine two stroke 26hp. The crankshaft is complete overhauled. Inclusive all bearings and needle be 	Prod.No. earings for pi	605 iston pins	474,83
	one piece will be needed			
	one piece will be needed			
₩ #	one piece will be needed pledge for old crank shaft +100,00 Euro! if old part will be sended back the money will be transfered back for more informations, see details			
	one piece will be needed pledge for old crank shaft +100,00 Euro! if old part will be sended back the money will be transfered back		6470 iston pins	,
	one piece will be needed pledge for old crank shaft +100,00 Euro! if old part will be sended back the money will be transfered back for more informations, see details Crankshaft, complete overhauled, hycomat crankshaft for all Trabant 601 with hycomat gearbox, engine two stroke 26h	p.		,
	one piece will be needed pledge for old crank shaft +100,00 Euro! if old part will be sended back the money will be transfered back for more informations, see details Crankshaft, complete overhauled, hycomat crankshaft for all Trabant 601 with hycomat gearbox, engine two stroke 26h The crankshaft is complete overhauled. Inclusive all bearings and needle be	p.		,
	 one piece will be needed pledge for old crank shaft +100,00 Euro! if old part will be sended back the money will be transfered back for more informations, see details <u>Crankshaft, complete overhauled, hycomat</u> crankshaft for all Trabant 601 with hycomat gearbox, engine two stroke 26h The crankshaft is complete overhauled. Inclusive all bearings and needle be one piece will be needed one piece will be needed pledge for old crank shaft +100,00 Euro! if old part will be sended back the money will be transfered back 	p. earings for pi Prod.No.		•
	 one piece will be needed pledge for old crank shaft +100,00 Euro! if old part will be sended back the money will be transfered back for more informations, see details <u>Crankshaft, complete overhauled, hycomat</u> crankshaft for all Trabant 601 with hycomat gearbox, engine two stroke 26h The crankshaft is complete overhauled. Inclusive all bearings and needle be one piece will be needed one piece will be needed pledge for old crank shaft +100,00 Euro! if old part will be sended back the money will be transfered back for more informations, see details <u>Cylinder base nut with washer</u> 	p. earings for pi Prod.No.	iston pins	494,20 0,55



Cylinder base packingProd.No.6310,91Gasket for cylinder base of the Trabant engine. Can be used for all types of two stroke motors of
Trabant 500,600 and 601.Trabant engine.Can be used for all types of two stroke motors of
types of two stroke motors of two stroke motors of
types of two stroke motors of two stroke motor

material: embossed-sealing paper one piece will be needed for each cylinder



Cylinder head nut comlete with washerProd.No.6480Cylinder head nut fit to all Trabant 500,600 and 601 with two stroke engine.

strength class: 10.9 scope of delivery complete with washer 4 pieces will be needed for each cylinder

The tighten bolt order and the torque you can find in details!

The tighten bolt order and the torque you can find in details!



 Cylinder head packing (head gasket)
 Prod.No.

 Cylinder head packing for Trabant 601.
 Prod.No.

material: aluminium one piece will be needed for each cylinder

The tighten bolt order and the torque you can find in details!



Engine, complete Trabant motor overhauled, 24 month guarantee. Fit to all Trabant with two stroke engine.

```
Typ: P63/64 - 65/66
```

maximum power: 19,1 kW bei 4200 U/min maximum turning moment: 53,95 Nm bei 3000 U/min piston displacement: 594,5 ccm two cylinder-two stroke-reverse flushing compression ratio: 7,8:1 bore: 72mm stroke: 73mm Please note: for this spare part we will charge an additional deposit +150 Euro. This plede is not included at the actually signified sale price. The pledge will be paid back after your old spare part



Engine, complete, sport crank Trabant motor overhauled, 24 month guarantee. Fit to all Trabant with two stroke engine.

Typ: P63/64 - 65/66

returns to our company

Typ: 1 05/04 - 05/00
maximum power: 19,1 kW bei 4200 U/min
maximum turning moment: 53,95 Nm bei 3000 U/min
piston displacement: 594,5 ccm
two cylinder-two stroke-reverse flushing
compression ratio: 7,8:1
bore: 72mm
stroke: 73mm
Please note: for this spare part we will charge an additional deposit +150 Euro. This plede is not
included at the actually signified sale price. The pledge will be paid back after your old spare part
returns to our company

0.55

0,91

1073.42

1097,22

630

601

Prod.No.

Prod.No. 7281

A STATEMENT AND A STAT	and the state of t
S. P. C.	and a state of the


Flywheel new versionProd.No.710665,20Complete overhauled flywheel for the Trabant P601 engine. Selaing system with piston rings. Delivery
only atr exchange part.DeliveryDeliveryThe piston ring sealing will be not part of the delivery.The sarter gear rim is premounted.Selaing system with piston rings.Selaing system with piston rings.

exchange part one piece will be needed

	one piece will be needed			
	<u>Flywheel old version</u> Flywheel for the Trabant P601 engine. Selaing system with oil seal. The shaft sealing will be not part of the delivery. The sarter gear rim is premounted.	Prod.No.	7105	65,20
	original spare part one piece will be needed			
	Gasket kit Trabant engine Set to seal the Trabi engine. Good use after repairing or total overhauling of the engine block. Scope of delivery:	Prod.No.	7501	7,99
	Two pieces of exhaust manifold gaskets Two pieces of cylinder head packing Two pieces of Cylinder base packing Two pieces of gasket for carburettor flange One piece of seal for bearing cover crank shaft			
\bigcirc	hexagon nut for crankshaft (side of flywheel) hexagon nut for mounting the flywheel on crankshaft the lock plate (Art.No. 6130) have to be changed ater every disassembly of	Prod.No.	6129	3,69
	turning moment: 137 Nm galvaniced original spare part one piece will be needed			
\bigcirc	hexagon nut for crankshaft (side of V-belt pulley) hexagon nut for mounting the V-belt pulley on crankshaft the lock plate (Art.No. 6128) have to be changed after every disassembly.	Prod.No.	6126	2,37
	turning moment: 54 Nm original spare part galvaniced one piece will be needed			
\cap	lock plate for hexagon nut , crankshaft (side of flywheel) lock plate for hexagon nut (Art.No. 6130) for mounting the flywheel on crant	Prod.No. <shaft< td=""><td>6130</td><td>1,73</td></shaft<>	6130	1,73
	original spare part one piece will be needed			
\mathbf{O}	lock plate for hexagon nut , crankshaft (side of V-belt pulley) lock plate for hexagon nut (Art.No. 6126) for mounting the V-belt pulley on o original spare part	Prod.No. crankshaft	6128	1,73
	one piece will be needed			

	Needle bearing for connection rod / piston pin	Prod.No.	610	10,81
	size: 24 x 26 x 2 count of needles: 36 one piece will be needed for each connection rod			
	Phillips countersunk-head screw for ball bearing cover Recessed countersunk-head bolt inclusive gear washer for mounting th crankshaft flywheel side. Fit to Trabant 500,600 and 601 with the crank sealing system radial oil sea Please check at your car what kind of screw you need.			1,15 at the
	three pieces will be needed surface: galvanized zinc coated, silver			
	Piston pin 20 x 56 piston pin for Trabant 601 from vintage: dezember 1984	Prod.No.	625	10,89
	lenght: 56 mm diameter: 20mm two pieces will be needed			
1ª	Piston ring pliers Piston ring mounting and demounting tool.	Prod.No.	7619	35,42
2 State	With this pliers the changing of the piston rings will be simple and save, be at the outside. working dimensions: 1-100mm surface: nickel-plated with blue plastic handles made in Germany			
	Pressure springs for rotary valve Special spring for Trabant rotary valve. Fit to all Trabant 2-stroke engine.	Prod.No.	6186	0,98
	length: 21 mm diameter: 6 mm original spare part 2 pieces will be needed for each rotary valve			
	Radial seal for crankshaft (clutch-side) 55x70x8S1 Crankshaft radial seal motor clutch-side	Prod.No.	608	6,48
	size: D 55x 70 x 8 S1			
	reporduction one piece will be needed			
\cap	Radial seal for crankshaft (clutch-side) 55x70x8S1 with dust lip Crankshaft radial seal motor clutch-side	Prod.No.	6054	7,19
U	size: D 55x 70 x 8 S1 with additionally dust lip made in Germany one piece will be needed			

	Radial seal for crankshaft (V-belt pulley side) 42x67x10S2 Crankshaft radial seal motor v-belt pulley side	Prod.No.	609	9,55
	size: D 42 x 67 x 10 S2 new production, good quality one piece will be needed			
\bigcap	Ring gear for starter (6 mm) ring gear for engine starter Trabant 601 from march 1972. It will be fixed	Prod.No. at the fleywhee	685 el by shrin	23,42 king.
	width: 6mm outside diameter: ca.250 mm inside diameter: ca.228 mm tooth ratio: 100 one piece will be needed			
\cap	Ring gear for starter (8 mm) ring gear for engine starter Trabant 601 up to march 1972. It will be fixed	Prod.No. at the fleywhe	7795 el by shrir	23,42 nking.
	width: 8mm outside diameter: ca.250 mm inside diameter: ca.228 mm tooth ratio: 100 one piece will be needed			
	roller bearing, side of belt pulley Cylindrical roller bearing with special dimensions. Fit to outer stub shaft of crankshaft of Trabant 601 engine (side of belt pu	Prod.No.	6102	19,96
A .	Rotary valve - set, complete with pressure springs Complete set rotary valve for Trabant twostroke crankshaft.	Prod.No.	607	12,60
	material: metal made in EU Set include 2x rotary valve and 4x springs			
\bigcap	Seal for bearing cover crank shaft Paper sealing fit to Trabant 500,600 and 601 cranks flywheel side. It can be mounted to all types of disc flywheels with piston ring sealings.	Prod.No.	7119	1,49
	material: chadded sealing paper inside diameter:75mm outside diameter:84mm thickness:0,8 mm genuine spare part one piece will be needed			





<u>V-spring for crank shaft</u> Prod.No. 7118 Cup spring fit to Trabant 500,600 and 601 cranks flywheel side. It can be mounted to all types of disc flywheels with piston ring - or shaft sealings.

material: spring metal genuine spare part two piece will be needed



Waved washer for crank shaft

The waved washer fit to Trabant 500,600 and 601 cranks flywheel side. It can be mounted to all types of disc flywheels with piston ring - or shaft sealings.

material: spring metal genuine spare part one piece will be needed



<u>Wire snap ring</u> Wire snap ring for piston pin. You need two pieces for one piston. Fit to all Trabant 601, Wartburg 353 and B1000 pistons

Trabant 601 > Spare parts > Engine > clutch



Brake pipe spanner 10-11mm angledProd.No.770221,30Special tool for mounting or demounting of screw-cap for brakelines.
type: level anglededFit to brake screws SW10 and SW11.Fit to brake screws SW10 and SW11.Fit to brake screws SW10 and SW11.

1	
1	
Ι	

<u>Cluch cable complete</u> Cluch cable fit to the Cluch disc axial elastic und die Cluch disc full elastic	Prod.No.	679	14,88
total lenght: 65,5cm original spare part			
one piece will be needed			



<u>Cluch disc EU, full elastic</u> standard clutch disc reproduction EU for our clutch fit to all Trabant 500,600,601. with additionally springs.

inside diameter cluch lining: 110 mm cluch lining double sided, gauge: 6,7 mm inside gearing: 12 notches countof the damping springs: 6 pieces 4,26

4,26

1,54

Prod.No. 7114

Prod.No.

Prod.No.

675

54,17

626

	<u>Cluch disc old type, Germany</u> Clutch disc without springs, complete in Germany overhauled spare part. fit to all Trabant 500,600,601.	Prod.No.	676	75,68
	outside diameter: 160 mm inside diameter cluch lining: 110 mm cluch lining double sided, gauge: 6,5 mm inside gearing: 12 notches			
	For more informations to this exchange part please use the Detail button.			
	<u>Cluch disc, Germany (full elastic)</u> Complete refreshed in Germany with high quality materials. Standard clutch disc reproduction EU for our clutch fit to all Trabant 500,600,601. with additionally springs.	Prod.No.	7906	75,68
	outside diameter: 160 mm inside diameter cluch lining: 110 mm cluch lining double sided, gauge: 6,7 mm inside gearing: 12 notches countof the damping springs: 6 pieces			
	For more informations to this exchange part please use the Detail button.			
<u>Cluch disc, old ty</u> Nos spare part of t fit to all Trabant 50	he clutch disc without springs	Prod.No.	7395	83,78
outside diameter: inside diameter clu cluch lining double inside gearing: 12	ich lining: 110 mm sided, gauge: 6,5 mm			
last charge of gern	nan production			
.(<u>Clutch facing - set for clutch disc EU</u> The set consist of:	Prod.No.	677	18,29
	2x tclutch facing 12x copper rivet 5 mm			
	fit to the Cluch disc axial elastic			
	one set will be needed			

made in EU



Clutch facing - set for original clutch disc Prod.No. Friction surface ideal for slef mounting at the Trabant clutch disc. Kit contains two high quality clutch facings made in Germany and 12x steel rivet. The set consist of:

2x high-quality clutch facing 12x tubular rivet 5 x 0,5mm

fit to the Clutch disc axial elastic, original IFA production and Clutch disc full elastic, original IFA production

7907

Prod.No.

Prod.No. 6433

Prod.No. 6182

6434

670

28,85

76,20

132,51

9.74

139,00

one set will be needed ideal for selfrepair



Clutch from May 1985 Trabant cluch with additional band springs. Fit for the full elastic cluch disk D=160 mm.

exchange part refreshed in Germany

For more informations to this exchange part please use the Detail button.



Clutch kit SACHS clutch kit made by SACHS consist of:

clutch clutch disc without springs ball bearing mounted disengager with mounting springs fit to all Trabant 500, 600 und 601 one set will be needed

This spare part is complete overhauled in Germany.

All parts are made in Germany



Yoke for the Trabant clucht release bearing.

original spare part one piece will be needed

Clutch release yoke



Clutch set from May 1985 Prod.No. clutch set for Trabant 601 from vintage may 1985 with two stroke engine consist of:

clutch clutch disc with springs d=160 mm graphite ring disengager with mounting springs fit to all Trabant 500, 600 und 601 one set will be needed All parts are refreshed or manufactured in Germany

For more informations to this exchange part please use the Detail button.



Clutch set up to May 1985 Prod.No. 7309 139,00 clutch set for Trabant 500, 600 and 601 up to vintage may 1985 with two stroke engine consist of:

Prod.No. 7310

76,20

clutch

clutch disc without springs d=160 mm fit to all Trabant 500, 600 und 601 one set will be needed All parts are refreshed or manufactured in Germany

For more informations to this exchange part please use the Detail button.



Clutch up to May 1985 Trabant pressure plate for the cluch disk D=160 mm This type are offen used at Trabant 500, 600 and 601. Vintage up to may 1985.

exchange part refreshed in Germany

For more informations to this exchange part please use the Detail button.

	Foot lever clutch Foot lever for the mecanical actuated cluch system of the Trabant 601 and 1,1.	Prod.No.	7127	22,36
	fit to Trabant 601 and Trabant 1,1 scope of delivery without Rubber lining for brake and clutch pedal-shaft one piece will be needed			
	Foot lever unit (overhauled) Foot lever unit constist of one lever for the hydraulic actuated brake sys mecanical actuated cluch system. The set is complete pre-installed. fit to Trabant 601 and Trabant 1,1 scope of delivery inclusive Rubber lining for brake and clutch pedal-shaft one piece will be needed	Prod.No. tem and one	185 e lever for	59,37 the
C	graphite ring for slip ring disengager slip ring for the Trabant cluch release bearing. material: graphite dimensions: D= 52 mm, d= 34,6 mm, thickness: 18 mm, thikness at the fla	Prod.No.	6138 and right s	6,50 ide:
	16,5 mm original spare part one piece will be needed		and right 0	

Grooved pin for clutch release yoke

Prod.No. 6659 0,55 Cylindrical pin for the connection and safety mechanism from the cluch lever to the yoke for the Trabant clucht release bearing.

DIN 14731 size: 5 x 26 mm made in Germany one piece will be needed



release spring for pedal, late model release spring fit to brake pedal and clutch pedal of pedal unit length of the spring coil: 53mm diameter of the spring coil: 10mm total length of the spring: ca.122mm Prod.No.

Prod No 7372

Prod.No.

664

6643

1,96

1,96

1,98

fit to Trabant 601 and Trabant 1.1 two pieces will be needed

release spring for pedal, old model

release spring fit to brake pedal and clutch pedal of pedal unit length of the spring coil: 69mm diameter of the spring coil: 8mm total length of the spring: ca.160mm

fit to Trabant 601 two pieces will be needed



Rivet set for clutch facing (12 pices)

Tubular rivet for cluch facing. Like the original ones made of steel. Fit to the clutch linings of:

Trabant 601 D=160mm old- (fixede) and late- (tongued) clutch disc Trabant1.1 clutch disc Wartburg 353 D=180mm clutch disc Barkas B1000 D=180mm and 200mm clutch disc Wartburg 1.3 clutch disc Barkas B1000-1 clutch disc

ideal for self repair scope of delivery 12 pieces material: steel made in Germany



made in Germany Prod.No. 8013 Rubber lining EU for brake and clutch pedal-shaft 3,95 Rubber pad for the clutch and brake pedal. material: rubber, black made in EU worse qulity two pieces will be needed Rubber lining made in Germany for brake and clutch pedal-shaft Prod.No. 184 8,57 Rubber pad for the clutch and brake pedal. New reproduction made in Germany in brilliant quality. Fit to many IFA cars like Trabant, P70/F8, Wartburg 311, Multicar... material: rubber, black made in Germany best quality two pieces will be needed 42,50 Prod.No. 678 Slip ring disengager Slip ring disengager is comlete with graphite ring

one piece will be needed original spare part, Made in Germany



Spring for Slip ring disengager Prod.No. 6329 3,30 The spring strech hold the Slip ring disengager with the clutch release yoke

original spare part two pieces will be needed

Trabant 601 > Spare parts > Engine > Extension parts



Prod.No. 1100 6,50 Air filter Paper filter fit to all 2-stroke engines of Trabant without vinage limit. Best qualiy form Germany

inside diameter:65mm outside diameter:105mm length:153mm Made in Germany one piece will be needed



Air filter

Paper filter fit to all 2-stroke engines of Trabant without vintage limit. Best qualiy from Germany

inside diameter:65mm outside diameter:105mm

length:153mm Made in Germany with expanded metal as cover (no paperboard with holes) for better air flow one piece will be needed

> Prod.No. 7288 59,59

Prod.No. 7228

9.85



Air filter K&N Filterinsert made by K&N. Usealbe for an long period, because the filter can be cleaned by washing.

Made in Germany one piece will be needed



black rubber hose , fresh air 80x550

Prod.No. 709 9.55 connection hose between radiator-dummy and heating mixing chamber inside the engine compartment. The rubber hose ferried the fresh air to the car. It fit to all Trabant 601 models from april 1973.

material: rubber diameter: 80 mm lenght: 550 mm one piece will be needed

Black rubber hose , hot air 80x300mm

Prod.No. 7125 5,50 Connection hose between heating silencer and heating mixing chamber inside the engine compartment. The rubber hose ferried the hot air to the car. It fit to all Trabant 601 models from april 1973.

material: rubber diameter: 80 mm lenght: 300 mm one piece will be needed

Clamp for mixing chamberProd.No.799512,20Steel mounting clamp for the mixing chamber for heating- fresh air system, fit to Trabant 601 2-stroke engine from vintage:
november 1976scope of delivery inclusive mounting clamp.

material: metal single part without mounting parts inlet diameter: 2x 80 mm original spare part one piece will be needed

 Dynamo retainer (new type)
 Prod.No.

 Retainer for Trabant AC generator 12V Trabant from vintage october 1983
 Prod.No.

 material: steel
 scope of delivery without sleeve

original spare part one piece will be needed



<u>Dynamo retainer (old type)</u> Retainer for Trabant DC alternator up to vintage october 1983

material: steel scope of delivery without sleeve original spare part one piece will be needed



Engine mounting, front, complete (oval mounting)Prod.No.4496,50Ovel rubber mounting with bolt M8 x 16 mm for bottom side(connection to under frame) and vulcanized 3 mm sheet steel with two external holes 8,5 mm for fixing
upper side (connection to the motor or gearbox.

Trabant 500 - 600: 1x engine mounting front, 1x gearbox mounting front, 1x gearbox mounting rear Trabant 601: 1x engine mounting front, 1x gearbox mounting front material: rubber, steel (with olive drap color) width: 67 mm length: 86 mm highs: 38 mm hole distance between 8,5 mm holes: 84 mm



Engine mounting, rear, complete (round mounting) Prod.No. 448 8,25 Round rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with bolt M8 x 16 mm for fixing upper side (connection to the gearbox).

Trabant 601: 1x gearbox mounting rear material: rubber, steel (with olive drap color) width: 65 mm highs: 38 mm



Engine-gearbox bracket, rear Retainer for Trabant engine-gearbox for round mounting.

material: steel original spare part one piece will be needed 8,94

766

765

Prod.No.

Prod.No.

6140

8,50

8,50

	exhaust nut with collar, copper plated Secure nut for the Trabant manifold. Surface is plated with coper. Use for mounting without washer.	Prod.No.	7305	0,35
	thread: M8 spanner: SW132 grate: 8.8 collar diameter: 17,3mm highness: 9,2mm			
	exhaust nut, copper plated Secure nut for the Trabant manifold. Surface is plated with coper.	Prod.No.	7304	0,30
	thread: M8 spanner: SW12			
	Fan case complete with impeller, shaft and hub Fan fit to all type of Trabant 500, 600 ,601. The air cooling system is driven Complete unit, consist of:	Prod.No. by the V-belt	712 t.	68,49
	plastic-fan impeller with steel shaft aluminium fan case v-pulley 2x bearing, bushing, clip copmete overhauled in Germany one piece will be needed			
	Please select at the frame what kind of fan type do you need			
	Form hose for exhaust manifold heating system The rubber hose fit to all Trabant 601 (from november 1976) with exhaust m It split a part of the cooling air from the cooling fan direct into the cover of the			1,99 n.
	material: rubber diameter: 50mm lenght: 80mm one piece will be needed			
	Hose aluminium - kopex, heated air 48 x 300 connection hose between pree-silencer and noise silencer for heating s noise silencer for heating systemradiator(top) and exhaust manifold. Th heated air to the car. It fit to all Trabant 601 models from november 1976.			
	material: aluminium flexible inside diameter: 48 mm outside diameter: 54mm lenght: 300 mm two pieces will be needed			
Mixing chamber Mixing chamber fo	new or heating- fresh air system, fit to Trabant 601 2-stroke engine from vintage: no	Prod.No. vember 1976	7126 S	49,50
material: metal inlet diameter: 2x original spare part one piece will be r	t			



Mixing chamber used element Prod.No. 7534 24,50 Mixing chamber for heating- fresh air system, fit to Trabant 601 2-stroke engine from vintage: november 1976 Please note, this spare part is secound hand. It is complete checked at function and that all sealings for the flaps will be ok. Scope of delivery inclusive mounting clamp.

	material: metal inlet diameter: 2x 80 mm original spare part one piece will be needed			
	mounting bolts for air cooling box, M6 x 15 mounting bolt usable for the whole air cooling box of Trabant 601	Prod.No.	6406	1,30
	incl. washer bolt and washer made of stainless steel M6x15 8 pieces will be needed for mounting the whole air cooling box 2 pieces will be needed to mount the air filter box in top of the engine			
	Noise silencer for heating system Noise silencer for heating system fit to Trabant 601 2-stroke engine from vintage: november 1976 material: galvaniced metal inlet diameter: 1x 80 mm, 1x 48 mm outlet diameter: 80 mm original spare part one piece will be needed	Prod.No.	6196	29,98
	Retaining strap, complete Metal strap for fixing the air cooler at the engine. Fit to all Trabant up to vint Scope of delivery: steel retaining: 680mm x 25 mm x 1mm , galvaniced 1x bolt M6, 2x retainer cylindrical, pressure piece original spare part one piece will be needed	Prod.No. age october *	713 1983.	15,20
Roller bearing for One row roller bear		Prod.No.	715	3,89

made by DKF made in Germany two pieces will be needed

Roller bearing for fan shaft 6202 ZZ One row roller bearing 6202 ZZ for Trabant axial cooling fan.

2Z or ZZ is a symbol for both side covered made by FAG made in Germany two pieces will be needed

Prod.No. 7112 6,50

<u>Rubber hose, heated air 80x120</u> connection hose between pree-silencer and noise silencer for heating systemradiato heating systemradiator(top) and heating mixing chamber inside the engine compa			
heated air to the car. It fit to all Trabant 601 models from november 1976.			
material: rubber			
diameter: 80 mm			
lenght: 120 mm			
two pieces will be needed			
Rubber sealing	Prod.No.	714	3,50
Rubber profile between air cooler and air guiding plate to sonic a	nd vibrations absorber.		

Snap ring to fix the both roller bearings 6202 at the Trabant axial cooling fan.

made in Germany one pieces will be n

made in Germany two pieces will be needed

material: rubber, black made in Germany one piece will be needed

Snap ring for bearing for fan shaft

Snap ring for V-pulley for fan shaft



 one pieces will be needed
 Prod.No.
 6141

 sound-absorbing jacket
 Prod.No.
 6141

 engine cover on top of the air-cooling housing Trabant two stroke.
 mounted with spring clamp (art.no. 1161)
 6141

Snap ring to fix the V-belt transmisions pulley at the Trabant axial cooling fan shaft.

new original sape part one piece will be needed



 Stud M8 x 40
 Prod.No.
 6334


 Plain stud thread on bouth ends diameter M8 length 40mm fit to:
 Prod.No.
 6334

Engine mounting front, 2 pieces gearbox mounting front,2 pieces gearbox-engine mounting rear, 2 pieces cylinder, 4 pieces carburettor flange, 2 pieces



V-belt 10AV 1000, teeth, ContinentalProd.No.73399,52Transmissoinsbelt in high quality with teeth for the Trabant 500,600 and 601 engine.The V-belt (wide 10 mm, lenght 1000 mm) fit to all direct current (DC) dynamo (6V and 12V) and to allrotary current (AC) dynamo (12V) for Trabant wit 2-stroke motor.

one piece will be needed made by Good Year



V-belt SPZ 1000, original designProd.No.110517,85Transmissoinsbelt (without teeth) for the Trabant 500,600 and 601 engine.The V-belt (wide 10 mm, lenght 1000 mm) fit to all direct current (DC) dynamo (6V and 12V) and to all rotary current (AC) dynamo (12V) for Trabant wit 2-stroke motor.The V-belt (Wide 10 mm, lenght 1000 mm) fit to all direct current (DC) dynamo (6V and 12V) and to all rotary current (AC) dynamo (12V) for Trabant wit 2-stroke motor.

one piece will be needed

Prod.No. 7290

Prod.No.

7291

0,55

0,45

38,50

1,87



V-belt SPZ 1000, teeth, PEXProd.No.73385,50Transmissoinsbelt (with teeth) for the Trabant 500,600 and 601 engine.The V-belt (wide 10 mm, lenght 1000 mm) fit to all direct current (DC) dynamo (6V and 12V) and to allrotary current (AC) dynamo (12V) for Trabant wit 2-stroke motor.

one piece will be needed made by PEX

Woodruff key for fan shaft woodruff key 5 x 6,5mm Prod.No. 6351 1,76

622

9,12

Prod.No.

all fan shaft Trabant 2-stroke engine, 1 piece crankshaft Trabant 601, old version, 2 pieces

Trabant 601 > Spare parts > Engine > Piston and Cylinder

Compression ring, single part



	Trabant piston ring single part			-,
)	scope of delivery:			
/	inclusive 1 piece high quality made in Europe one set will be needed			
	Compressoin ring Trabant two stroke engine Complete set of piston rings for two Trabant pistons. scope of delivery:	Prod.No.	616	42,00
Pidan ring set Trabaet 601	inclusive 6 pieces high quality made in Europe one set will be needed			
J.	<u>Cylinder head overhauled</u> Overhauled cylinder head for Trabant 601 engine. Cleaning with nut-blasting Test for crack, check all threads like spark-plug thread and the two M6 threa straightened.		613 oling hou	45,00 sing,
	spark-plug thread: M14 compression ratio: 7,8 : 1 mountable to the left and right cylinder for each motor two pieces will be needed			
	Cylinder, complete 1 paar, overhauled, with piston (+50 ? pledge) Two overhauled cylinders for Trabant 601. Engine type 26 hp. Scope of deli x piston rings and 2x piston pins (German reproduction (original producer)	Prod.No. ivery inclusiv	612 e 2 x pist	278,20 con 6
	pledge for old cylinders +50,00 Euro! if old part will be sended back the money will be transfered back for more informations, see details			
Þ	Exhaust manifold seal Exhaust manifold seal for all Trabant 500,600 und 601 two stroke en Limousine and station wagon.	Prod.No. gine without	41 vintage	0,98 limit
	Material: form-embossed graphited sealing paper made in Germany two pieces will be needed			



Gasket kit Trabant engine Set to seal the Trabi engine. Good use after repairing or total overhauling of the engine block. Scope of delivery:

Two pieces of exhaust manifold gaskets Two pieces of cylinder head packing Two pieces of Cylinder base packing Two pieces of gasket for carburettor flange One piece of seal for bearing cover crank shaft



Piston (72,00 mm)Prod.No.Trabant piston for 26 hp engine, piston grinding diameter (size) 72,00 mm.Made in Germany, original aluminium alloy, original crowned contour.Piston complete consist of:

Prod.No.

7501

615

619

7,99

127,93

127,93


127,93

127,93

	3x compression ring
	1x piston pin
	2x wire snap ring
	made in Germany
	two pieces will be needed for each motor
_	



	made in Germany		
	two pieces will be needed for each motor		
)	Piston (72,50 mm) Trabant piston for 26 hp engine, piston grinding diameter (size) 72,50 mm. Made in Germany, original aluminium alloy, original crowned contour. Piston complete consist of:	Prod.No.	617
	3x compression ring		





Piston (73,00 mm)Prod.No.Trabant piston for 26 hp engine, piston grinding diameter (size) 73,00 mm.Made in Germany, original aluminium alloy, original crowned contour.Piston complete consist of:Piston complete consist of:

3x compression ring 1x piston pin 2x wire snap ring made in Germany two pieces will be needed for each motor



Piston (73,50 mm)Prod.No.621Trabant piston for 26 hp engine, piston grinding diameter (size) 73,50 mmFiston complete consist of:621

3x compression ring 1x piston pin 2x wire snap ring made in Germany two pieces will be needed for each motor

and a second	Piston ring pliers Piston ring mounting and demounting tool. With this pliers the changing of the piston rings will be simple and save, beca at the outside.	Prod.No. ause the rin	7619 is are retair	35,42 ned
	working dimensions: 1-100mm surface: nickel-plated with blue plastic handles made in Germany			
	Repair - Stud for cylinder M10 - M12 x 67mm Bolt for repairing demaged taps inside the cylinders.	Prod.No.	6934	4,93
	Plain stud thread on one end: M10 and on the other end M12 tap length A: 44mm tap length B: 22mm			
	In exchange for the original screws of cylinder head.			
	Repair - Stud for cylinder M10 - M14 x 67mm Bolt for repairing demaged taps inside the cylinders. Please note: Trabant 601 only use as the last opinion!	Prod.No.	7899	3,47
	Plain stud thread on one end: M10 and on the other endM14 tap length A: 44mm tap length B: 22mm			
	In exchange for the original screws of cylinder head.			
	Stud for cylinder M10 x 65mm Stud / bolt for mounting the cylinder head at the Trabant aluminium cylinders. Best exchange for the original screws of cylinder head.	Prod.No.	6368	3,45
•	thread on bouth ends: M10 tap length A: 26mm tap length B: 19mm length total: 65mm Plain stud total 8 pieces will be needed			
	<u>Stud M8 x 40</u>	Prod.No.	6369	1,87
	Plain stud M8-threads on bouth ends length total: 40mm			



Trabant cylinder (1 paar) 650 ccm (+90 ? pledge) Prod.No. 6915 399.00 Two overhauled cylinders for Trabant 601 with biger bore and pistons. The pistons got only two piston rings. The cylinder capacity of 680 ccm make the engine more stronger but dont lift up the rotational speed. Scope of delivery

inclusive 2 x piston

6 x piston rings 2x piston pins made in Germany

pledge for old cylinders +90,00 Euro! if old part will be sended back the money will be transfered back for more informations, see details



Trabant cylinder head for 650 ccm (1 paar) Prod.No. 6927 One set of upgraded heads for the Trabant 601 cylinders with biger bore.



Wire snap ring

Wire snap ring for piston pin. You need two pieces for one piston. Fit to all Trabant 601, Wartburg 353 and B1000 pistons

Trabant 601 > Spare parts > Gearbox

	R
İ	ADDINÖĽ
	Specialpetrictedi Fir Trabar
	for today No day Managara a postarité . Canangara a postarité .

ADDINOL special gear oil Trabant, 1 L Prod.No. 6157 9,43 leveled of temperature for steady viscosity over the hole range of temperature informations to fill in bolts you can find at details contens: 1 Litre made by Leuna, Germany Additional comment: Notes for used oil disposal Notes for used oil disposal Prod.No. 6562 15,20 Bushing for speedometer drive Brass bushing for speedometer drive gearbox. Fit to all Trabant 601. original spare part material: brass one piece will be needed Cylindrical roller bearing NJ 206 Prod.No. 22,50 6018 Bearing for the Trabant 601 gearbox from vintage 5.12.1968. Mounted at at the shifting shaft.

> mark: NJ 206 one piece will be needed

86,00

1,54

Prod.No.

626

100				
16	Differential pinion axle for constant velocity drive shaft Differential pinion axle for constant velocity drive shaft Trabant 601 from vintage April 1984	Prod.No.	663	119,60
2	original IFA spare part			
	displacement path inner joint: 26mm			
	2 pieces will be needed			
-	Differential pinion axle for joint final drive	Prod.No.	6356	45,00
	differential pinion axle for final drive (hinge system) Trabant 601 up to vinatge april 1984			
	original IFA spare part			
	displacement path inner joint: 26mm			
	2 pieces will be needed			
	Driving shaft	Prod.No.	6331	125,0
	Driving or cluch shaft			
	scope of delivery primary gears for the			
	1.gear and reverse speed, 2. gear, 3. gear			
	fit to all Trabant CO1 goorbayon			
	fit to all Trabant 601 gearboxes one piece will be needed			
	Driving shaft *gearbox latest version*	Prod.No.	6375	156,0
	Driving or secondary shaft scope of delivery secondary gear for differential gear			
	fit to Trabant 601 gearboxes from oktober 1974			
	number of teeth secondary gear: 19 one piece will be needed			
	Engine mounting, front, complete (oval mounting)	Prod.No.	449	6,5
	Engine mounting, front, complete (oval mounting) Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two exter upper side (connection to the motor or gearbox.			
	Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two exter	rnal holes 8,	5 mm for	fixing
	Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two exter upper side (connection to the motor or gearbox. Trabant 500 - 600: 1x engine mounting front, 1x gearbox mounting front, 1x Trabant 601: 1x engine mounting front, 1x gearbox mounting front material: rubber, steel (with olive drap color)	rnal holes 8,	5 mm for	fixing
	Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two exter upper side (connection to the motor or gearbox. Trabant 500 - 600: 1x engine mounting front, 1x gearbox mounting front, 1x Trabant 601: 1x engine mounting front, 1x gearbox mounting front material: rubber, steel (with olive drap color) width: 67 mm	rnal holes 8,	5 mm for	fixing
	Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two exten upper side (connection to the motor or gearbox. Trabant 500 - 600: 1x engine mounting front, 1x gearbox mounting front, 1x Trabant 601: 1x engine mounting front, 1x gearbox mounting front material: rubber, steel (with olive drap color) width: 67 mm length: 86 mm	rnal holes 8,	5 mm for	fixing
	Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two exter upper side (connection to the motor or gearbox. Trabant 500 - 600: 1x engine mounting front, 1x gearbox mounting front, 1x Trabant 601: 1x engine mounting front, 1x gearbox mounting front material: rubber, steel (with olive drap color) width: 67 mm	rnal holes 8,	5 mm for	fixing
	Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two exter upper side (connection to the motor or gearbox. Trabant 500 - 600: 1x engine mounting front, 1x gearbox mounting front, 1x Trabant 601: 1x engine mounting front, 1x gearbox mounting front material: rubber, steel (with olive drap color) width: 67 mm length: 86 mm highs: 38 mm hole distance between 8,5 mm holes: 84 mm	rnal holes 8, gearbox mo	5 mm for	fixing
Fitted key 4 x 5 mn	Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two exter upper side (connection to the motor or gearbox. Trabant 500 - 600: 1x engine mounting front, 1x gearbox mounting front, 1x Trabant 601: 1x engine mounting front, 1x gearbox mounting front material: rubber, steel (with olive drap color) width: 67 mm length: 86 mm highs: 38 mm hole distance between 8,5 mm holes: 84 mm <u>reewheel crate</u> n for freewheel crate. Fit to all Trabant gearboxes up to vintage: dezember 198	rnal holes 8, gearbox mo	5 mm for	_
Fitted key 4 x 5 mn	Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two exten- upper side (connection to the motor or gearbox. Trabant 500 - 600: 1x engine mounting front, 1x gearbox mounting front, 1x Trabant 601: 1x engine mounting front, 1x gearbox mounting front material: rubber, steel (with olive drap color) width: 67 mm length: 86 mm highs: 38 mm hole distance between 8,5 mm holes: 84 mm <u>reewheel crate</u> n for freewheel crate. Fit to all Trabant gearboxes up to vintage: dezember 198 uff keys are stuck at the driving shaft (primary shaft).	rnal holes 8, gearbox mo	5 mm for	fixing ar
Fitted key 4 x 5 mn Both of this woodru made in Germany two pieces will be r Freewheel crate	Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two exten- upper side (connection to the motor or gearbox. Trabant 500 - 600: 1x engine mounting front, 1x gearbox mounting front, 1x Trabant 601: 1x engine mounting front, 1x gearbox mounting front material: rubber, steel (with olive drap color) width: 67 mm length: 86 mm highs: 38 mm hole distance between 8,5 mm holes: 84 mm reewheel crate n for freewheel crate. Fit to all Trabant gearboxes up to vintage: dezember 198 uff keys are stuck at the driving shaft (primary shaft).	rnal holes 8, gearbox mo	5 mm for unting re 6332	fixing
Fitted key 4 x 5 mm Both of this woodru made in Germany two pieces will be r Freewheel crate	Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two exten- upper side (connection to the motor or gearbox. Trabant 500 - 600: 1x engine mounting front, 1x gearbox mounting front, 1x Trabant 601: 1x engine mounting front, 1x gearbox mounting front material: rubber, steel (with olive drap color) width: 67 mm length: 86 mm highs: 38 mm hole distance between 8,5 mm holes: 84 mm <u>reewheel crate</u> n for freewheel crate. Fit to all Trabant gearboxes up to vintage: dezember 198 iff keys are stuck at the driving shaft (primary shaft).	rnal holes 8, gearbox mo Prod.No. 35.	5 mm for unting re 6332	fixing ar

	replace radial seals complete pree mounted warrenty: 24 mounth the old gearbox have to be shipped to our company bevore we can deliv pledge possible)	er the overh	nauled or	ie (no
	nut husk blasting replace: bearings, free wheel, synchron rim, shafts and gear wheel paars			
	for more informations, see details <u>Gear box, complete, overhauled, old universal shaft up to October</u> Overhauled gearbox for Trabant 601 up to vintage: october 1974 with hinge Differential ratio: 4,33 scope of regeneration: demounting and cleaning		7108	650,0
	pledge for old gearbox +80,00 Euro! if old part will be sended back the money will be transfered back			
	demounting and cleaning nut husk blasting replace: bearings, free wheel, synchron rim, shafts and gear wheel paars replace radial seals complete pree mounted warrenty: 24 mounth			
Ne	Gear box, complete, overhauled, old universal shaft Overhauled gearbox for Trabant 601 from vintage November 1974 up to vir drive shaft. Differential ratio: 3,95 scope of regeneration:	Prod.No. htage: april 1	640 984 with	485,2 hinge
	pledge for old gearbox +80,00 Euro! if old part will be sended back the money will be transfered back for more informations, see details			
	demounting and cleaning nut husk blasting replace: bearings, free wheel, synchron rim, shafts and gear wheel paars replace radial seals complete pree mounted warrenty: 24 mounth			
2.0	Gear box, complete, overhauled, (Tripode) Overhauled gearbox for Trabant 601 from vintage: april 1984 with differential pinion axle for constant velocity drive shaft. scope of regeneration:	Prod.No.	641	485,2
	ng element	ı shaft.		
one set will be nee	eded	Prod.No.	6376	15,
scope of delivery:	1x cam, 1x carge, 12x cylindric rolls			
Gearshalt with set	mplete for Trabant gearbox up to vintage: dezember 1985. ore for fitted key.			

Special offers end current prices: http://www.ldm-tuning.de Document draw on 07.06.2016.			
<u>Grooved ball bearing 16013 old version</u> One row grooved ball bearing 16013, it fit in a gearbox from Trabant 601 up to vintage octobe differential side gear (differential case - final drive pinion)	Prod.No. er 1974 (old	7103 differentia	14,45 al) for
mark: 16013 2x groved ball bearings will be needed widness: 18mm			
Grooved ball bearing 16013 small One row grooved ball bearing 16013, it fit in a gearbox from Trabant 601 for differential side gear (differential case - final drive pinion)	Prod.No. from vintage	6016 e october	14,45 1974
mark: 16013 2x groved ball bearings will be needed widness: 11mm			
<u>Grooved ball bearing 6304 C3</u> One row grooved ball bearing, fit to the Trabant 601 gearbox without vintage limit: 2x for driven shaft(cluth), 1x for driven shaft (shifting)	Prod.No.	6017	8,67
mark: 6304 bearing play: C3 made in Germany 3x groved ball bearings will be needed			
<u>Groved ball bearing 6206 C3</u> Bearing for the Trabant 601 gearbox up to vintage 5.12.1968. Mounted at at the shifting shaft.	Prod.No.	7314	8,95
mark: 6203 C3 one piece will be needed			
Needle cage for freewheel 25 x 30 x 13	Prod.No.	6377	12,50



6377 12	,50
6	377 12

made in Germany metal cage 21 needles one piece will be needed for gearboxes from vintage to october 1974



Needle cage for freewheel25 x 30 x 26Prod.No.Needle cage for freewheel with drive gear 4th speed gearbox Trabant 601.Hounting place: 4th speed main shaft (freewheel gear).Size: 25 x 30 x 26mm

made in Germany metal cage 21 needles per row one piece will be needed for gearboxes up to vintage to october 1974 687

19,79

	<u>Oel bottles without fluid, four 1 Liter</u> New unused ol bottle inclusive cap. Best use to ladle off form bigger tanks. Take on at journeys for instance two Bottle without any print.	Prod.No. stroke oel.	7900	2,00
	Bottle without substance actualy colour: silver gray for one Liter volume			
	Radial sealing D20 x 40 x 10 Radial sealing for cluthch-shaft gearbox side.	Prod.No.	656	2,22
	made in Germany one piece will be needed			
	Radial sealing D20 x 40 x 10 with dust-lip Radial sealing for cluthch-shaft gearbox side.	Prod.No.	6244	3,68
C.	made in Germany with additionally dust-lip one piece will be needed fit to gearbox of Trabant 601 (all types with synchronization) and fit to old ty	pe of B1000	gearbox	
\cap	Radial sealing D58 x 80 x 10 S1L Radial sealing for the Trabant gearbox. Differential gear - universal shaft, left hand.	Prod.No.	657	9,81
	seal with readvancing twist installation: left hand made in Germany			
\bigcirc	Radial sealing D58 x 80 x 10 S1R Radial sealing for the Trabant gearbox. Differential gear - universal shaft, right hand.	Prod.No.	658	9,81
Conserved a	seal with readvancing twist installation: right hand made in Germany			
0	Sealing ring for oel control screw Sealing ring for the oel control screw of the Traban 601 gearbox. Fit for gear boxes of all Trabant 601 types with hinge joint drive shaft or c and Hycomat. The aluminium ring will be mounted between M6 oil control screw and gear		7866 city drive s	0,09 shaft
	material: aluminium size: 6x10x1 one piece will be needed			

(

Sealing ring for plug screw sealing ring for plug screw gearbox-oel fit for gear boxes of follow vehicles:

material: aluminium size: 22x27x1,5 one piece will be needed Trabant 601 Trabant 1.1 Wartburg 353 Wartburg 1.3 B1000 and for most other vehicles Prod.No. 6357 0,80

6373

19,50

18,50

Prod.No. 7292

Prod.No.

Prod.No.



Set of switch for reverse speed Switch set for mounting the reverse speed light. delivery inclusive wiring diagram and connection cable. original spare part.

Speedometer drive *gearbox latest version* Speedometer drive for Trabant 601 gearbox from year oktober 1974

diameter of helical gearing: 14mm number of teeth: 9 original spare part one piece will be needed

Speedometer drive *gearbox old version* Speedometer drive for Trabant 601 gearbox up to year oktober 1974

Prod.No. 6374 18,50

6408

2,55

diameter of helical gearing: 12,5mm number of teeth: 10 original spare part one piece will be needed

Trabant 601 > Spare parts > Gearbox > Driven shaft



Band clamp , long

Rebound strap for mounting of sleeve rubbers of universal shafts long band clamp (for example for mounting of sleeve rubber on shaft joint), for diameter from 40mm up to 110mm application:

the band clamp have to bent around the sleeve rubber by hand, so that it clinging to the sleeve rubber in best way fixing this position by hooking into spanning the band clamp with a pincers ready

	Band clamp set for sleeve rubber of universal shaft Rebound strap set for mounting of sleeve rubbers of universal shafts consist of:	Prod.No.	6394	3,82
	long band clamp (for example for mounting of sleeve rubber on shaft joint), to 110mm short band clamp to seal sleeve rubber on universal shaft, for diameter from application:			ו up
	the band clamp have to bent around the sleeve rubber by hand, so that it of in best way fixing this position by hooking into spanning the band clamp with a pincers ready	clinging to the	e sleeve rub	ober
an a	Band clamp, short Rebound strap for mounting of sleeve rubbers of universal shafts long band clamp (for example for mounting of sleeve rubber on shaft joint), to 50mm application:	Prod.No. for diameter	6536 from 25mn	2,11 n up
	the band clamp have to bent around the sleeve rubber by hand, so that it of in best way fixing this position by hooking into spanning the band clamp with a pincers ready	clinging to the	e sleeve rul	ober
0	Bolt for hinge joint Bolt with two snap-in rings fit to outer joint for hinge drive shaft right or left Fit to Trabant 601 up to vintage: april 1984	Prod.No. hand.	6836	2,20
	one bolt with two snap-in rings original IFA spare part two pieces will be needed for each hinge joint drive shaft			
8	Brake hose retainer for Steering knuckle leaver left hand metal holder for the fron brake hose at the Trabant 500, 600 and 601 to side). Mouning at the rear side of the steering knuckle leaver bolt. The retainer will also used at the lock plate for this screw connection.	Prod.No. front axle righ	7994 ht hand (di	5,50 river
	original spare part material: steel delivery without any mounting bits one piece will be needed			
8	Brake hose retainer for Steering knuckle leaver right hand metal holder for the fron brake hose at the Trabant 500, 600 and 601 fro side). Mouning at the rear side of the steering knuckle leaver bolt. The retainer will also used at the lock plate for this screw connection.	Prod.No. ont axle right	7993 hand (codi	5,50 river
	original spare part material: steel delivery without any mounting bits one piece will be needed			

CR	Differential pinion axle for constant velocity drive shaft Differential pinion axle for constant velocity drive shaft Trabant 601 from vintage April 1984	Prod.No.	663	119,60
	original IFA spare part displacement path inner joint: 26mm 2 pieces will be needed			
	Differential pinion axle for joint final drive differential pinion axle for final drive (hinge system) Trabant 601 up to vinatge april 1984	Prod.No.	6356	45,00
	original IFA spare part displacement path inner joint: 26mm 2 pieces will be needed			
	 Inner universal shaft, left side (lenght 420 mm) Inner part of the universal shaft Trabant 601 front left hand. The joir gearbox. up to vinatage april 1984 	Prod.No. nt bolt side will I	645 be fittet a	37,21 at the
	lenght: bolt eye - hinge bolt eye: 380mm lenght complete: 420mm diameter: 20mm original IFA spare part one piece will be needed			
	Inner universal shaft, right side (lenght 555 mm) Inner part of the universal shaft Trabant 601 front right hand. The joi gearbox. up to vintage april 1984	Prod.No. nt bolt side will	646 be fittet a	42,10 at the
	lenght: bolt eye - hinge bolt eye: 520mm lenght complete: 555mm diameter: 20mm original IFA spare part one piece will be needed			
10	<u>Joint</u> Outer joint for hinge universal drive right or left hand. Fit to Trabant 601	Prod.No. up to vintage: ap	651 oril 1984	29,76
0	scope of delivery without add on parts original IFA spare part one piece will be needed for each universal drive			
	<u>Joint bolt</u> the bolt have to be pressed into the inner eye of the universal shaft (hing fit to all Trabant 601 up to vintage april 1984	Prod.No. ge-system)	649	6,50
	lenght: 44,6 mm diameter: 17,0 mm surface: crinded original IFA spare part			
	for each universal shaft one joint bolt will be needed			

	Outer universal shaft outer stub axle for the universal drive (hinge system). Fit to the conical wheel up to vintage: april 1984	Prod.No. hub.	647	35,30
	scope of delivery without add-on pieces original IFA spare part one piece will be needed for each final drive			
	Rebound strap 4,6 X 360 mm Strap for rubber sleeves.	Prod.No.	655	2,48
	material: stainless steel made in Germany 4 pieces will be needed			
0	Shaft spider for transnission shaft, complete Inner joint for constant velocity drive shaft Trabant 601: three 120 degree shit bearing needles (1,6 x 7,8) for each roll.	Prod.No. fted pins with	668 28 cagele	41,44 ess
Q	maximum turning moment: 385 Nm maximum deflection angle inner joint: 17 degree displacement path: 26 mm ab Baujahr 04/1984 one piece will be needed for each universal shaft			
	<u>Sleeve rubber (inner side)</u> Sleeve for inner final drive joint Trabant 601. The sleeve rubber is fixed at to other side at the gearbox. This bellows fit to the universal shaft (hinge syster) velocity drive shaft.			
	material: rubber scope of delivery without mounting material made in EU two pieces will be needed			
	<u>Sleeve rubber (outer tripode universal shaft side)</u> CV rubber sleeve for outer joint of universal shaft, constant velocity drive si vinatge: april 1984 and Trabant 1,1 (without vintage delimitation).	Prod.No. haft for Trab	652 ant 601 fr	6,80 om
	material: resistent rubber, black size: inner diameter hinge: 68 mm, inner diameter universal shaft: 18 mm, ler made in EU one piece will be needed for each drive shaft	ngth 105 mm		
6	Sleeve rubber (outer universal shaft side) sleeve rubber set for outer joint of hinge shaft Trabant 601 up to vintage: apri	Prod.No. I 1984.	653	6,49
Ű	material: resistent rubber, black made in EU one piece will be needed for each drive shaft			



<u>Sleeve rubber EU (constant velocity drive shaft)</u> Prod.No. 6296 12,62 CV rubber sleeve set for outer joint of universal shaft, constant velocity drive shaft for Trabant 601 from vinatge: april 1984 and Trabant 1,1 (without vintage delimitation). Sleeve made in Europe contents:



B

	1x sleeve rubber (ArtNo.: 653) 1x band clamp set (ArtNo.: 6394) 1x high performance grease (ArtNo.: 6256)			
A	<u>Sleeve rubber GKN (constant velocity drive shaft)</u> CV rubber sleeve set for outer joint of universal shaft, constant velocity dri from vinatge: april 1984 and Trabant 1,1 (without vintage delimitation). Sleeve made by GKN contents:	Prod.No. ive shaft for	7512 Trabant 6	16,07 01
	1x sleeve rubber 1x high performance grease 1x band clamp big diamter 1x band clamp small diamter 1x gel			
IN	<u>Sleeve rubber set (hinge shaft, wheel side)</u> sleeve rubber set for outer joint of hinge shaft Trabant 601 up to vintage: april contents:	Prod.No. 1984.	6297	16,09
	1x sleeve rubber (ArtNo.: 653) 1x band clamp long 1x high performance grease (ArtNo.: 6256)			
	Sliding piece sliding element for the inner joint universal-shaft (hinge joint system)	Prod.No.	648	8,55
	material: Steel-surface hardened up to vintage: april 1984 for each universal drive two pieces will be needed			
4	<u>Sliding sleeve halves</u> Sliding element for the Sleeve rubber (outer universal shaft side) Trabant (hin up to vintage april 1984 Fit to right and left hand final drives.	Prod.No. ge joint fina	650 I drive).	2,20
	material: plastic for each final drive two pieces will be needed			
	<u>Snap ring for bolt for hinge joint</u> Circlip to secure the bolt of the outer joint for hinge drive shaft right or left han Fit to Trabant 601 up to vintage: april 1984	Prod.No. d.	7359	0,95
	made in Germany			

made in Germany four pieces will be needed for each hinge joint drive shaft

	 <u>Universal shaft, complete set</u> 1 pair of constant velocity drive shaft for the right and left side 	Prod.No.	661	520,00
	maximum torque: 385 Nm maximum deflection angle outside joint: 45 degree maximum deflection angle inner joint: 17 degree displacement path: 26 mm for Trabant 601 from vinatge 04/1984			
	 Universal shaft,complete set Complete set of hinge drive shaft for Trabant 601 up to vintage april 1984 scope of delivery: 	Prod.No.	6079	385,00
	1x drive shaft complete left hand 1x drive shaft complete right hand 2x woodruff key inclusive all rubber sleeves			
	Woodruff key for outer universal shaft Fitted key for outer stub axle for the final drive (hinge system). Fit to the con Trabant 601 up to vintage: april 1984	Prod.No. nical wheel h	6533 ub.	3,50
	one piece will be needed for each final drive			
-	Spare parts > Gearbox > add-on components <u>Bushing for switch</u> Bushing for the reverse gear switch of the Trabant 601 gearbox. This part	Prod.No.	101 if you w	
	Bushing for switch Bushing for the reverse gear switch of the Trabant 601 gearbox. This part install a switch for the reverse gear. It have to screwed in the gearbox next to	is necessary	if you w	5,96 ant to
	Bushing for switch Bushing for the reverse gear switch of the Trabant 601 gearbox. This part	is necessary	if you w	
	Bushing for switch Bushing for the reverse gear switch of the Trabant 601 gearbox. This part install a switch for the reverse gear. It have to screwed in the gearbox next to material: matal bushing with innside and outside tap	is necessary o the shifting Prod.No.	if you w shaft. 449	ant to 6,50
	Bushing for switch Bushing for the reverse gear switch of the Trabant 601 gearbox. This part install a switch for the reverse gear. It have to screwed in the gearbox next to material: matal bushing with innside and outside tap galvaniced Engine mounting, front, complete (oval mounting) Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two external	is necessary o the shifting Prod.No. ernal holes 8,	if you w shaft. 449 5 mm for	ant to 6,50 fixing
	Bushing for switch Bushing for the reverse gear switch of the Trabant 601 gearbox. This part install a switch for the reverse gear. It have to screwed in the gearbox next to material: matal bushing with innside and outside tap galvaniced Engine mounting, front, complete (oval mounting) Ovel rubber mounting with bolt M8 x 16 mm for bottom side (connection to under frame) and vulcanized 3 mm sheet steel with two externation upper side (connection to the motor or gearbox. Trabant 500 - 600: 1x engine mounting front, 1x gearbox mounting front, 1x Trabant 601: 1x engine mounting front, 1x gearbox mounting front material: rubber, steel (with olive drap color) width: 67 mm length: 86 mm highs: 38 mm	Prod.No. Prod.No. ernal holes 8, c gearbox mo	if you w shaft. 449 5 mm for unting re 448	ant to 6,50 fixing ar 8,25

	Engine-gearbox bracket, rear Retainer for Trabant engine-gearbox for round mounting.	Prod.No.	6140	8,94
	material: steel original spare part one piece will be needed			
Flat washer M10 flat washer for all sre	ews and bolts M10 or diameter of 10mm	Prod.No.	6685	0,11
surface zinc coated inside diameter: 10, outside diameter: 20 thickness: 20, mm made in Germany				
	Flexible shaft for speedometer Trabant Flexible shaft for speedometer fit to all Trabant 601 gearboxes	Prod.No.	1050	7,90
	total lenght of the shaft: 870mm both ends are with tetrahedral tappet: 2,6 x 2,6mm connection screw joint: plastic-nut one piece will be needed			
	<u>Gear shifting lever</u> fit to all types of Trabant 601 gear boxes.	Prod.No.	6071	9,5
	material: steel, galvaniced original spare part one piece will be needed			
	<u>Gear shifting shaft</u> Shifting shaft for Trabant 601 (two stroke). Four speed steering column gear	Prod.No. shifting.	642	21,20
1	material: steel pipe, blank made in EU one piece will be needed			
	Hexagon head screw M6 X 20 mm hexagon bolt for Trabant gearbox used for:	Prod.No.	6111	0,3
0	2x bracket of gear shifting shaft on top of gear case 4x both cover lids for differential side gear 4x front cover lid, next to the driving shaft price per piece, inclusive lock washer grade: 8.8 galvaniced made in Germany			
0	hexagon head screw, M8 X 45 mm with washer hexagon head screw for gear case 12 pcs. needed for one gear case M8 X 45 mm incl. lock washer	Prod.No.	6109	0,20

0	hexagon head screw, M8 X 95 mm with washer hexagon head screw for gear case 4 pcs. needed M8 X 95 mm incl. lock washer	Prod.No.	6108	0,59
	Metal angle for exhaust Metal angle for exhaust for Trabant exhaust system two stroke engine attached at the gearbox	Prod.No.	6303	3,28
	material: steel, olive galvaniced original IFA-spare part one pieces will be needed			
6.0	<u>Rubber bearing, gear shifting shaft (first model)</u> This rubber bushing will be used to guide the gear shifting shaft. It is mount cabin (steering column) and 1x on top of the gearbox (metal retainer). Fit to all Trabant 601, the price is for each one.	Prod.No. ed 1x inside		9,50 nger
	first type with felt inset for lubrication and furrow for band clamp delivery inclusive felt material: rubber, black two pieces will be needed			
	Rubber bearing, gear shifting shaft (latest model) This rubber bushing will be used to guide the gear shifting shaft. It is mount cabin (steering column) and 1x on top of the gearbox (metal retainer). Fit to all Trabant 601, the price is for each one.	Prod.No. ed 1x inside	1055 the passa	7,52 nger
	latest type with longitudinally grooves for grease reservoirs material: rubber, black two pieces will be needed			
	Rubber bearing, gear shifting shaft (second model) This rubber bushing will be used to guide the gear shifting shaft. It is mount cabin (steering column) and 1x on top of the gearbox (metal retainer). Fit to all Trabant 601, the price is for each one.	Prod.No. aed 1x inside		9,50 nger
	second type with felt inset for lubrication delivery inclusive felt material: rubber, black two pieces will be needed			
•	Rubber grommet for tachometer shaft rubber grommet for flexible speedometer shaft fit to all variants of Trabant 601 and 1.1	Prod.No.	6734	1,77
	inner diameter: 7,5 mm for hole diameter of: 25 mm thickness: 7,5 mm one piece will be needed			
	<u>Rubber roll, gear shifting shaft</u> Rubber bearing between shifting shaft (connection piece) and gear shifting s gear box). Fit to all Trabant 601 (two stroke). Connection form gear shifting shaft to gear			6,87 e the
	material: rubber, black original spare part one piece will be needed			



Set of hexagon head screws for gear case halves (M8)Prod.No.61105,86Complete bolt set with all needed hexagon head screws for gear case halves Trabant 601 gearbox.contents:5,86

	4 pieces M8 X 95mm 12 pieces M8 X 45mm 16 pieces lock washers 8,4 inclusive lock washers grade: 8.8 galvaniced made in Germany			
	set of hexagon head screws M6 X 20 mm, complete for one gear 14x hexagon head screw M6 X 20 mm with lock washers used for:	Prod.No.	6112	1,54
0° *0	2x bracket of gear shifting shaft on top of gear case8x both cover lids for differential side gear right/left (4 pcs. for one cover lid)4x front cover lid, next to the driving shaftgrade: 8.8 galvanicedmade in Germany			
	<u>Sleeve for gear shifting shaft</u> Seal for gear shifting shaft (dash) for Trabant 601.	Prod.No.	1059	4,23
	material: rubber one piece needed			
	<u>sleeve for gear shifting shaft</u> Rubber sleeve for the inner gear shifting shaft. Fit to Trabant 601 gear boxes	Prod.No. s.	6190	4,55
	material: rubber, schwarz original spare part one piece will be needed			
	Stud M8 x 40 Plain stud thread on bouth ends diameter M8 length 40mm fit to:	Prod.No.	6334	1,87
	Engine mounting front, 2 pieces gearbox mounting front,2 pieces gearbox-engine mounting rear, 2 pieces cylinder, 4 pieces carburettor flange, 2 pieces			
	Switch for reverse speed The electric switch for the backwards speed lights is mounted direct at the g is switched mechanical by the shifting shaft position reverse gear. At the most cars, the switch have to screwed in the Bushing for switch.	Prod.No. gearbox cas	100 e. The co	15,94 ntact
	tap connection: M14 x 1,0 mm 2x plate terminal delivery without bushing and pin adapter made in Europe			

Trabant 601 > Spare parts > Front axle



Ball bearing 34 x 64 x 3 7 original DKFProd.No.686225,50Original stock of ball bearing for the Trabant 601 front axle with constant velocity drive shaft (tripode)

double row angular contact ball bearing front axle 34 x 64 x 37 2RSR manufactured by DKF (DDR) for one alxe you need 1 piece



Ball bearing, front axle 34 x 64 x 37Prod.No.99123,57Ball bearing, front axle 34 x 64 x 37 2RS. Fit to Trabant 601 front axle constant velocity drive shaft
(tripode), Trabant 1,1 front axle and VW Golf I.99123,57

for one alxe you need 1 piece



Collar nut for front axleProd.No.10043,81The nut for front axle with collar (spanner gap 30mm) have to be tighten with a torque of 160 up to 200Nm (16..20kp/m)fit to:

Trabant 601 from mai 1984 with clocking or synchronism universal shaft Trabant 1,1 two pieces will be needed for each car

Steel rim for Trabant 601 complete overhauled and prime coated.



new or used rim sandblasted primed pitch circle 4 x 160 rim wide: 4J rim diameter: 13 Zoll center disc wheel ET 35

Disk wheel, overhauled 4J x 13 Zoll (silver)

Disk wheel, overhauled 4J x 13 Zoll

Steel rim for Trabant 601 complete overhauled and silver varnished.

new or used rim sandblasted primed silver varnished with 2-K varnish pitch circle 4 x 160 rim wide: 4J rim diameter: 13 Zoll center disc wheel ET 35

Hose for R13 tires

Hose insert for the Trabant and Wartburg tires. Fit to 13 zoll wheels.

for tire size: 135,145,155/ 70 R13 scope of delivery with tire valve and cap

Prod.No. 7416 15,35

Prod.No.

Prod.No.

986

6403

69,33

95,33

	dirent prices. http://www.idin tuning.de Decanon date of or socies to			
B	Hub cap , plastic Plastic cover for the Trabant wheel hub. Fit to conical and cylindrical hubs.	Prod.No.	1087	4,93
	material: plastic, black made in EU for each wheel one piece will be needed			
	<u>lever grease gun</u> german industry quality	Prod.No.	6312	39,36
	pre-installed with reinforced hose and hydraulical connector match grease cartridge: Art.No.: 6311			
1	<u>lubrication set</u> lubrication set consist of:	Prod.No.	6313	68,68
	V lever grease gun, Art.No.: 6312 grease cartridge, Art.No.: 6311 adhesive transparent lubricant, Art.No.: 6255			
	Outer universal shaft outer stub axle for the universal drive (hinge system). Fit to the conical wheel up to vintage: april 1984	Prod.No. hub.	647	35,30
	scope of delivery without add-on pieces original IFA spare part one piece will be needed for each final drive			
	Plastic cap for wheel nut Cap for wheel nuts and wheel bolts with a spanner gap of 19 mm. Type with additional collar and hemisphere.	Prod.No.	1085	0,45
Y	single part PVC, black for each car 16 pieces will be needed			
	Plastic cap for wheel nut plastic cup for wheel nuts for all wheel nuts and wheel bolts with a spanner gap of 19mm	Prod.No.	6438	0,95
	Material: plastic, black same shape like original plastic cup for wheel nuts of Trabant 601 for each wheel, 4 pieces will be needed			
	Plastic cap for wheel nut, chrom effect (set of 16 pieces) plastic cup for wheel nuts for all wheel nuts and wheel bolts with a spanner gap of 19mm	Prod.No.	6430	9,44
	set of sixteen pieces made of chromed plastic made in EU			

	unent prices. http://www.ium-tuning.ue Document draw on 07.06.2016.			
	Plastic cap set for wheel nut, black cheapest type of plastic cap for all wheel nuts with a spanner gap of 19mm	Prod.No.	6366	5,31
	material: made of black plastic set consist of 20 pieces			
	The grip of the plastic cups on the wheel nuts is not the best. Additionall instance: adhesive lubricant, Art.No. 6255 or better universal housing 6258).			
	Plastic cap set for wheel nut, chrome cheapest type of plastic cap for all wheel nuts with a spanner gap of 19mm	Prod.No.	6367	5,64
	made of chromed plastic set consist of 20 pieces			
	The grip of the plastic cups on the wheel nuts is not the best. Additionall instance: adhesive lubricant, Art.No. 6255 or better universal housing 6258).			
AE	summer tyre 145/80 R13 PNEUMANT summer tyre fit for all types of Trabant	Prod.No.	6510	46,80
	tyre with good values in economy, safety and comfort			
	the pressure for the Trabant tyres type 145 R13 and 5.20-13 Trabant 601 Limousine front axle: 20,31 psi Trabant 601 Limousine rear axle: 20,31 psi - 23,20 psi Trabant 601 Universal front axle: 20,31 psi Trabant 601 Universal rear axle: 20,31 psi - 24,67 psi			
	Wheel bearing 6206 C2 One row grooved ball bearing 6206 C2, bearing for rear axle Trabant 601 (univesal driven shaft-old type, up to 03/1984). For one wheel will be needed 2 pices. For a complete Trabant 601 with univesal driven shaft-old type you will nee For a Trabant with universal driven shaft-new type (tripode)you will need 4	d 8x 6206 C2		9,84 t 601
	made in Germany			
00	Wheel bearing set FAG, front axle 34 x 64 x 3 7 Wheel bearing 34 x 64 x 37 2RS made by FAG in Germany. The ball bearing fits to Trabant 601 front axle with universal driven shaft ne Trabant 1.1 front axle. {L[inclusive hub axle nut][for each front alxe one piece will be needed]	Prod.No. ew type (tripo	6322 de) and al	45,50 Iso to
00	Wheel bearing set FAG, front axle hinge shaft Front axle bearing-set for Trabant 500,600 and 601 with hinge shaft drive. consit of:	Prod.No.	7984	44,90
%	2 pieces bearings 6206 C2 1 piece radial sealing 48 x 62 x 8 without additional dust lip 1x grease 1x lock plate axle			
	All parts maufactured by FAG.			

For each wheel side, one set will be needed

l



Wheel bearing set, 6206 C2, front axle hinge shaft drive Prod.No. 7985 25,99 Front axle bearing-set fit to Trabant 500,600 and 601 with hinge shaft drive. consit of: 2 pieces bearings 6206 C2 1 piece radial sealing 48 x 62 x 8 with additional dust lip 1x snap ring wheel bearing 1x lock plate axle All parts made in Germany with high quality. For each wheel side, one set will be needed Prod.No. 985 5,23 Wheel bolt The bolt have to be pressed into the wheel hub. Fit to all Trabant 500, 600, 601. knurled steel bolt with tap M12 x 1, galvaniced length: 36 mm original spare part for each wheel 4 pieces will be needed wheel bolt 40mm Prod.No. 7200 3,30 universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 40mm consist the length of thread and the length of knurling. legth: 40mm thread: M12 x 1,5 thread length: 28mm knurling diameter: 14,5mm knurling length: 7,6mm 6450 3,42 wheel bolt 50mm Prod.No. - and a state of the state of t universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 50mm consist the length of thread and the length of knurling. legth: 50mm thread: M12 x 1,5 thread length: 38mm knurling diameter: 14,5mm knurling length: 7,6mm wheel bolt 60mm Prod.No. 7201 3,96 universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 60mm consist the length of thread and the length of knurling. legth: 60mm thread: M12 x 1,5 thread length: 48mm knurling diameter: 14,5mm knurling length: 7,5mm



 wheel bolt 80mm
 Prod.No.
 7203
 5,89

 universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers
 Please note:
 The length of 80mm consist the length of thread and the length of knurling.
 The length of 80mm consist the length of thread and the length of knurling.
 The length of knurling.

legth: 80mm thread: M12 x 1,5 thread length: 68mm knurling diameter: 14,5mm knurling length: 7,5mm



Wheel hub final drive / rear axle, conicalProd.No.98061,39Hub for Trabant front universal shaft up to vintage: march 1984 and fit to rear axle with conical axle upto vinatgae march 1983.

original spare part does not fit to constant velocity drive shaft one piece will be needed for each axle



 Wheel hub, final drive (new type)
 Prod.No.
 981
 57,18

 Wheel hub for constant velocity drive shaft Trabant 601 from vinatge april 1984.
 57,18

pitch circle: 4x160mm one piece will be needed for each universal drive



Wheel nut AM 12 x 1,5 cone collarProd.No.63381,25cink-coated wheel nut with cone collar for Trabant, Wartburg and all other vehicles with same bolts1,25

thread: M12 x 1,5 spanner gap: SW 19 mm replacement for original wheel nut with high quality



 Wheel nut AM 12 x 1,5 cone collar
 Prod.No.
 6339
 2,15

 cink-coated wheel nut with bigger cone collar for Trabant, Wartburg and all other vehicles with same bolts
 extended hexagon
 extended hexagon

thread: M12 x 1,5 spanner gap: SW 19 mm



 Wheel nut AM 12 x 1,5 cone collar, covered
 Prod.No.
 7297
 2,10

 Cink-coated wheel nut with bigger cone collar. The nut end is closed an cover the bolt against dirt and water. Usefull for Trabant, Wartburg and all other vehicles with same bolts
 extended hexagon

thread: M12 x 1,5 spanner gap: SW 19 mm

Wheel nut AM 12 x 1,5 x 13







Wheel nut set AM 12 x 1,5 cone collar, covered Prod.No. 7499 26,99 One set of cink-coated wheel nut with bigger cone collar. The nut end is closed an cover the bolt against dirt and water. Usefull for Trabant, Wartburg and all other vehicles with same bolts.Extended hexagon.

One kit consist of 16 pieces.

thread: M12 x 1,5 spanner gap: SW 19 mm



Wheel nut set, AM 12 x 1,5 cone collar

Prod.No. 7498 14,99 One set of cink-coated wheel nut with cone collar for Trabant, Wartburg and all other vehicles with same bolts. Kit consists of 16 pieces.

thread: M12 x 1,5 spanner gap: SW 19 mm replacement for original wheel nut with high quality

Wheel nut set, AM 12 x 1,5 cone collar

One set of cink-coated wheel nut with bigger cone collar for Trabant, Wartburg and all other vehicles with same bolts.Extended hexagon. One kit consist of 16 pieces.

thread: M12 x 1,5 spanner gap: SW 19 mm

	winter tyre 145/80 R13 PNEUMANT winter tyre fit for all types of Trabant made by the original manufacturer	Prod.No.	6511	49,80
	tyre with good values in economy, safety and comfort			
	the pressure for the Trabant tyres type M+S (winter tyre)			
200	Trabant 601 Limousine front axle: 23,21 psi			
	Trabant 601 Limousine rear axle: 23,21 psi - 26,11 psi			
	Trabant 601 Universal front axle: 23,21 psi			
	Trabant 601 Universal rear axle: 23,21 psi - 27,56 psi			
	Woodruff key for outer universal shaft	Prod.No.	6533	3,50
	Fitted key for outer stub axle for the final drive (hinge system). Fit to the	conical wheel h	ub.	
	Trabant 601 up to vintage: april 1984			

one piece will be needed for each final drive

Trabant 601 > Spare parts > Front axle > Suspension



Hexagon head bolt for Rubber sleeve cushion of leaf spring M14 x 1,5roct800. 6410 5,10 Bolt for the connection between rubber sleeve cushions leaf spring - spring yoke. Fit to all Trabant with two stroke engine. turning moment: 49 Nm

M14x1,5 legth: 80 mm hexagon-head with washer and nut 2 pieces will be needed one bolt 26,99

Prod.No. 7500

	Miramid washer for spring yoke	Prod.No.	921	0,85
	Plastic washer for the Rubber sleeve cushion for leaf spring			
	material: plastic			
	outside diameter: 38 mm			
	inside diameter: 28 mm thickness: 4 mm			
	made in EU			
	two piceswill be needed for each wishbone			
	mounting screws for leaf spring (M12 x 1,5 x 100, incl. 2 nuts)	Prod.No.	6347	4,94
00				
	exagon head screw			
	M12 x 1,5 x 100mm			
	10.9			
	incl. two nuts			
	screw and nutts are zinc-coated and additional with olive drap color			
	It will needed four screws with nuts to mount the leaf spring of front axle c	on the under-fra	ame.	
Original leaf sr	pring, overhauled	Prod.No.	893	119,00
	auled leaf spring for Trabant 500,600,601.			-)
complete cleane	ed and pree greased			
	ed and pree greased d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you sen	d us the old lea	If spring	
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you sen	d us the old lea Prod.No.	f spring 937	4,77
				4,77
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you sent Rubber sleeve cushion for leaf spring			4,77
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side.			4,77
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle.			4,77
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm			4,77
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm			4,77
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm			4,77
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm			4,77
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber	Prod.No. Prod.No.		
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber The bushing is pressed in to the eye of the shock absorber diameter size	Prod.No. Prod.No. 30mm.	937 8028	8,70
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you served Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber The bushing is pressed in to the eye of the shock absorber diameter size Fit to Trabant 500,600,601 leaf spring shocks or Wartburg 311/312/353	Prod.No. Prod.No. 30mm.	937 8028	8,70
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber The bushing is pressed in to the eye of the shock absorber diameter size	Prod.No. Prod.No. 30mm.	937 8028	8,70
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you served Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber The bushing is pressed in to the eye of the shock absorber diameter size Fit to Trabant 500,600,601 leaf spring shocks or Wartburg 311/312/353	Prod.No. Prod.No. 30mm.	937 8028	8,70
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber The bushing is pressed in to the eye of the shock absorber diameter size Fit to Trabant 500,600,601 leaf spring shocks or Wartburg 311/312/353 on	Prod.No. Prod.No. 30mm.	937 8028	8,70
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you served the serve cushion for leaf spring Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber The bushing is pressed in to the eye of the shock absorber diameter size Fit to Trabant 500,600,601 leaf spring shocks or Wartburg 311/312/353 on 1x length inner sleeve: 32 mm	Prod.No. Prod.No. 30mm.	937 8028	8,70
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you served the serve cushion for leaf spring Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber The bushing is pressed in to the eye of the shock absorber diameter size Fit to Trabant 500,600,601 leaf spring shocks or Wartburg 311/312/353 on 1x length inner sleeve: 32 mm 1x rubber	Prod.No. Prod.No. 30mm.	937 8028	8,70
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you served the serve served of the leaf spring left or right side. Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber The bushing is pressed in to the eye of the shock absorber diameter size Fit to Trabant 500,600,601 leaf spring shocks or Wartburg 311/312/353 on 1x length inner sleeve: 32 mm 1x rubber made in Germany	Prod.No. Prod.No. 30mm.	937 8028	8,70 nd so
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber The bushing is pressed in to the eye of the shock absorber diameter size Fit to Trabant 500,600,601 leaf spring shocks or Wartburg 311/312/353 on 1x length inner sleeve: 32 mm 1x rubber made in Germany 2 or 4 pieces will be needed	Prod.No. Prod.No. 30mm. , DDR trailers Prod.No.	937 8028 shocks a 929	8,70 nd so 0,65
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber The bushing is pressed in to the eye of the shock absorber diameter size Fit to Trabant 500,600,601 leaf spring shocks or Wartburg 311/312/353 on 1x length inner sleeve: 32 mm 1x rubber made in Germany 2 or 4 pieces will be needed Split pin for spring yoke, it will be fixed thrue the spring yoke into ton convolution	Prod.No. Prod.No. 30mm. , DDR trailers Prod.No.	937 8028 shocks a 929	8,70 nd so 0,65
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber The bushing is pressed in to the eye of the shock absorber diameter size Fit to Trabant 500,600,601 leaf spring shocks or Wartburg 311/312/353 on 1x length inner sleeve: 32 mm 1x rubber made in Germany 2 or 4 pieces will be needed Split pin for spring yoke, it will be fixed thrue the spring yoke into ton convolution diameter: 8mm	Prod.No. Prod.No. 30mm. , DDR trailers Prod.No.	937 8028 shocks a 929	8,70 nd so 0,65
	d 100 EUR deposit for the old leaf spring, the despsit will be repaid, if you send Rubber sleeve cushion for leaf spring The bushing is pressed in to the eye of the leaf spring left or right side. Fit to all kind of Trabant with leaf spring at the front axle. length inner sleeve: 53 mm length outer sleeve: 50 mm outer diameter: 27,1 mm inner diameter: 14 mm 2 pieces will be needed Rubber sleeve cushion for shock absorber The bushing is pressed in to the eye of the shock absorber diameter size Fit to Trabant 500,600,601 leaf spring shocks or Wartburg 311/312/353 on 1x length inner sleeve: 32 mm 1x rubber made in Germany 2 or 4 pieces will be needed Split pin for spring yoke, it will be fixed thrue the spring yoke into ton convolution	Prod.No. Prod.No. 30mm. , DDR trailers Prod.No.	937 8028 shocks a 929	8,70 nd so 0,65



Telescopic shock absorber for laef springProd.No.93538,67Telescopic shock absorber for leaf spring. Fit to front and rear axle of Trabant 601.front axle with leaf spring: vinatge 1964-1990raer axle with leaf spring:vinatge 1964-1988scope of delivery:



Telescopic shock absorber for laef spring, SACHSProd.No.706064,99Telescopic shock absorber for leaf spring made by Sachs. Fit to front and rear axle of Trabant 601(rear axle up to vintage: 1987).500scope of delivery:500500500500

complete inclusive bushing

complete inclusive bushing Made in Germany

Trabant 601 > Spare parts > Front axle > Steering



0	Adjusring screw Bolt for adjusting or to readjust the steering play. Can be used for the standard-steering at the Trabant 600 and 601. {[spanner gap SW 16][surface: galvanic zinc coated][original spare part][deli piece will be needed]}	Prod.No. very as an s	7608 ingle part][o	4,26 ne
7700-	<u>Bolt for flange</u> Mounting screw for the notched flange at the steering case. Fit to the standard-steering at the Trabant 600 and 601.	Prod.No.	7551	0,15

{[original spare part][delivery as single part without washer][two piece will be needed]}

	Collar - shaped ring, steering column, new version Rubber bearing for the steering column. The ring will be mounted at the bearing shells (LDM-no.: 1057) made in Germany, original spare part.	Prod.No. cross holder	7303 and fixes	5,98 the
	1 piece will be needed Fit to all Trabant types material: rubber			
0	Collar - shaped ring, steering column, old version Rubber bearing for the steering column. The ring will be mounted at the bearing shells (LDM-no.: 1057)	Prod.No. cross holder	1056 and fixes	10,50 the
	1 piece will be needed Fit to all Trabant types material: rubber			
\bigcirc	Counter nut for adjusting screw Hexagon nut to save the bolt for adjusting or to readjust the steering play. Can be used for the standard-steering at the Trabant 600 and 601.	Prod.No.	7609	1,75
and the second s	{[spanner gap SW 16][surface: galvanic zinc coated][original spare part][de piece will be needed]}	elivery as an s	ingle part]	[one
	ar rack ering rack to connect the steering arm and swivel. -steering at the Trabant 500,600 and 601.	Prod.No.	7555	0,45

one piece will be needed

0	
	50

Eccentric bushingProd.No.7548Bushing made of aluminium to adjust the steering play.Can be used for the standard-steering at the Trabant 600 and 601.{[original spare part][delivery as an single part][one piece will be needed]]



9				
200	<u>Fabric washer, steering column</u> Complete set with 4 tubular rivet to reinforce the hole. Fit to Trabant 500,600	Prod.No. 0,601 and Tr	1066 rabant 1,1	7,50
	Felt washer Selaing ring made of felt for the eccentric bushing. Can be used for the standard-steering at the Trabant 600 and 601. {[original spare part][one piece will be needed]}	Prod.No.	7549	1,50
	Fitting spring for rack 125mm long steel fitting spring for guiding the rack. Delivered as an sigle part. Survace: grinded. Fit to the standard-steering at the Trabant 600 and 601. {[original spare part][delivery without add on untis][one piece will be needed]	Prod.No.	7614	18,20
0	Flange Notched flange as twist lock for the eccentric bushing. Fit to the standard-steering at the Trabant 600 and 601. {[original spare part][delivery without add on untis][one piece will be needed]	Prod.No.	7550	7,83
	<u>Grease nipple A6</u> Ball grease nipple to attendance the steering column. Mounting place at the case. Can be used for the standard-steering at the Trabant 600 and 601. {[thread: M6x1][spanner cap: SW7][delivery as an single part][one piece will			1,08 ering
6	<u>Grease nipple A8</u> Ball grease nipple to attendance the steering column. Mounting place at the case. Can be used for the standard-steering at the Trabant 500, 600 and 601. {[thread: M8x1][spanner cap: SW11][delivery as an single part][one piece will			1,24 ering
0	<u>Guide cap- set, steering column</u> Upper bearing part for the Trabant steering column. The price is for one set (inclusive 3 pieces). Fit to Trabant 500, 600, 601 and Trabant 1.1 Slide bearing for Collar - shaped rind, steering column	Prod.No.	1057	5,98
	material: plastic			

material: plastic original spare part one set will be needed 24,50



Ignition look (old type) Prod.No. 827 26,55 Fit to Trabant 500, 600 and 601 old type (6V) and Barkas B1000 (with ignition look inside dashboard). key switch for ignition and starter with four terminals:

- 30 permanent batterie power
- 1E innitia

one piece needed material: black rubber colour: black original spare part



	15 - ignition power supply54 - starterP - special parking position of key (for car radio)			
	lever grease gun german industry quality	Prod.No.	6312	39,36
	pre-installed with reinforced hose and hydraulical connector match grease cartridge: Art.No.: 6311			
2	Lock washer Spring washer for the mounting screw for the notched flange at the steering of Fit to the standard-steering at the Trabant 600 and 601. {[original spare part][delivery as single part][two piece will be needed]}	Prod.No. case.	7552	0,09
L Metho	Iubrication set Iubrication set consist of: lever grease gun, Art.No.: 6312	Prod.No.	6313	68,68
	grease cartridge, Art.No.: 6311 adhesive transparent lubricant, Art.No.: 6255			
	Pinion for steering rack Pinion gear with pin as an sigle part. Fit to the standard-steering at the Trabant 600 and 601. {[original spare part][delivery without add on untis][one piece will be needed]}	Prod.No.	7547	24,50
-0	Protection cap for Steering column assembley Plastic cap for dust and splash water protection of the gear rack. Also it reservoir. Mounting place at the left side of the steering column case. The cap will be placed and secured by an snap clip or by cable fixer. original spare part One piece will be needed for each steering column.	Prod.No. t is used a	955 is an lub	4,58 ricant
	puller for ball joint 29/55mm gable width: 29 mm max. lenght of ball joint axle: 55 mm fit to pull up the lever of steering gear	Prod.No.	6814	75,82
	Rack Rack as an sigle part. Fit to the standard-steering at the Trabant 600 and 601. {[original spare part][delivery without add on untis][one piece will be needed]}	Prod.No.	7546	84,50
	Sealing for steering column fit to all Trabant (two stroke and 4 stroke)	Prod.No.	1065	4,59

(
1	


Snap ring for rack Prod.No. 7556 1,15 Wire snap ring for the rack of the steering. Mounting place left hand as an limit stop for the steering angle. Fit to the standard-steering at the Trabant 600 and 601.

Prod.No. 6721

214,12

{[original spare part][delivery as single part][one piece will be needed]}

Steering column assembley complete new spare part



-				
	maintenance-free, no greasing nessecaryl			
	Steering column assembley complete, overhauled Steering for the Trabant 500,600 and 601 Limousine and Universal (station The spare part will be complete striped and the following works will be done Cleaning and nutshell blasting of the aluminium case Steering leaver cleaning and checking and spray paint (black) Exchange of the gear rack, steering rack gaiter, gear bar, fitted key, ex span flange, grease nipple, all bolts, nuts and snap rings and washers.	9:	950 g, felt wa	119,12 asher,
	overhauled in Germany the pare part comes like an brand new ones, all expendable part are excha one piece will be needed	nged		
	Steering column, new type Steering column for type model with steering lock.	Prod.No.	6070	38,27
	scope of delivery: pree mounted with fabric washer and connection piece for original spare part fit to Trabant 601 and Trabant 1.1 one piece will be needed	or steering		
	<u>Steering column, old type</u> Steering column old type (fit for Trabant models without steering lock)	Prod.No.	6613	38,27
	scope of delivery: pree mounted with fabric washer and connection piece for length total: 55cm original spare part fit to Trabant 601 and Trabant 1.1 one piece will be needed	or steering		
	<u>steering rack gaiter</u> Bellow fit to standard steering gear of the Trabant 500, 600 and 601. Scope of delivery without mounting parts. NOT fit to maintenance-free steering gears (We hope that we can offer gaiter of that new type of steering soon.)	Prod.No. you also the	956 e steering	4,95 g rack
	Hint: To change the steering rack gaiter, the bracket have to pull from cone of track rods are mounted on that bracket. The big puller from our assortmant of tools is suiting very well for this work.	0	k. The ste	ering
9	Steering wheel Foamed material steering wheel for Trabant 601 and Trabant 1.1 The spare part is an secound hand part, compelete checked and cleaned. Mounting at the steering column by grooved taper pin. One piece will be needed	Prod.No.	7523	55,00

Material: steel ring with formed platic, colour black.

Fit to the standard- Delivery as an sing	ween pinion gear and eccentric washer. steering at the Trabant 600 and 601.	Prod.No.	7557	4,50
	Woodruff key gear rack Key for the steering rack to connect the steering arm and swivel. Fit to the standard-steering at the Trabant 500,600 and 601. {[one piece will be needed]}	Prod.No.	7545	1,45
rabant 601 > Sp	oare parts > Front axle > Track rod			
	Ball joint for trak rod, complete Track-rod end for the Trabant. The spare part is made in EU Two pieces will be needed for each car. Tap at the shank M14x 1,5 right Tap at the cone: M10x1,25 delivery inclusive looknut M10 x 1,25	Prod.No.	962	15,24
	Ball joint for trak rod, made in Germany Track-rod end fit to the right and left hand of the Trabant 601 and Trabant 1 The spare part is made in Germany and will be the best exchange to to orig			32,43
	Two pieces will be needed for each car Tap at the shank M14x 1,5 right Tap at the cone: M10x1,0 delivery inclusive looknut M10 x 1,0 and pin made in Germany			
H	Castle nut track rod M10x1 Castle nut for the original track-rod ends. tap: M10 x 1,0 strength class: 17H two or four pieces will be needed made in Germany	Prod.No.	7101	0,49
	Clutch element for track rod	Prod.No.	968	5,77
	Locknut for track rod M10x1 Security nut for the original track-rod ends. tap: M10 x 1,0 strength class: 10.9 two or four pieces will be needed made in Germany	Prod.No.	969	0,49
	Locknut track rod end M10x1,25 Security nut only use for the new produced (made in EU) track-rod ends. tap: M10 x 1,25 strength class: 10.9 two pieces will be needed made in Germany	Prod.No.	6902	0,49

	Look plate for track rod	Prod.No.	963	0,45
	Nut for Steering knuckle leaver	Prod.No.	6358	0,90
0	Nut for Steering knuckle leaver, fit to right and left hand 2 pieces will be needed			0,00
0	Nut for track rod M14 x 1,5 left Trak rod nut for mounting at the connection between track rod - clutch eleme Fit to all Trabant types: 500,600,601 und 1.1	Prod.No. ent for track	967 rod.	2,06
	strength class: 10.9 surface: blank thread M14x1,5 left turn for each car two pieces will be needed made in Germany			
0	<u>Nut for track rod M14, right tap</u> Trak rod nut for mounting at the connection between clutch element for track Fit to all Trabant types: 500,600,601 und 1.1	Prod.No. crod and ba	966 Ill joint.	1,54
	strength class: 10.9 surface: galvanized thread M14x1,5 right for each car two pieces will be needed made in Germany			
	Pin for castle nut Secure pin for the castle nut original track-rod ends. Size: 2x28 mm material: stainless steel two or four pieces will be needed made in Germany	Prod.No.	7102	0,1
	<u>puller for ball joint 18/38mm</u> gable width: 18 mm max. lenght of ball joint axle: 38 mm	Prod.No.	6192	43,5
	best use for track rod joints of Trabant and Wartburg.			
	Steering knuckle leaver, left hand Steering leaver for the Trabant 500,600 and 601 steering knuckle. Mountable at steering knuckles with hinge drive or with constant velocity d limit. Mounting place: driver side (left)	Prod.No.	964 without vi	19,5 ntage
	genuine spare part one piece will be needed			
	Steering knuckle leaver, right hand Steering leaver for the Trabant 500,600 and 601 steering knuckle. Mountable at steering knuckles with hinge drive or with constant velocity d limit.	Prod.No.	965 without vi	19,50 ntage

one piece will be needed

	Track rod with elastomer joint Prod.No. 961 20, Track rod fit to all Trabant 500,600 und 601 types without vintage limit. Prod.No. 961 20,
	One side with tap connection, left tap M14x1,5. The elastomer joint is complete and will be mounted at the steering column side. tap at the cone: M10x1,0
	Please note: the delivery is without any mounting parts linke nuts, pins
	genuine spare part two pieces will be needed
	Track rod, complete Prod.No. 960 68, Track rod with ball joint at the outher side and elastomer joint at the inner side. Delivery pre-installed inclusive connection element, nut right- / left tap and locking plates. 68,
	fit to Trabant 500,600 und 601 ball joint made in Eu two pieces will be needed
abant 601	> Spare parts > Front axle > steering knuckles & wishbone
abant 601	 > Spare parts > Front axle > steering knuckles & wishbone Bolt for inner rubber cushion wishbone Prod.No. 6411 Bolt for inner inner rubber cushion wishbone Trabant 500, 600, 601 front axle left or right hand.
abant 601	Bolt for inner rubber cushion wishbone Prod.No. 6411 4,
abant 601	Bolt for inner rubber cushion wishbone Prod.No. 6411 4, Bolt for inner inner rubber cushion wishbone Trabant 500, 600, 601 front axle left or right hand. 4, incl. retaining ring and nut hexagon-head bolt bolt and nut zinc coated and with olive drap colour
abant 601	Bolt for inner rubber cushion wishbone Prod.No. 6411 4, Bolt for inner inner rubber cushion wishbone Trabant 500, 600, 601 front axle left or right hand. 4, incl. retaining ring and nut hexagon-head bolt 600, 601 front axle left or right hand.
abant 601	Bolt for inner rubber cushion wishbone Prod.No. 6411 4, Bolt for inner inner rubber cushion wishbone Trabant 500, 600, 601 front axle left or right hand. 4, incl. retaining ring and nut hexagon-head bolt bolt and nut zinc coated and with olive drap colour grade: 10.9 M12 x 1,5 x 70 made in Germany
abant 601	Bolt for inner rubber cushion wishbone Prod.No. 6411 4, Bolt for inner inner rubber cushion wishbone Trabant 500, 600, 601 front axle left or right hand. 4, incl. retaining ring and nut hexagon-head bolt bolt and nut zinc coated and with olive drap colour grade: 10.9 M12 x 1,5 x 70 made in Germany 2 pieces will be needed for each wishbone
abant 601	Bolt for inner rubber cushion wishbone Prod.No. 6411 4, Bolt for inner inner rubber cushion wishbone Trabant 500, 600, 601 front axle left or right hand. 4, incl. retaining ring and nut hexagon-head bolt 500, 601 front axle left or right hand. 500, 601 front axle left or right hand. bolt and nut zinc coated and with olive drap colour grade: 10.9 10.9 112 x 1,5 x 70 10.9 M12 x 1,5 x 70 made in Germany 2 pieces will be needed for each wishbone Prod.No. 905 7, Steel bolt for connection between steering knuckle and outer wishbone bearing. Prod.No. 905 7,
abant 601	Bolt for inner rubber cushion wishbone Prod.No. 6411 4, Bolt for inner inner rubber cushion wishbone Trabant 500, 600, 601 front axle left or right hand. 4, incl. retaining ring and nut hexagon-head bolt 500, 601 front axle left or right hand. 500, 601 front axle left or right hand. bolt and nut zinc coated and with olive drap colour grade: 10.9 10.9 10.2 x 1,5 x 70 made in Germany 2 pieces will be needed for each wishbone 905 7,
abant 601	Bolt for inner rubber cushion wishbone Prod.No. 6411 4, Bolt for inner inner rubber cushion wishbone Trabant 500, 600, 601 front axle left or right hand. 4, incl. retaining ring and nut hexagon-head bolt 500, 601 front axle left or right hand. 500, 601 front axle left or right hand. bolt and nut zinc coated and with olive drap colour grade: 10.9 10.9 112 x 1,5 x 70 10.9 M12 x 1,5 x 70 made in Germany 2 pieces will be needed for each wishbone Prod.No. 905 7, Steel bolt for connection between steering knuckle and outer wishbone bearing. Prod.No. 905 7,
abant 601	 Bolt for inner rubber cushion wishbone Bolt for inner inner rubber cushion wishbone Trabant 500, 600, 601 front axle left or right hand. incl. retaining ring and nut hexagon-head bolt bolt and nut zinc coated and with olive drap colour grade: 10.9 M12 x 1,5 x 70 made in Germany 2 pieces will be needed for each wishbone Bolt for steering knuckle front axle Steel bolt for connection between steering knuckle and outer wishbone bearing. Type with adjusting slot and semicircle for clipbolt turning moment: 75 Nm tap: M10 on both ends
abant 601	Bolt for inner rubber cushion wishbone Prod.No. 6411 4, Bolt for inner inner rubber cushion wishbone Trabant 500, 600, 601 front axle left or right hand. 4, incl. retaining ring and nut hexagon-head bolt bolt and nut zinc coated and with olive drap colour grade: 10.9 M12 x 1,5 x 70 made in Germany 2 2 pieces will be needed for each wishbone Prod.No. 905 7, Steel bolt for connection between steering knuckle and outer wishbone bearing. Type with adjusting slot and semicircle for clipbolt turning moment: 75 Nm turning moment: 75 Nm turning moment: 75 Nm tap: M10 on both ends total length: 135 mm
abant 601	 Bolt for inner rubber cushion wishbone Bolt for inner inner rubber cushion wishbone Trabant 500, 600, 601 front axle left or right hand. incl. retaining ring and nut hexagon-head bolt bolt and nut zinc coated and with olive drap colour grade: 10.9 M12 x 1,5 x 70 made in Germany 2 pieces will be needed for each wishbone Bolt for steering knuckle front axle Steel bolt for connection between steering knuckle and outer wishbone bearing. Type with adjusting slot and semicircle for clipbolt turning moment: 75 Nm tap: M10 on both ends



 Brake hose retainer for Steering knuckle leaver left hand
 Prod.No.
 7994
 5,50

 metal holder for the fron brake hose at the Trabant 500, 600
 and 601 front axle right hand (driver side).
 Side).

 Mouning at the rear side of the steering knuckle leaver bolt.
 The net importance of the steering knuckle leaver bolt.

The retainer will also used at the lock plate for this screw connection.

original spare part material: steel delivery without any mounting bits one piece will be needed



Brake hose retainer for Steering knuckle leaver right hand Prod.No. 7993 5.50 metal holder for the fron brake hose at the Trabant 500, 600 and 601 front axle right hand (codriver side).

Mouning at the rear side of the steering knuckle leaver bolt. The retainer will also used at the lock plate for this screw connection.

original spare part material: steel delivery without any mounting bits one piece will be needed



Bushing for king pin

Prod.No. 911 2.45 Plastic bushing for king pin (bottom joint of the front axle). It have to be pressed in from top of the outer wishbone bearing and after that the bushing have to be crinded like the outside diameter of the king pin. (reamer). The material Miramid is an special plastic with brilliant slipping features.

made in EU for each wheel side one piece will be needed



Prod.No. Bushing for steering knuckle 906 Compensations washer for the bushing outer wishbone - steering knuckle.

material: plastic-washer inside diameter: 15 mm made in EU for each bushing one piece will be needed



Castle nut for king pin

slotted nut for the king pin - Outer wishbone bearing connection. If new parts like king pin will be used, so you have to drill an hole 3,2mm after you fixed the nut. Castle nuts are not self-locked, you have to use always an new split pin to secure the bolted connections.

Castle nut: M14 x 1,5mm tightening torque: 75 Nm fit to all Trabant 500, 600 und 601 2 pieces will be needed



Castle nut for spring yoke

slotted nut for the spring yoke - steering knuckle connection. If new parts like spring yoke will be used, so you have to drill an hole 3,2mm after you fixed the nut. Castle nuts are not self-locked, you have to use always new split pin to secure the bolted connections.

Castle nut: M12 x 1,5mm tightening torque: 60 Nm fit to all Trabant 500, 600 und 601 2 pieces will be needed



Counterfort washer for king pin

Prod.No. 2,50 ground Counterfort washer will be used to prestress the adjusting the bearing gap between the king pin and the outher wishbone.

material: ginded sheet matal outside diameter: 34,5 mm inside diameter: 14,5 mm thickness: 3,0 mm fit to all Trabant 500, 600 and 601 0,95

1.15

1.15

Prod.No.

Prod.No.

6525

6530

6529

\bigcirc	Counterfort washer for spring yoke ground Counterfort washer will be used to prestress the adjusting the bear yoke and the steering knuckle.	Prod.No. 6528 2,50 earing gap between the spring			
	material: ginded sheet matal outside diameter: 30 mm inside diameter: 12,9 mm				
	thickness: 2,8mm fit to all Trabant 500, 600 and 601				
	fat cap for king pin Material: plastic with hole for controlling lubrication of king pin bushing	Prod.No.	6207	2,95	
0	made in Germany original spare part two pieces will be needed				
C	Grease cap hinge shaft drive Grease pot for mounting at the steering knuckles to protect the outer drive hand. Fit tor Trabant 601 with two M5 mounting screws. Connection thread for padded nipple M6.	Prod.No. e shaft hinge	7885 s left and	26,33 right	
	original spare part material: steel delivery without any mounting bits all in all two pieces will be needed				
	Inner rubber cushion (12 x 44) Inner rubber cushion for steering knuckle left or right hand. inside diameter: 12 mm length: 44 mm	Prod.No.	904	5,16	
	for Trabant 500, 600 and 601 2 pieces will be needed for each wishbone				
	King pin (single part) Pin for the bottom side of the Trabant front axle right and left hand. Delivery as an single part without any mounting parts.	Prod.No.	912	19,20	
	The king pin have to be pressed at the fornt steering knuckle and have tapered pin. material: steel survace: 22 H7 best quality with circumferentially greace groove.	to be fixed	by an not	iched	
	King pin, complete Complete set, inclusive 1x king-pin, 1x bushing for king pin, 1x seal for k outer wishbone bearing and 1x safety nut for kin pin. For each axle you need one set. Fit to Trabant 500, 600, 601	Prod.No. king pin, 1x	913 rubber ca	20,22 up for	
	Lower bushing for spring yoke the material of this bushing is Miramid. This is a plastic component with brill	Prod.No. ant sliping fe	926 eatures.	1,90	

	Miramid washer for spring yoke	Prod.No.	921	0,85
	Plastic washer for the Rubber sleeve cushion for leaf spring			
	material: plastic outside diameter: 38 mm inside diameter: 28 mm thickness: 4 mm made in EU two piceswill be needed for each wishbone			
	Notched tapered pin the notched tapered pin will be pressed in the steering knuckle to secure the Be careful, do not use the notched tapered pin twice!	Prod.No. e king pin.	916	1,34
	8 x 32mm for each king pin one piece will be needed			
	Outer rubber cushion (12 x 32) Outer rubber cushion for steering knuckle left or right hand,	Prod.No.	903	4,78
0	inside diameter: 12mm length: 32mm for Trabant 500, 600 and 601 2 pieces will be needed for each whisbone			
0	Outer wishbone bearing Bottom bearing for the connection between steering knuckle and wish Inclusive bushing for king pin (plastic) and grease nipple. The plasic bushing have to be crinded after the king pin diameter (an tool for this work)			
	material: iron fit for Trabant 500,600,601 made in EU for each wheel side will be one piece needed			
B	Padded nipple A 6 (M6 x 1,0), stainless steel Grease nipple made of stainless stell for the outer wishbone bearing and the Trabant with two stroke engine like 500, 600, 601.	Prod.No. e steering kn		1,90 to all
	Gtap size: M6 x 1,0 made in Germany all in all four pieces will be needed			
	Padded nipple for outer wishbone bearing Padded nipple for the outer wishbone bearing and the steering knuckle. stroke engine like 500, 600, 601.	Prod.No. Fit to all Tra	900 abant with	1,08 h two
	Gtap size: M6 x 1,0 made in Germany all in all four pieces will be needed			
	Rubber cap for spring yoke / outer wishbone bearing Protection cap dor the spring yoke and the lower axle joint. It saves the screw joint against splash water and dust an it is an lubricant-re	Prod.No. eservior as w	927 ell.	1,59
	material: rubber, black made in EU in summery it will be two or four pieces needed			

Seite 138 from443

Safety nut for king pin Mutter ist selbstsichernd M14x1,5 Prod.No. 917 1,11



Safety nut for spring yoke Mutter ist selbstsichernd. M 12x 1.5

Prod.No. 0.70 930

914

1,25

Prod.No.



Sealing ring for king pin One piece for each kin pin.

rubber seal with integrated V-Ring and O-Ring



Sealing ring for spring yoke, Germany Prod.No. 924 2,38 Rubber sealing ring to protect the bearing (connection between spring yoke and bushing) against dust and moisture. This new produced sealing consist like the orignal one of an V-ring and one pressure O-ring. All parts are made in Germany and will be the best replacemant for the original one. scope of delivery: 1x rubber V-ring to protect the bearing 1x O-ring made in Germany grease resistant rubber two pieces will be needed Split pin for king pin Prod.No. 6526 0,40 Splint for the castle nut of the king pin or for the castle nut of the spring yoke. If new parts like king pin or spring yoke will be used, so you have to drill an hole 3,2mm after you fixed the nut.

> Castle nuts are not self-locked, you have to use always an new split pin to secure the bolted connections.

splint: 3,2 x 32 fit to all Trabant 500, 600 und 601 4 pieces will be needed

Split pin for spring yoke

Prod.No. 929 Splint for spring yoke, it will be fixed thrue the spring yoke into ton convolute eye of the leaf spring.

diameter: 8mm lenght: 80mm material: electrogalvanized steel, DIN 94 two pieces will be needed

0.65



Spring yoke, complete Prod.No. 922 25,94 Upper swivel-set for self mounting at the Trabant 601 front axe upper side. Set consist of these parts:

1x Spring yoke (bearing pin with spring yoke)single part 1x upper bearing bush 1x lower bearing bush 1x sealing ring 1x saling cap 1x hexagon nut 2x plastic washer spring bushing



Spring yoke, single part

bearing bolt for upper steering bearing with yoke for leaf spring



Prod No. 887 115.00 Steering knuckle left hand, new driven shaft, T601 Complete component of the front axle steering knuckle left hand. Can be used for constant velocity drive shaft of Trabant601 from vintage april 1984. Scope of delivery:

Prod No.

923

6469

16,80

215,00

drum brake base plate king pin bushing for spring yoke original spare part, greased



Steering knuckle left hand, new universal shaft *upgrade1* Prod.No. upgraded steering knuckle for new driven shaft Trabant 601 fit to left side (driver side) with black finish

complete with:

brake base plate, king pin complete with outer wishbone bearing, spring yoke complete mounted and adjusted, grease nipple, new wheel bearing, steering knuckle leaver und brake line retainer.

delivery without: brake shoes, wheel brake cylinders, release springs, support for brake shoes, sliding elemets, wheel hub, brake drum and universal shaft

Steering knuckle left hand, old driven shaft Prod.No. 885 102.00 Complete component of the front axle steering knuckle left hand. Can be used for the old driven shaft of Trabant601 up to vintage april 1984. Scope of delivery:

drum brake base plate king pin bushing for spring yoke original spare part, greased



Steering knuckle right / left hand complete overhouled () Prod.No. 889 550,00 The price is for one pair (1x left and 1x right hand). Complete pre-finished. Version for Trabant 601 form vintage April 1984. scope of delivery:

2x spring yoke and king pin new 2x new outer wishbone all bushings are changed 2x brake drum und 4x brake shoes 4x wheel brake cylinder 2x wheel bearings bits and pieces The steering knuckle will be sand blasted and with two K-colour varnished (black). Seite 140 from 443



Steering knuckle right hand, new driven shaft 115.00 Prod.No. 888 Complete component of the front axle steering knuckle right hand. Can be used for constant velocity drive shaft of Trabant601 from vintage april 1984. Scope of delivery:

drum brake base plate king pin bushing for spring yoke original spare part, greased Steering knuckle right hand, new universal shaft *upgrade1* Prod.No. 6468 215.00 upgraded steering knuckle for new driven shaft Trabant 601 fit to right side (co-driver side) complete with: brake base plate, king pin complete with outer wishbone bearing, spring yoke complete mounted and adjusted, grease nipple, new wheel bearing, steering knuckle leaver und brake line retainer. delivery without: brake shoes, wheel brake cylinders, release springs, support for brake shoes, sliding elemets, wheel hub, brake drum and universal shaft

Steering knuckle right hand, old driven shaft

Complete component of the front axle steering knuckle right hand. Can be used for the old driven shaft of Trabant601 up to vintage april 1984. Scope of delivery:

drum brake base plate king pin bushing for spring yoke original spare part, greased



Steering knuckle, left / right hand, compete with rubber cushions Prod.No. 902 57 83 Front wishbone complete inclusive all rubber cushions (2x inner bushing connection to the underframe and 2x bushing connection to the outher wishbone. Fit to Trabant 601 front axle right and left hand. Latest version without cover plate for savety bar.

Prod.No.

886

102,00

surface basic coulored, grey new produced, made in EU two pieces will be needed for one car




Upper bushing for spring yoke Prod.No. 925 2,16 the material of this bushing is Miramid. This is a plastic component with brilliant sliping features.




Washer for king pin 0,2mm


Prod No. 915 0,24 Spezial washer for adjusting the bearing gap between the Outer wishbone bearing and the king pin. Empirically different thickness will be needed for an precise adjustment.

material: chadded sheet matal outside diameter: 20.9 mm inside diameter: 15 mm thickness: 0,2 mm fit to all Trabant 500, 600 and 601





for tire size: 135,145,155/ 70 R13 scope of delivery with tire valve and cap





Rear axle assembly, left hand Prod.No. 1023 385,02 Rear axle wishbone Trabant 601 left hand. The meatal frame is complete new produced. The brake anchor plate and the wheel bearing case is overhauled and pre mounted. Fit for all Trabant P601 models with leafspring or coil spring rear axle. Please note: Delivery only in exchange.

Scope of delivery inclusive brake base plate without add-on components like stub axle, wheel bearings, brake shoes, shock absorber holder ec. one piece will be needed

For more informations to this exchange part please use the Detail button.



	er mere mermanene te tine externalige part prease des tite Detail battern			
	Rear axle assembly, right hand	Prod.No.	1024	385,02
	Rear axle wishbone Trabant 601 left hand. The meatal frame is complete ne	w produced		
	The brake anchor plate and the wheel bearing case is overhauled and pre n	nounted.		
	Fit for all Trabant P601 models with leafspring or coil spring rear axle.			
,	Please note: Delivery only in exchange.			

Scope of delivery inclusive brake base plate

without add-on components like stub axle, wheel bearings, brake shoes, shock absorber holder ec. one piece will be needed

For more informations to this exchange part please use the Detail button.



Rubber-ring for rear axle, EU	Prod.No.	7293	4,85
Elastomer bearing will be mounted form top and from below at the rear as	des.		
For each wishbone four pieces will be needed.			
The rubberbearing fit to all Trabant 500,600,601 and 1,1 rear axle right ar	nd left hand.		

Prod No

1021

998

9,50

made in EU for each car 8 pieces will be needed



Rubber-ring for rear axle, original

Elastomer bearing will be mounted form top and from below at the rear axles. For each wishbone four pieces will be needed. The rubberbearing fit to all Trabant 500,600,601 and 1,1 rear axle right and left hand.

original spare part for each car 8 pieces will be needed



snap ring for wheel bearings

Prod.No. 6764 1.74 One snap ring to fix ball bearings for rear axle Trabant and front axle Trabant 601 (universal driven shaft-old type, up to 03/1984).

For one wheel will be needed 1 piece.

For a complete Trabant 601 with univesal driven shaft-old type (front and rear axle) you will need 4x. For a Trabant with universal driven shaft-new type (601 and 1.1) you will need only 2 pieces for rear axle.



Stub axle, conical

Prod.No. 18,83 Conical stub for rear axle of the Trabant500, 600 and 601 built up to vintage 03/1983. Late type of the conical shaft with round pin. Delivery as an single part but inclusive pin.

	Stub axle, cylindrical Arbor for the Trabant 601 rear wheel. Fit to all models from vintage april 198	Prod.No. 3.	999	28,60
	length: 108mm			
	high quality, made in EU			
	one piece will be needed for each rear wheel side			
	summer tyre 145/80 R13 PNEUMANT summer tyre fit for all types of Trabant	Prod.No.	6510	46,8
E I	tyre with good values in economy, safety and comfort			
	the pressure for the Trabant tyres type 145 R13 and 5.20-13			
	Trabant 601 Limousine front axle: 20,31 psi			
	Trabant 601 Limousine rear axle: 20,31 psi - 23,20 psi			
WHE -	Trabant 601 Universal front axle: 20,31 psi			
	Trabant 601 Universal rear axle: 20,31 psi - 24,67 psi			
	One row grooved ball bearing 6206 C2, bearing for rear axle Trabant 601 a (univesal driven shaft-old type, up to 03/1984). For one wheel will be needed 2 pices. For a complete Trabant 601 with univesal driven shaft-old type you will need For a Trabant with universal driven shaft-new type (tripode)you will need 4 p	8x 6206 C2		001
	made in Germany			
00	Wheel bearing set FAG, front axle hinge shaft Front axle bearing-set for Trabant 500,600 and 601 with hinge shaft drive. consit of:	Prod.No.	7984	44,9
	2 pieces bearings 6206 C2 1 piece radial sealing 48 x 62 x 8 without additional dust lip 1x grease 1x lock plate axle			
	All parts maufactured by FAG. For each wheel side, one set will be needed			
	Wheel bearing set, 6206 C2, front axle hinge shaft drive Front axle bearing-set fit to Trabant 500,600 and 601 with hinge shaft drive. consit of:	Prod.No.	7985	25,9
	2 pieces bearings 6206 C2 1 piece radial sealing 48 x 62 x 8 with additional dust lip 1x snap ring wheel bearing 1x lock plate axle			

All parts made in Germany with high quality. For each wheel side, one set will be needed

\bigcirc	Wheel bearing set, rear axle 6206 C2 Rear axle bearing-set consit of:	Prod.No.	7273	25,99
0000	2 pieces bearings 6206 C2 1 piece radial sealing 48 x 62 x 8 with additional dust lip 1x snap ring wheel bearing 1x lock plate axle			
	All parts made in Germany with high quality. For each wheel side, one set will be needed			
00	Wheel bearing set, rear axle FAG Rear axle bearing-set consit of:	Prod.No.	7481	44,90
	2 pieces bearings 6206 C2 1 piece radial sealing 48 x 62 x 8 without additional dust lip 1x grease 1x lock plate axle			
	All parts maufactured by FAG. For each wheel side, one set will be needed			
	Wheel bolt The bolt have to be pressed into the wheel hub. Fit to all Trabant 500, 600, 601.	Prod.No.	985	5,23
	knurled steel bolt with tap M12 x 1, galvaniced length: 36 mm original spare part for each wheel 4 pieces will be needed			
B the second	wheel bolt 40mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 40mm consist the length of thread and the length of knurling.	Prod.No.	7200	3,30
	legth: 40mm thread: M12 x 1,5 thread length: 28mm knurling diameter: 14,5mm knurling length: 7,6mm			
-	wheel bolt 50mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 50mm consist the length of thread and the length of knurling.	Prod.No.	6450	3,42
	legth: 50mm thread: M12 x 1,5 thread length: 38mm knurling diameter: 14,5mm knurling length: 7,6mm			



wheel bolt 60mm Prod.No. universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 60mm consist the length of thread and the length of knurling.

legth: 60mm thread: M12 x 1,5 thread length: 48mm knurling diameter: 14,5mm knurling length: 7,5mm



wheel bolt 80mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note:

Prod No. 7203 5,89

7201

3,96

The length of 80mm consist the length of thread and the length of knurling.

legth: 80mm thread: M12 x 1,5 thread length: 68mm knurling diameter: 14,5mm knurling length: 7,5mm



Wheel hub final drive / rear axle, conical Prod.No. 980 61,39 Hub for Trabant front universal shaft up to vintage: march 1984 and fit to rear axle with conical axle up to vinatgae march 1983.

original spare part does not fit to constant velocity drive shaft



one piece will be needed for each axle Wheel hub, rear axle, cylindrical Prod.No. 990 36,83 Wheel hub for Trabant rear axle from vintage: march 1983. original spare part fit only to the cylindrical stub axle one piece will be needed for each axle winter tyre 145/80 R13 PNEUMANT Prod.No. 6511 49,80 winter tyre fit for all types of Trabant made by the original manufacturer tyre with good values in economy, safety and comfort the pressure for the Trabant tyres type M+S (winter tyre) Trabant 601 Limousine front axle: 23,21 psi Trabant 601 Limousine rear axle: 23,21 psi - 26,11 psi Trabant 601 Universal front axle: 23,21 psi Trabant 601 Universal rear axle: 23,21 psi - 27,56 psi Prod.No. 1,34 Woodruff key rear stub axle, conical 7710 Key for the conical stub for rear axle of the Trabant 500, 600 and 601.



Earlyer type of the conical shaft with groove. Delivery as an single.

Trabant 601 > Spare parts > Rear axle > suspension

Cap, shock absorber, coil spring, rear side

for suspension strut of rear axle (only for spiral spring!)



Coil spring, rear side Limousine Prod.No. 6630 38,20 Trabant helical spring for the rear axle from vintage august 1988 ownwards with Mc-Pherson system. New German production with the exect size and spring constant like as original. wire diameter: 11 mm coil number: 8,5 demounted length: 317 mm middle coil diameter: 98 mm made in Germany Coil spring, rear side Universal Prod.No. 6631 40,70 Trabant station wagon helical spring for the rear axle from vintage 8-88 ownwards with Mc-Pherson System. New German production with the exect size and spring constant like as original. wire diameter: 12 mm coil number: 8,5 demounted length: 286 mm middle coil diameter: 98 mm made in Germany End stop for leaf spring (miramid) Prod.No. 919 This plastic part is one of two parts for the end stop bumper for leaf spring. It will be mounted inside at the undertray and fixes by an bracket. The Miramid will be used in tandem with rubber for end stop (Art.Nr.: 918 original spare part for all Trabant 500,600 and 601 up to vintage 1988 with leaf spring rear two pieces will be needed Holder for shocks coil spring, left hand Prod.No. 6362 Bottom shock absorber socket for coil spring suspension rear axle. The U-profile is mounted with two bolts on top of the rear axle assembly, left hand (driver side). This part is original manufactured fit to:

Prod.No.

1012

7,36

Trabant 601 from yaer april 1988 Trabant 1,1 all models one piece will be needed

4,50

9,50



Holder for shocks coil spring, right handProd.No.63619,50Bottom shock absorber socket for coil spring suspension rear axle.The U-profile is mounted with two bolts on top of the rear axle assembly, right hand (codriver side).This part is original manufacturedfit to:

Trabant 601 from yaer april 1988 Trabant 1,1 all models one piece will be needed



Holder for shocks leaf spring, left hand Prod.No. 6363 Bottom shock absorber socket for leaf spring suspension rear axle. The U-profile is mounted with two bolts on top of the rear axle assembly, left hand (driver side). This part is original manufactured fit to:

Trabant 500,600 and 601 up to yaer april 1988 one piece will be needed



Holder for shocks leaf spring, right handProd.No.63649,50Bottom shock absorber socket for leaf spring suspension rear axle.The U-profile is mounted with two bolts on top of the rear axle assembly, right hand (codriver side).This part is original manufacturedfit to:

Trabant 500,600 and 601 up to yaer april 1988 one piece will be needed

Mounting bolt for leaf spring shocks

Hexagon srew for mounting the shock absorbers at the front leaf spring and at the bottom of the rear axle left and right hand.

fit to:

Trabant 500,600 and 601 up to yaer april 1988 two pieces will be needed for the front axle up to yaer april 1988 two pieces will be needed for the rear axle scope of delivery complete with spring washer and hexagon nut grade: 10.9

Original leaf sprin	ng, overhauled, Limousine	Prod.No.	1322	128,00
Complete overhaul	ed leaf spring for the rear axle of Trabant 601 type Limousine.			
Please note: Excha	ange spare part. Please use the detail button to get more informations about	the additional	deposit.	
	ng, overhauled, station wagon ed leaf spring for the rear axle of Trabant 601 station wagon.	Prod.No.	6122	128,00
Please note: Excha	ange spare part. Please use the detail button to get more informations about	the additional	deposit.	
6	Penholder bottom, rear axle	Prod.No.	1014	11,39
	Pressure pice, shock absorber, coil spring, rear side	Prod.No.	6360	9,95



Pressure pice, shock absorber, coil spring, rear side the pessure pice fit to Trabant 601 with coil spring rear side from year april 1988

material: aluminium two pieces will be needed 9,50

2.26

Prod.No. 7823

Protection pipe for shock absorber, rear axle (estate car)



Pressure piece, shock absorber, coil spring, rear side Prod.No. the pessure piece fit to Trabant 601 with coil spring rear side from year april 1988

material: plastic two pieces will be needed



Upper coil spring retainer for the rear suspension. The metal holder will be mounted on top of the rear shock absorber. Type: can be used for Trabant 601 and 1.1 Universal (estate car). Used (nor new) original spare part.

for each car two pieces will be needed



Protection pipe for shock absorber, rear axle (Limousine) Prod.No. 1013 31.95 Upper coil spring retainer for the rear suspension. The metal holder will be mounted on top of the rear shock absorber. Type: can be used for Trabant 601 and 1.1 Limousine.

Used (nor new) original spare part.

for each car two pieces will be needed



Rubber sleeve cushion for shock absorber coil spring Prod.No. 8034 9,37 Rubber-matal-sleeve for mounting at the telescopic shock absorber for coil spring. Fit to the rear axle of Trabant from vintage: 1988 and Trabant 1,1 all types.

for shock eyes with diameter: 34mm, lenght: 45mm length of the metal sleeve: 50mm made in Germany



Shock absorber for coil spring, rear axle Prod.No. 1010 44,45 Telescopic shock absorber for coil spring. Fit to the rear axle of Trabant from vintage: 1988. scope of delivery:

complete inclusive bushing with retainer for the lower spring penholder bottom Made in Germany



Spring rubber pad, complete for rear axle (leaf spring) Prod.No. 997 6,75 Fit to rear axle of Trabant 500, 600 and 601 with vintage up to 1987 with leaf spring

Also fit to Qek camper und folded tent trailer Klappfix / camptourist



Stop bumper (rubber)



Stop position absorber for the leaf spring rear axle at the undertray. The rubber part will be used in tandem with plastic part of stop spring. Prod.No. 918 3,83

1011

6226

Prod.No.

6,55

31.95

original spare part

for all Trabant 500,600 and 601 up to vintage 1988 with leaf spring rear two pieces will be needed

Trabant 601 > Spare parts > Rear axle > wheel nuts

	Plastic cap for wheel nut Cap for wheel nuts and wheel bolts with a spanner gap of 19 mm. Type with additional collar and hemisphere.	Prod.No.	1085	0,45
Y	single part PVC, black for each car 16 pieces will be needed			
	Plastic cap for wheel nut plastic cup for wheel nuts for all wheel nuts and wheel bolts with a spanner gap of 19mm	Prod.No.	6438	0,95
	Material: plastic, black same shape like original plastic cup for wheel nuts of Trabant 601 for each wheel, 4 pieces will be needed			
	Plastic cap for wheel nut, chrom effect (set of 16 pieces) plastic cup for wheel nuts for all wheel nuts and wheel bolts with a spanner gap of 19mm	Prod.No.	6430	9,44
	set of sixteen pieces made of chromed plastic made in EU			
	Plastic cap set for wheel nut, black cheapest type of plastic cap for all wheel nuts with a spanner gap of 19mm	Prod.No.	6366	5,31
	material: made of black plastic set consist of 20 pieces			
	The grip of the plastic cups on the wheel nuts is not the best. Additionall r instance: adhesive lubricant, Art.No. 6255 or better universal housing s 6258).			
	Plastic cap set for wheel nut, chrome cheapest type of plastic cap for all wheel nuts with a spanner gap of 19mm	Prod.No.	6367	5,64
	made of chromed plastic set consist of 20 pieces			
	The grip of the plastic cups on the wheel nuts is not the best. Additionall r instance: adhesive lubricant, Art.No. 6255 or better universal housing s 6258).			
6	Wheel nut AM 12 x 1,5 x 13	Prod.No.	975	0,73

Trabant 601 > Spare parts > Panes & rubber sections

	Filler for rubber section Trabant 601 Filler for the sealing rubber windscreen and rear pan (LDM-no. 7350 and 73	Prod.No. 51)	7352	21,25
	colour: light grey made in Germany length: 3,00 Meter one piece will be needed for each sealing			
	pane for crank operated window, right/ left side	Prod.No.	866	67,23
pane for rear side	e window, openable, right / left side	Prod.No.	865	55,05
	Rubber for window lifter rail Section rubber for the left or right window lifter rail to fix the door window	Prod.No.	6867	11,03
	for Trabant 601 and Trabant 1.1 material: rubber, black one piece will be needed for each openable window			
	Rubber section for rear pop out window Rubber seals around the pop out 2,00 meter	Prod.No.	875	13,56
	Rubber-section for door pane Sealing rubber for the front door to the door pane. The rubber section is m frame.	Prod.No. nounted direct	879 ct into the	3,45 e door
	fit to all Trabant 601 und Trabant 1,1 length: 800 mm for each door 2 pieces will be needed			
	Rubber-section for door pane, grey Sealing rubber for the front door to the door pane. The rubber section is m frame.		7838 ct into the	8,90 e door
	fit to all Trabant 601 und Trabant 1,1 length: 800mm for each door 2 pieces will be needed			
1	Rubber-section for pan for rear window, Limousine Sealing rubber for rear window Trabant 601 and Trabant 1.1 Please note: only fit to the models Limousine. The rubber section is solide made.	Prod.No.	7349	29,24
	made in Germany material: rubber-solide, black length: 3,00 Meter one piece will be needed			



Rubber-section for rear pane (side) Station Wagon, blackProd.No.87319,11Pane sealing of the side rear windows (font pane) of the Trabant 601 and Trabant 1.1 station wagon(called Universal).The profiled rubber is an new production.

for each car two pieces will be needed high quality made in germany colour: black length: 2,80 meter

Pane sealing of the	or rear pane (side) Station Wagon, grey side rear windows (font pane) of the Trabant 601 station wagon (called Unive is an new production.	Prod.No. rsal).	7408	23,53
for each car two pie high quality made ir colour: grey length: 2,80 meter				
AF.	Rubber-section for rear pane (side), black Pane sealing of the side rear windows (font pane) of the Trabant 601 and Tra The profiled rubber is an new production.	Prod.No. abant 1.1.	874	13,95
-	for each car two pieces will be needed high quality made in germany colour: black length: 1,90 meter			
Pane sealing of the		Prod.No.	7411	15,45
Rubber-section for Pane sealing of the	or rear window, tailgate Station Wagon, black rear window hatchback of the Trabant 601 and Trabant 1.1 station wagon (ca is an new production.	Prod.No. Illed Univers	7409 sal).	19,11
for each car one pie high quality made ir colour: black length: 2,80 meter				
Pane sealing of the	or rear window, tailgate Station Wagon, grey rear window hatchback of the Trabant 601 station wagon (called Universal) is an new production.	Prod.No.	7410	23,53
for each car one pie high quality made ir colour: grey length: 2,80 meter				

14	Rubber-section for window guiding Rubber section for door window sealing. Material: rubber with plush.	Prod.No.	880	19,98
	width of the rubber section: 12mm glas width: 5mm length: 2,80 meter for each door, one piece will be needed			
	Rubber-section for windscreen Sealing rubber for windscreen insulation of Trabant 601 and Trabant 1.1 Fit to the models Limousine and Universal (station wagon). The rubber section is solide made.	Prod.No.	872	29,24
	made in Germany material: rubber-solide, black length: 3,00 Meter one piece will be needed			
	Rubber-section for windscreen for filler, black Sealing rubber for windscreen Trabant 601 and Trabant 1.1 Fit to the models Limousine and Universal (station wagon). The rubber section has got an groove for the filler. Please note: the filler is not included !	Prod.No.	7350	41,25
	colour: black made in Germany length: 3,00 Meter one piece will be needed			
	Rubber-section for windscreen for filler, grey Sealing rubber for windscreen Trabant 601 and Trabant 1.1 Fit to the models Limousine and Universal (station wagon). The rubber section has got an groove for the filler. Please note: the filler is not included !	Prod.No.	7399	41,25
	colour: grey made in Germany length: 3,00 Meter one piece will be needed			
G P	Rubber-sectionfor filler, rear window Limousine, black Sealing rubber for rear pan Trabant 601 and Trabant 1.1 Only fit to the models Limousine and Universal (station wagon). The rubber section has got an groove for the filler. Please note: the filler is not included !	Prod.No.	7351	41,25
	colour: black made in Germany length: 3,00 Meter			

length: 3,00 Meter one piece will be needed

Rubber-sectionfor filler, rear window Limousine, grey Sealing rubber for rear pan Trabant 601 and Trabant 1.1 Only fit to the models Limousine and Universal (station wagon). The rubber section has got an groove for the filler. Please note: the filler is not included !

colour: grey made in Germany length: 3,00 Meter one piece will be needed

	/aselinespray 400m	Prod.No.	7747	7,78
Dresto Vestiae Service				
	<u>Vindow lifter rail, left side</u> Vindow regulator rail for Trabant 601 and Trabant 1.1 door pane.	Prod.No.	480	15,66
	nounting place left hand (driver side) surface: sheet metal (no corrosion protection)			
	<u>Vindow lifter rail, left side</u> Vindow regulator rail for Trabant 601 and Trabant 1.1 door pane.	Prod.No.	6791	17,40
	nounting place left hand (driver side) surface: sheet metal surface: lectrogalvanized			
	<u>Vindow lifter rail, right side</u> Vindow regulator rail for Trabant 601 and Trabant 1.1 door pane.	Prod.No.	481	15,66
	nounting place right hand (codriver side) surface: sheet metal (no corrosion protection)			
	<u>Vindow lifter rail, right side, zinc coated</u> Vindow regulator rail for Trabant 601 and Trabant 1.1 door pane.	Prod.No.	6792	17,40
	nounting place right hand (codriver side) surface: sheet metal surface: lectrogalvanized			
	f clear laminated safety glass. abant 1.1 at the types Limousine, Universal and Tramp, Kübel.	Prod.No.	860	92,50
F	<u>Windscreen (MSG), with sunshild blue</u> Front window made of laminated safety glass with a blue sunshield inside. Fit ot Trabant 601, Trabant 1.1 at the types Limousine, Universal and Tramp, <i>I</i> lade in Finnland	Prod.No. , Kübel.	861	129,99
Front window made of	<u>), with sunshild green</u> f laminated safety glass with a green sunshield inside. abant 1.1 at the types Limousine, Universal and Tramp, Kübel.	Prod.No.	862	129,99

Trabant 601 > Spare parts > Panes & rubber sections > wind screen washer system

	Cap for water vessel for windscreen washer system Plastic cap with mounting sprap for the water bottle of the windscre	Prod.No. een washer s	7357 ystem.	4,75
	The plug close up the refilling hole.			
	To use at many reservoir bottles with electrical or mechanical pum	р.		
	fit to follow washer systems:			
	Trabant 601, Trabant 1.1, Wartburg 1.3, Wartburg 353, Multicar, W	/50 and so or	ı	
	Double jet for windscreen washer	Prod.No.	1124	4,21
0	Simpe and universal kind of double jet. Can be used for mechanial or e	lectrical wind	lscreen wa	asher
	pumps.			
	Delivery inclusive sealing and mounting nut. Fit to washer hoses:			
	PVC Intake line for windscreen washer (ID=4mm)			
	PVC Intake line for windscreen washer (ID=5mm)			
	Made in Europe			
	Double jet for windscreen washer, original	Prod.No.	7298	4,50
E64 . 40	Jet for windscreen cleaning. Can be used for mechanical and electrical wa	sh pump.		
	made in Germany colour: black			
	A			
in.	electrical pump for windscreen washer	Prod.No.	1125	42,40
-1	electrical pump to put into the water bottle of windscreen washer	FIOU.NO.	1125	42,40
	voltage: 12V			
94				
	fit to follow washer systems:			
	windscreen Trabant 601			
	rear window Wartburg 353 and 1.3 TOURIST (only for estate wagon)			
	Intake line for windscreen washer (ID=4mm)	Prod.No.	1127	1,93
ers name in Germany	Plastic hose for windscreen cleaning system with the inside diameter of 4 r			
III gernary)			
	Price for each meter			
	If you want more as one meter please just order more pieces			
	made in Germany			
	indscreen washer (ID=5mm)	Prod.No.	6883	1,93
Plastic hose for w	indscreen cleaning system with the inside diameter of 5 mm.			
Price for each me				
	as one meter please just order more pieces			
made in Germany				
	Metal holder for water bottle	Prod.No.	7442	3,50
	Metal retainer for the windscreen water bottles 1,5 liter of the Trabant, Mu	iticar, B1000	and 2,5 li	ter of
	the Wartburg models.			
	original spare part			
	material: steel, surface galvaniced			
	one piece will be needed			
-	Non-return valve for windscreen washer	Prod.No.	1112	3,26
	Check valve for the manual Trabant windscreen washer.			



Check valve for the manual Trabant windscreen washer.

Plastic cap for wiper arm Sealing cap (single part) for the mounting place of the wiper arm. Fit to CZ models Trabant, Wartburg and B1000. Can be used for screw joints spanner gap SW 13.	Prod.No.	7440	0,10
material: plastic, black original spare part two pieces will be needed for models of Limousine station wagons will need three of this spare part			
Retainer for windscreen washer, original Metal holder for jet for windscreen cleaning. Can be used for mechanical and Fit to all Single or double washer jets made in GDR. steel metal, spring steel, surface blank	Prod.No. electrical w	7443 ash pump.	2,19
Single jet for windscreen washer, original Jet for windscreen cleaning. Can be used for mechanical and electrical wash Washer jet with only one adjustable jet. made in Germany colour: black	Prod.No. pump.	7444	2,45
 <u>Suction pump for windscreen washer</u> Mechanical operating pump for the windshield cleaning system. Fit to Trabant 500, 600 and 601. original spare part	Prod.No.	1126	12,20
delivery pree mounted part inclusive attachment nut <u>Switch for rear wiper motor</u> Switch for the Trabant Universal (station wagon) electrical wiper motor rear so	Prod.No. creen	7104	18,50
T-piece with integrated non-return valve for windscreen washer T-piece with two integrated non-return valves Purpose-built to use it in windscreen washer systems with manual pump. All connections are labelled: S - suction connection P - pump connection D - pressure connection	Prod.No.	6926	2,99
Water vessel for windscreen washer system, singel part Water bottle for windscreen washer system, to use in tandem with electrical p Volume: 1,5 liter original spare part fit to follow washer systems: windscreen Trabant 601 Wartburg 353 and 1.3 TOURIST rear window single part without pump, cap and metal holder	Prod.No. oump bottle	6908	12,50

	 windscreen washer kit Complete kit for windscreen washer system with electrical pump and water voltage: 12V Scope of delivery: bottle 1,5 liter cap metal holder wash pump 12V 1m plastic hose (connection pump-spray jet 1 piece of two double jet washer inclusive retainer spring fit to follow washer systems: windscreen Trabant 601 Wartburg 353 and 1.3 Tourist rear window 	Prod.No.	6907	56,53
	Windscreen washer kit 6V Set for windscreen washer system with electrical pump and water bottle voltage: 6V Scope of delivery: bottle 1,5 liter cap metal holder wash pump 12V Ideal for upgrate the mechanical hand pump into an electrical system.	Prod.No.	7597	25,90
r r r r r r r r r r r r r r r r r	Windscreen washer system, manual, complete Driginal spare part screen washer for manual operation. with: receptacle 2x non-return valve (Art.No. 1112) F-piece hose suction pump (Art.No. 1126) double jet (Art.No. 1124) Wiper arm	Prod.No. Prod.No.	6181	9,88
	Black wiper arm with spring straight end of wiper arm (last version of wiper blade fixing) <u>Wiper arm</u>	Prod.No.	7006	9,88
	black Wiper arm with spring with bended wiper arm end (old version of wiper blader fixing)			
	Wiper blade (270 mm) old type of wiper blade	Prod.No.	7016	9,10



Wiper blade (270mm) Prod.No. 1118 5.00 Wiper blade single part. Fit to al older wiper types of the Trabant 500, 600 or 601 (does not fit to CZ models).

length: 270 mm material: treaded rubber original spare part delivery without mounting parts two pieces will be needed



Wiper blade (300 mm)

Wiper linkage

Prod.No. 1121 975 Complete wiperblade, consitst of metal carrier (black) and wiper rubber. Fit to all Trabant 601 and 1.1 front wipers.

Prod.No.

Prod.No.

1120

1113

45,93

95.68

length: 300mm delivery as an single part, without mounting bits / without wiper arm price per piece made in EU





Wiper motor 12 V (from 88) Prod.No. 1115 95.30 windscreen wiper motor built-in from year 1988 The differnt between wiper motor, built in from year 1988 and later to the wiper motor up to 1987 is the form of motor shaft. To see on the picture below is the conical shaft of a wiper motor built-in from year 1988. In contrast to this wiper motor the wiper motor built-in up to year 1987 has a cylindrical shaft.



Wiper motor 12 V (up to 87)

The differnt between wiper motor, built in up to 1987 and later to the wiper motor built-in from year 1988 is the form of motor shaft.

To see on the picture below is the cylindrical shaft of a wiper motor built-in up to year 1987. In contrast to this wiper motor the wiper motor built-in from year 1988 has a conical shaft.



Wiper motor 12 V, secound hand (from 88) Prod.No. 1116 67,92 The differnt between wiper motor, built in from year 1988 and later to the wiper motor up to 1987 is the form of motor shaft.

To see on the picture below is the conical shaft of a wiper motor built-in from year 1988. In contrast to this wiper motor the wiper motor built-in up to year 1987 has a cylindrical shaft.

Wiper motor 12 V	/, secound hand (up to 87)	Prod.No.	1114	69,16
	<u>Wiper motor 6 V</u> Wiper engine for the Trabant with 6V electrical system. Original spare part. type: 6V, 5,5 Nm	Prod.No.	7706	72,30




Wiper set Trabant late type

Prod.No. 7711 The windscreen wiper kit consist of two pieces of wiper arms and two pieces of wiper rubbers. Late type with conical mounting clamp at the wiper linkage. Colour: black best quality from the original producer PAL Fit to all Trabant 601 and 1.1

Trabant 601 > Spare parts > Body

43,80



NOS, original spare part



Boot lid lock, complete tailgate lock for Trabant 601 and 1.1 complete with lock and keys

made in EU



Boot lid look catch, LimousineProd.No.11812,65The plasitc look catch will be mounted at the outer lower part of boot of the Trabant type Limousine.The plastic part will hold the arrester hook and secure if the tailgate is cloused.Fit ot all tailgates of the T601 and T1,1.

Prod.No.

Prod.No.

Prod.No.

518

550

3,50

151,54

6294

9,99

material: PVC original spare part one piece will be needed

Clamping piece for rubber section



Cover for wheel frame, stainless steel, polished nach Verfügbarkeit lieferbar !

 Finsih sprayer, color: black, mat
 Prod.No.
 7743
 6,11

 Colour spray best use for old and Youngtimers. For coating axle parts, seatframes, wheeles, engines etc.
 etc.
 etc.



Tin contens: 400ml RALLYE SCHWARZ MATT. Single component Acryl paint. Produced by Dupli Color.

Finsih	sprayer, color: dark black, shining	Prod.No.	7742	17,46
Colour	spray best use for old and Youngtimers. For coating axle parts, seatframes, wheeles, en	gines etc.		
Tin con	tens: 400ml.			
Two cor	nponent paint with seperate colour and hardener			
11	finsih sprayer, color: delphin grey Spray paint name of the color in Germany: delphingrau	Prod.No.	6414	33,42
COLOR/ JAIRC	contens: 400ml 2K-varnish			
W-dred	21/- 10/10/10			

NPL/ CI

finsih sprayer, color: glacier blue name of the color in Germany: gletscherblau

contens: 150ml Acrylic lacquer Prod.No. 6245 9,42

Seite 162 from 443

COLOR/ ARC Barrier Market Water Colored Water Colored Wate	finsih sprayer, color: panama green Spray paint name of the color in Germany: Panamagrün this color was used for instance for 1989 Trabant 601 estate car 400ml acrylic paint for car body	Prod.No.	6247	33,42
COLORY / Arc COLORY / Arc Marchan Marc	<u>Finsih sprayer, color: papyrus (white)</u> Spray paint name of the color in Germany: Papyrus(weiß) contens: 400ml Acrylic lacquer	Prod.No.	6246	33,42
	Flexible edge protector, white-grey universal to use price for one meter	Prod.No.	6073	3,60
Front tr wall it is Scope fit to all	transverse member ransverse member is welded across in front of the car. It is the girder for the engine-gearb is the connection to the side member left or right hand. The six holes for the underframe a of delivery complete with two car-jack points (pipe D= 30mm, d= 25mm, L= 76mm) Trabant 601.			165,00 e side
made i	with transport sealing varnish n Germany			
made i		Prod.No.	7889	1,07
made i	n Germany ace will be needed	Prod.No.	7889	1,07
made i	n Germany ace will be needed	Prod.No. Prod.No.	98	1,07
made i	Image: Second			
made i	An Germany And Germany And Sermany And Se	Prod.No.	98 460	12,20

	r <u>t protector</u> protector is fitted under the doors. z 601 from year: November 1984 (limousine), and from year January 1985 (stat	Prod.No.	462	7
material: plastic colour: black original made in 2 pieces will be r				
	Lower side part right side Lower side part from the doorway right hand. This part is an repair-profile f on top of the side member.	Prod.No. or weling in	461 to the ca	2t r body
	matreial: profiled sheet steel fit to all Trabant 601 and Trabant 1,1 one piece will be needed			
CITERING CONTRACTOR	Mounting bolt for interior lining Special srew made of stainless steel.	Prod.No.	7745	(
1	<u>Mudgard screw, original diameter</u> Stainless steel screw slotted for mounting the plasic wings at the car body. Best peplacement for the original one without corrosion. Fit to all Trabant 601 and 1,1 all models also Kübel and Tramp.	Prod.No.	7720	(
	material: A2 type: tapping screw, original diameter			
Outer lower pa	a <u>rt of boot (Limousine)</u> vailability!	Prod.No.	505	86
Outer lower pa	art of luggage boot (station-wagen) vailability!	Prod.No.	504	86
	Plug for body Small plg for holes diameter 5mm. Can be used for the car body.	Prod.No.	7705	2
	material: rubber, black total length: 27mm made in Germany			
Sealing for the b The rubber will b	ning for boot lid look poot look of the Trabant type Limousine. De mounted behind the aluminium look. Is of the T601 and T1,1.	Prod.No.	1180	2
material: Gummi original spare pa one piece will be	art			
	original body part	Prod.No.	6115	107





Rubber membrane plug for holes with diameter of 47mm Prod.No. 6800 2.98 Membrane plug made of black rubber to shut round holes in car bodys (such as service holes) or as variable cable grommet seal for some wires (also with plugs)

fit to hole diameter of 47 mm inner diameter of membrane (max. usable diameter): 36 mm outer diameter (total): 54 mm thicknes of the menbrane: 1mm total thickness: 10mm



Rubber plug for side member, flat

Prod.No. Plug for round holes in car bodys with a diameter of 22 mm (0,87 inch) and with wall thickness up to 2,4 mm (0,095 inch).four pieces needed for each Trabant

6929

516

6817

8146

Prod.No.

Prod.No.

Prod No.

0.82

16,12

0,09

0.13

Material: PVC Colour: black

This type of plug is a little bit more difficile to mount and demount than the snap-in plug. This plug has a height of about 3 mm in the centre and leveling off to the border. So it has a very smooth lookout.



Rubber section for boot lid length: 2,92 meter material: black rubber

Screw 2,9mm for cover moulding roof

Stainless steel screw slotted for the aluminium stips.

material: A2 head design: round-head tapping screw sation wagon will be 17 pieces needed Limousine will be 15 pieces needed

Screw 3,5mm for cover moulding roof

Stainless steel screw slotted like the original type. The length is the same like original but the diameter is thicker (3,5mm). Best use to fix the aluminium stips with worn out holes at the roof. Can be used for all alu strips at the roof.

Fit to all Trabant and Trabant 1.1 models and types.

material: A2 head design: round-head tapping screw sation wagon will be 17 pieces needed Limousine will be 15 pieces needed



Screw for radiator cover Prod.No. 7717 0,49 Stainless steel screw slotted for the aluminium cover front (radiator grill). Best peplacement for the original one without corrosion. Fit to all Trabant 601 and 1,1 all models also Kübel and Tramp. Please note for the Trabant 601 Standard up to vintage 1970.

material: A2 head design: round-head tapping screw six pieces will be needed delivery inclusive washer ans nut



Side member, left side Prod.No. 450 38.50 Side member left hand. This part is an repair-profile for weling in to the car body between the left outer half of rear wheel house and the Front transverse member.

matreial: profiled sheet steel original IFA-spare part fit to all Trabant 601 and Trabant 1,1 one piece will be needed



Side member, right side

38,50 Side member right hand. This part is an repair-profile for weling in to the car body between the right outer half of rear wheel house and the Front transverse member.

Prod No

Prod No.

Prod.No.

451

455

8087

0,88

10.67

matreial: profiled sheet steel original IFA-spare part fit to all Trabant 601 and Trabant 1,1 one piece will be needed



Snap-in plug for side member

Plug for round holes in car bodys with a diameter of 22 mm (0,87 inch) and with wall thickness from 0,8 mm up to 2,0 mm.four pieces needed for each Trabant

Material: thermoplastic rubber Colour: black Permanent operation temperature: -40°C - 135°C (temporary up to +150°C)

This type of grommet is very good to mount and demount, excellent for recurrent check and working of inner side of car body. This plug has a height of 5 mm.

Underbody protection wax 1000ml

Protecton wax for the underside and wheel cases for many vehicles.

To spray the wax an special atomizer pistol lance will be needed.

Recommended amount 300g/qm, source function 3-4qm.

Best use for body work, vehicle manufacturing and road maintenance.

The wax protect the cars against mechanical and chemical stress like rock chips, gritting salt, water and so on. And corrosion will be bewared.

contens: 1000ml corrosion protection at salt dust like DIN 50021: 500 hours without rost Dust dry after 2 hours, dry after 4-5 hours temperature from -25° C bis 80° C wax based product

Underbody protection wax 500ml, Spray

Protecton wax for the underside and wheel cases for many vehicles. To spray the wax no special tools will be needed.

Recommended amount 300g/qm, source function 1,5qm.

Best use for body work, vehicle manufacturing and road maintenance.

The wax protect the cars against mechanical and chemical stress like rock chips, gritting salt, water and so on. And corrosion will be bewared.

contens: 500ml corrosion protection at salt dust like DIN 50021: 500 hours without rost Dust dry after 2 hours, dry after 4-5 hours temperature from -25° C bis 80° C wax based product colour: brown

Trabant 601 > Spare parts > Body > mudguards

Prod.No. 8088

7,69



adhesion and sealing compound, black Prod.No. 1320 9.95 1-component-PUR adhesion and sealing compound fit for permanently elastic gluings (for example for mudguard gluings) colour: black good for gluings around the car body (also fit for mud guards of Trabant) cartridge with content of 310 ml easy to spread and to smooth stable overpaintable with 2-component finish, primer and filler after through hardening adhesion and sealing compound, grey Prod.No. 1324 9.95 Houlmate 1-component-PUR adhesion and sealing compound fit for permanently elastic gluings (for example for mudguard gluings) colour: grey good for gluings around the car body (also fit for mud guards of Trabant) cartridge with content of 310 ml easy to spread and to smooth stable overpaintable with 2-component finish, primer and filler after through hardening adhesion and sealing compound, white Prod.No. 1323 9,95 Houtmate 1-component-PUR adhesion and sealing compound fit for permanently elastic gluings (for example for mudguard gluings) colour: white good for gluings around the car body (also fit for mud guards of Trabant) cartridge with content of 310 ml easy to spread and to smooth stable overpaintable with 2-component finish, primer and filler after through hardening Bitumen/plastic plates, foil-laminated 6891 46,22 Prod.No. Self-adhesive absorbing plates for sheet metal parts (car doors, computer cases or something else). with aluminium foil-laminated colour: silver content: 6x pltes with 500 x 250mm thickness: about 2mm weight per unit of area: 3,7 kg/m² Mudgard screw, original diameter Prod.No. 7720 0,09 Stainless steel screw slotted for mounting the plasic wings at the car body. Best peplacement for the original one without corrosion. Fit to all Trabant 601 and 1,1 all models also Kübel and Tramp. material: A2 type: tapping screw, original diameter power glue, black Prod.No. 1325 18,85 Permanent elastic PUR glue with extrem hight UV-resistance colour: black fit for gluings around the car body

PVC-section for	cover moulding, complete for one car, 7 meter, BLACK	Prod.No.	541	14,61
	PVC-section for cover moulding, complete for one car, 7 meter, E	<u>BLU</u> ₽rod.No.	543	14,61
PVC-section for	cover moulding, complete for one car, 7 meter, GREEN	Prod.No.	545	14,6
	PVC-section for cover moulding, complete for one car, 7 meter, 0	<u>GRE₽</u> rod.No.	542	14,6
Ö	PVC-section for cover moulding, complete for one car, 7 meter, F	<u>RED</u> Prod.No.	544	14,6
	<u>, right side</u> mounting rear right hand (co-driver side). Fit for all Trabant 601 and 1,1. re new produced made from fibre reinforced composite.	Prod.No.	531	72,4
material: GFK (gla				
material: GFK (gla		Prod.No. minium stips. C	6816 an be use	0,0 ed for
material: GFK (gla	Screw 2,9mm for cover moulding mudguards and doors Stainless steel screw slotted like the original type and size to fix the alur all alu strips at the mudguards front and rear and at the doors as well.			,
material: GFK (gla hergestellt in Deut Screw 3,5mm fo Stainless steel scr Best use to fix the Can be used for a	Screw 2,9mm for cover moulding mudguards and doors Stainless steel screw slotted like the original type and size to fix the alur all alu strips at the mudguards front and rear and at the doors as well. Fit to all Trabant and Trabant 1.1 models and types. material: A2	minium stips. C Prod.No.	an be use 8145	ed for 0,1
material: GFK (gla hergestellt in Deut	Screw 2,9mm for cover moulding mudguards and doors Stainless steel screw slotted like the original type and size to fix the alural all alu strips at the mudguards front and rear and at the doors as well. Fit to all Trabant and Trabant 1.1 models and types. material: A2 head design: round-head tapping screw or cover moulding mudguards and doors rew slotted like the original type. The length is the same like original but the aluminium stips with worn out holes at the mudguards. II alu strips at the mudguards front and rear and at the doors as well.	minium stips. C Prod.No.	an be use 8145	ed for 0,1
material: GFK (gla hergestellt in Deut	Sschland Screw 2,9mm for cover moulding mudguards and doors Stainless steel screw slotted like the original type and size to fix the alural all alu strips at the mudguards front and rear and at the doors as well. Fit to all Trabant and Trabant 1.1 models and types. material: A2 head design: round-head tapping screw or cover moulding mudguards and doors rew slotted like the original type. The length is the same like original but the aluminium stips with worn out holes at the mudguards. II alu strips at the mudguards front and rear and at the doors as well. and Trabant 1.1 models and types.	Prod.No. diameter is thic	8145 ker (3,5m 8082	0,1 m).
material: GFK (gla hergestellt in Deut	Screw 2.9mm for cover moulding mudguards and doors Stainless steel screw slotted like the original type and size to fix the alural alu strips at the mudguards front and rear and at the doors as well. Fit to all Trabant and Trabant 1.1 models and types. material: A2 head design: round-head tapping screw or cover moulding mudguards and doors rew slotted like the original type. The length is the same like original but the aluminium stips with worn out holes at the mudguards. II alu strips at the mudguards front and rear and at the doors as well. Ind Trabant 1.1 models and types. d-head tapping screw m for cover moulding mudguards and doors rew slotted -kit like the original type and size to fix the aluminium stips. Can and rear and at the doors as well. ind Trabant 1.1 models and types.	Prod.No. diameter is thic	8145 ker (3,5m 8082	0,1: m).

Trabant 601 > Spare parts > Body > wheel houses

	<u>Cover plate, left side</u> for Trabant 601 connection sheet between grille assembly and front wheel house (left hand) incl. mounting point for bumper holder	Prod.No.	424	20,94
	material: formed metal plate delivery: basic varnished black made in EU one piece will be needed			
	Cover plate, right side for Trabant 601 connection sheet between grille assembly and front wheel house (right hand) incl. mounting point for bumper holder	Prod.No.	425	20,94
	material: formed metal plate delivery: basic varnished black made in EU one piece will be needed			
	front wheel house, left side please ask for availability!	Prod.No.	410	95,00
	front wheel house, right side please ask for availability!	Prod.No.	411	95,00
	outer half of front wheel house on left side please ask for availability!	Prod.No.	414	38,79
	outer half of front wheel house on right side please ask for availability!	Prod.No.	415	38,79
Outer half of rear please ask for availa	wheel house, left side ability!	Prod.No.	523	38,79
Outer half of rear please ask for availa	wheel house, right side ability!	Prod.No.	524	38,79
	Outer quater of front wheel house left side Outside part to repair the Trabant wheelhouse front left side. Mostly this other sheet metal direct behind the wings is complete rosty and outer quater covers the most of the damages. The part have to be welded in.	Prod.No. have to be r	418 removed.	26,77 The

fit to Trabant 601 und Trabant 1.1



Outer quater of front wheel house, right sideProd.No.41926,77Outside part to repair the Trabant wheelhouse front right side.Mostly this other sheet metal direct behind the wings is complete rosty and have to be removed. The outer quater covers the most of the damages.The part have to be welded in.

fit to Trabant 601 und Trabant 1.1



Outer quater of rear wheel house, left sideProd.No.52526,77Outside part to repair the Trabant wheelhouse rear left side.Mostly this other sheet metal direct behind the wings is complete rosty and have to be removed. TheThe part have to be welded in.The part have to be welded in.The part have to be welded in.

fit to Trabant 601 und Trabant 1.1 good reproduction made in EU



<u>Outer quater of rear wheel house, right side</u> Outside part to repair the Trabant wheelhouse rear right side. Mostly this other sheet metal direct behind the wings is complete rosty an Prod.No. 526 26,77

Mostly this other sheet metal direct behind the wings is complete rosty and have to be removed. The outer quater covers the most of the damages. The part have to be welded in.

fit to Trabant 601 und Trabant 1.1			
Rear wheel house, left side (for leaf spring) please ask for availability!	Prod.No.	521	65,0
Rear wheel house, right side (for leaf spring) please ask for availability!	Prod.No.	522	65,0
rubber mat for front wheel house, left side black mat with knobs made of black rubber	Prod.No.	6488	16,4
will be glued inside the car on the left wheel house			
rubber mat for front wheel house, right side black mat with knobs made of black rubber	Prod.No.	6487	16,4
will be glued inside the car on the right wheel house			

Trabant 601 > Spare parts > Body > bumper bar



 Bumper corner (plastic)
 Prod.No.
 436
 5,74

 Plastic corner for front or rear bumber Trabant 601 from vintage: march 1980
 Scope of delivery without look plate.
 Scope of delivery without look plate.

material: plastic colour: black for each bumber, two pieces will be needed



Cover plate, frontProd.No.45924,50This cover plate is mouned under the Trabant 601 front bumber. It save the dynamo and a part of the
pree silencer.

material: formed metal plate delivery: basic varnished black made in EU one piece will be needed



Front bumper holder left side Prod.No. 432 9,45 Bumber holder, one side fitted at bumber (inside) with bolts two M6 and the other side have to be fitted at the cover plate left side (2x M8). Trabant 601 from vintage: march 1980

Material: metal plate original IFA spare part one piece will be needed



Front bumper holder right side Prod No 433 9 4 5 Bumber holder, one side fitted at bumber (inside) with bolts two M6 and the other side have to be fitted at the cover plate right side (2x M8). Trabant 601 from vintage: march 1980

Material: metal plate original IFA spare part one piece will be needed



Front bumper with prime coat Prod No. 434 63,96 Bumber for Trabant 601 from vintage march 1980. Scope of delivery with out bumber holders and plastic bumber corners.

new produced made in EU medium quality (warped sheet metal) one piece will be needed



Look plate for front bumper corner Prod.No. 437 0.29 Look for plastic corner. Fit to front or rear bumber Trabant 601 from vintage: march 1980

material: galvaniced steel made in FU for each bumber, two pieces will be needed


Plastic cap for bumper Small caps to close both mounting holes for rubber push protectors of bumpers for Trabant 601.

made of transparent plastic for each bumber two pieces will be needed if NO rubber push protectors are mounted



Rear bumper holder left side 540 9 4 5 Prod No Bumber holder, one side fitted at bumber (inside) with bolts two M6 and the other side have to be fitted at the outer lower part of boot left side (2x M6). Trabant 601 from vintage: march 1980

Material: metal plate original IFA spare part one piece will be needed





Prod.No. 547 9,45 Bumber holder, one side fitted at bumber (inside) with bolts two M6 and the other side have to be fitted at the outer lower part of boot right side (2x M6). Trabant 601 from vintage: march 1980

Material: metal plate original IFA spare part one piece will be needed 0.89

Prod No.

7067

Rear bumper with prime coat	Prod.No.	506	63,96
Bumber for Trabant 601 from vintage march 1980. Scope of delivery with out bumber holders ar	nd plastic bum	ber corne	rs.

new produced made in EU medium quality (warped sheet metal) one piece will be needed



Rubber push protectorProd.No.43811,46Push protector for front or rear bumber Trabant 601 from vintage: march 1980The quality does not compare to the original one.10,000

material: rubber colour: black for each bumber, two pieces will be needed

Trabant 601 > Spare parts > Body > door parts

Air deflector, lo	ng, anthrazit (one paar)	Prod.No.	1145	72,11
	Bitumen/plastic plates, foil-laminated Self-adhesive absorbing plates for sheet metal parts (car doors, computer	Prod.No. cases or som	6891 nething els	46,22 e).
	with aluminium foil-laminated colour: silver content: 6x pltes with 500 x 250mm thickness: about 2mm weight per unit of area: 3,7 kg/m ²			
	Bolt for door catch Mounting screw for the drivers and codrivers door catch at the A-frame It fit to all Trabant 601 and 1,1.	Prod.No.	7212	0,85
	made in Germany delivery inclusive washer and nut two pieces will be needed			
	Bowden cable for inner door handle, new type Stiff steel wire cable as connection between the inner door handle and the Inclusive plastic cover. Fit to Trabant 601 and trabant 1,1 feft snd right hand for model inner door door handle new type right from vintage July 1988.		6724 type left,	2,50 inner
	length: ca. 67,5cm diameter wire: 1,5mm inclusive loop for look original spare part			
	Bowden cable for inner door handle, old type Flexible steel wire cable as connection between the inner door handle and Fit to Trabant 601 feft snd right hand for model inner door handle old typ type right up to vintage July 1988.			1,50 le old
	length: ca. 70cm diameter wire: 1,6mm inclusive loop for look			

	Door catch complete The door catch can be mounted at the driver and codriver side. It fit to all Trabant 601 and 1,1.	Prod.No.	487	12,50
	original spare part scope of delivery without snapper and spring surface: galvaniced two pieces will be needed			
22	door latch, left side The door latch is the match to the door lock, this snaps into by closing the door. Mounting point at the B- pillar driver side.	Prod.No.	6189	9,50
0	genuine spare part without mounting parts one piece will be needed			
22	<u>Door latch, right side</u> The door latch is the match to the door lock, this snaps into by closing the door Mounting point at the B- pillar codriver side.	Prod.No.	493	9,50
0	genuine spare part without mounting parts one piece will be needed			
	<u>door lock, left side</u> door lock unit driver side	Prod.No.	6119	29,50
	door lock, right lock unit for co-drivers door with latch for Trabant 601 built after 11 / 1972	Prod.No.	6120	29,50
	Glas for rear view mirror 132x92mm Spare glas for the outer rear view mirror for Trabant 601. This part is an repro- It can be used for the right (codriver side) or the left (driver side). Fit to the Trabant mirrors are mounted at the door fram right or left hand.	Prod.No. oduction.	7938	4,07
	delivery as a single part one or two pieces will be needed			
	Hinge for door left side, above (one paar) Hinge-set for the uper side of the drivers door. Consitst of two hinge pieces. Genuine spare part. Scope of delivery without mounting bits and without clamming. please ask for availability!	Prod.No.	483	28,90

	<u>Hinge for door left side, below (one paar)</u> Hinge-set for the below side of the drivers door. Consitst of two hinge pieces. Genuine spare part. Scope of delivery without mounting bits and without clamming. please ask for availability!	Prod.No.	484	28,90
011.00	Hinge for door right side, above (one paar) Hinge-set for the uper side of the codrivers door. Consitst of two hinge pieces. Genuine spare part. Scope of delivery without mounting bits and without clamming. please ask for availability!	Prod.No.	485	28,90
	Inner door handle, left side (new type) apply lever with bracket	Prod.No.	1142	6,66
	fit to door driver side to put in the bowden cable for door-opener fit to Trabant 601 from June 1988 onwards fit to all types of Trabant 1.1 (4-stroke) lever made of black plastic with bracket made of aluminium cast new prodused			
	Inner door handle, left side (old type) inner door handle without mechanical unit for door of driver side this (old) type of inner door handle was built in up to May 1988	Prod.No.	1140	8,25
	only for Trabant 601			
	Inner door handle, right side (new type) apply lever with bracket	Prod.No.	1143	6,66
	fit to door co-driver side to put in the bowden cable for door-opener fit to Trabant 601 from June 1988 onwards fit to all types of Trabant 1.1 (4-stroke) lever made of black plastic with bracket made of aluminium cast new prodused			
	Inner door handle, right side (old type) inner door handle without mechanical unit for door of co-driver	Prod.No.	1141	8,25
	this (old) type of inner door handle was built in up to May 1988 only for Trabant 601			
	Lower side part left side Lower side part from the doorway left hand. This part is an repair-profi on top of the side member.	Prod.No. le for weling in t	460 to the car	25,50 body
	matreial: profiled sheet steel fit to all Trabant 601 and Trabant 1,1			
	one piece will be needed			

original made in Germany 2 pieces will be needed



<u>Lower side part right side</u> Prod.No. 461 25,50 Lower side part from the doorway right hand. This part is an repair-profile for weling in to the car body on top of the side member.

matreial: profiled sheet steel fit to all Trabant 601 and Trabant 1,1 one piece will be needed



<u>Outer door handle, left side, PVC black, complete with look and key</u> Prod.No. 490 31,60 Door handle made of plasic for Trabant. Fit to the drivers side and to the rear door of the Trabant Universal (station wagon).

colour: black scope of delivery complete with lock and key high quality and identical dimensions made by the original equipment manufacturer



Outer door handle, right side, PVC black Plastic door handle for the codriver side. Delivery with mechanical parts.

high quality and identical dimensions made by the original equipment manufacturer material: PVC, black one piece will be needed



 Outer rear view mirror, original, complete
 Prod.No.
 1170
 42,84

 Outer rear view mirror for Trabant 601. This part is an original IFA-spare part made in Germany.
 It can be used for the right (codriver side) or the left (driver side).

 The mirror is mounted at the door fram right or left hand.

 Please choose your favoured color at the bottom button.

delivery complete pree mounted with mirror glas one or two pieces will be needed



Outer rear view mirror, original, without clampProd.No.728735,50Outer rear view mirror for Trabant 601. This part is an original IFA-spare part made in Germany.It can be used for the right (codriver side) or the left (driver side).The mirror is mounted at the door fram right or left hand.Please choose your favoured color at the bottom button.It can be used for the right (codriver side) or the left (driver side).

delivery without holder and clamp, may be can be used from your old mirror scop of delivery inclusive mirror glas one or two pieces will be needed



Outer rear view mirror, right / left (made in Hungary)

Prod.No. 6522

Prod No.

491

24,50

Outer rear view mirror for Trabant 601. This part is made in Hungary and got an different construction as the original spare part (bad quality). The mirror is mounted at the door fram right or left hand.

delivery complete pree mounted with mirror glas one or two pieces will be needed 9,19



Plastic frame for glas for rear view mirror 132x92mmProd.No.79391,90Black spare frame for the outer rear view mirror for Trabant 601. This part is an reproduction.It can be used for the right (codriver side) or the left (driver side).Fit to the Trabant mirrors are mounted at the door fram right or left hand.It can be used for the right (codriver side) or the left (driver side).

delivery as a single part one or two pieces will be needed

Plastic snapper for The snaper catch ca It fit to all Trabant 6	an be mounted inside the drivers and codrivers door.	Prod.No.	7210	2,
original spare part scope of delivery wi two pieces will be n				
ERP	Remote operating device, left side (old version) Mechanic for opening the drivers door. For use with door handle LDM.No. 17 Fit to Trabant 601 up to vintage July 1988.	Prod.No. 140.	6188	6,
	genuine spare part without mounting parts one piece will be needed			
ERP	remote operating device, right side (old version) Mechanic for opening the codrivers door. For use with door handle LDM.No. Fit to Trabant 601 up to vintage July 1988.	Prod.No. 1141.	7146	6,
	genuine spare part without mounting parts one piece will be needed			
	Rubber lining for outer door handle (new), one pair, black fit to the latest version of the door handle (PVC)	Prod.No.	492	4,
	scope of delivery: one set for one door handle colour: black material: plastic Trabant 1,1, Trabant 601, Wartburg 353 and 1,3 Barkas B1000- B1000-1			
-	outer door handle old type, black Iluminium version of the door handle.	Prod.No.	6824	9,
colour: black material: plastic	ne set for one door handle urg 353, Bakas B1000			
	Rubber lining for outer door handle old type, grey One pair, fit to the aluminium version of the door handle.	Prod.No.	6825	9,
	scope of delivery: one set for one door handle colour: grey material: plastic			

Т	Spare key, copy from your original The original key have to be send to our company in advance. Not for all key types possible.	Prod.No.	1340	15,50
Received a second secon	Spare key, copy is made from yor key number Production of an spare key for door, ignition or fuel cap looks and so on You have to tell us your key number per email, fax or letter. Keys for the vehicles: Trabant, Wartburg, W50, Barkas LO, LD Multicar usw.	Prod.No.	1341	15,50
а	all Trabant keys possible			
<u>Spring for plastic sn</u> The spring can be mo It fit to all Trabant 601	ounted inside the drivers and codrivers door.	Prod.No.	7211	1,00
original spare part two pieces will be nee	eded			
	Funing rear-view mirror, black Jniversal tuning mirror with arodynamic shape	Prod.No.	6777	24,50
d n b g t	it to left and right hand mounting delivery complete pree mounted with mirror glas material: ABS plastic plack bracket and antrazit mirror case good locking mirror with acceptable quality and low price wo different mounting panel and mounting screws are included one or two pieces will be needed			
	<u>Nindow crank, complete</u> Plastic crank, latest model for mounting at the passenger compartment.	Prod.No.	1150	8,90
V n	it to the driver and co driver side naterial PVC, black Set consist of 1x Window crank and 1x rose			
	priginal spare part			
o <u>Window lifter, right</u>	riginal spare part rabant 601 an 1,1 codriver side.	Prod.No.	7120	32,07

Trabant 601 > Spare parts > Body > Engine compartment



Aluminium joint for engine bonnet, complete	Prod.No.	403	4,89
only this part in aluminium (see picture)			



4

ĩ

black rubber hose , fresh air 80x550 Prod.No. 709 9,55 connection hose between radiator-dummy and heating mixing chamber inside the engine compartment. The rubber hose ferried the fresh air to the car. It fit to all Trabant 601 models from april 1973.

material: rubber diameter: 80 mm lenght: 550 mm one piece will be needed

Black rubber hose , hot air 80x300mm

Prod.No. 7125 5,50

Connection hose between heating silencer and heating mixing chamber inside the engine compartment. The rubber hose ferried the hot air to the car. It fit to all Trabant 601 models from april 1973.

material: rubber diameter: 80mm lenght: 300mm one piece will be ne	eeded			
<u>Bonnet prop</u> Trabant 601 bonne	t prop. Delivery without mounting pins.	Prod.No.	402	8,50
Bonnet reinforcer	ment	Prod.No.	398	89,99
	Bowden cable for bonnet look Bonnet opener cable is mounted at the one side with an screw joint at the hand thru the bulkhead left side down under the instrument panel. lenght comlete: 1540 mm lenght of bowden cable: 1385 mm diameter of steel wire: 1,5 mm diameter bowden cable: 5,5 mm scope of delivery without plastic opener one piece will be needed	Prod.No. bonnet look a	748 n on the	14,65 other
44	Button pad	Prod.No.	404	0,49
	Center part of grille assembly Grille assembly center part. This part is an repair-profile for weling in to th haed lamp holders front right and left hand. matreial: profiled sheet steel new produciton fit to all Trabant 601 and Trabant 1,1 one piece will be needed	Prod.No. le car body be	439 tween the	14,99 e two
<i>~</i>	<u>Clamp bolt for Steel bolt aluminium joint for engine bonnet</u> The raised countersunk-head screw M3 x 6 have to be mounted at the alu the steel pin. two pieces will be needed	Prod.No. joint for engin	6842 e bonnet	0,25 to fix

	Cover plate, left side for Trabant 601 connection sheet between grille assembly and front wheel house (left hand) incl. mounting point for bumper holder	Prod.No.	424	20,94
	material: formed metal plate delivery: basic varnished black made in EU one piece will be needed			
	Cover plate, right side for Trabant 601 connection sheet between grille assembly and front wheel house (right hand incl. mounting point for bumper holder	Prod.No.	425	20,94
	material: formed metal plate delivery: basic varnished black made in EU one piece will be needed			
	Dolphin pile for engine bonnet self-adhesive sound absorbing mat for engine bonnet	Prod.No.	6751	74,88
	with polyurethane surface coating colour: grey content: 2x mat with 500 x 1000mm (=1qm)			
	Engine bonnet Trabant 601 engine bonnet. Single part without isulation material and struttin Original spare part.	Prod.No. ng.	400	75,00
	eyebolt for for grille assembly Wing screw for mounting the grille assembly, fit to Trabant 601 and 1,1.	Prod.No.	81	1,00
	delivery without rubber ring original spare part two pieces will be needed			
Grille assembly, nach Verfügbarkei		Prod.No.	440	180,50
Side plate of engin	ngine compartment, left side ne compartment driver side. netal part for welding. Inclusive flume, mounting bracket for head light and cable	Prod.No. e supports.	405	85,50
steel, basic colour, original spare part				
Side plate of engin	ngine compartment, right side ne compartment codriver side. netal part for welding. Inclusive flume, mounting bracket for head light and cabl	Prod.No. e supports.	406	85,50
steel, basic colour, original spare part				

	lock for engine bonnet	Prod.No.	395	15,60
	complete look for the Trabant 601 and Trabant 1,1 engine bonnet.			
	original spare part			
	middle front part	Prod.No.	6451	26,1
1.	middle front part for Trabant 601 (2-stroke)			
	primed sheet metal part without additional units (lock for engine bonnet,	radiator grill)		
	joint for engine bonnet ounting the engine bonnet joint at the car body (water drain)	Prod.No.	6846	0,2
delivery inclusive w two pieces will be r galvaniced				
3	Mounting corous under frame	Drad Na	6746	1.0
	<u>Mounting screw under frame</u> Mounting bolt for the connection between underframe and front transvers Scope of delivery inclusive external teeth lock washer and nut.	Prod.No. se member.	6746	1,8
	grade: 10.9 surface: galvaniced for the Trabant 500,600,601 will be 6 pieces needed for the Trabant 1,1 will be four pieces needed			
	Rubber for eyebolt for for grille assembly	Prod.No.	7279	0,2
0	Rubber washer for the wing screw for mounting the grille assembly, fit to two pieces will be needed	Trabant 601 ar	nd 1,1.	
•	Rubber grommet for tachometer shaft rubber grommet for flexible speedometer shaft fit to all variants of Trabant 601 and 1.1	Prod.No.	6734	1,7
	inner diameter: 7,5 mm for hole diameter of: 25 mm thickness: 7,5 mm one piece will be needed			
0	Rubber membrane plug for holes with diameter of 20,5mm Membrane plug made of black rubber (Polychloropren) to shut round service holes) or as variable cable grommet seal for some wires (also wi		6797 oodys (suc	1,0 h as
	fit to hole diameter of 20,5 mm inner diameter of membrane (max. usable diameter): 13,5 mm outer diameter (total): 25 mm thickness: 7 mm			
Membrane plug m	ne plug for holes with diameter of 25mm ade of black rubber (Polychloropren) to shut round holes in car bodys nmet seal for some wires (also with plugs)	Prod.No. (such as servic	7625 ce holes) o	1,2 or as
fit to hole diameter inner diameter of m outer diameter (tota thickness: 7 mm	nembrane (max. usable diameter): 18,5 mm			



Rubber membrane plug for holes with diameter of 37mmProd.No.67991,75Membrane plug made of black rubber to shut round holes in car bodys (such as service holes) or as
variable cable grommet seal for some wires (also with plugs)1,75

fit to hole diameter of 37 mm inner diameter of membrane (max. usable diameter): 29 mm outer diameter (total): 44 mm

Steel bolt for Aluminium joint for engine bonnet	Prod.No.	6841	0,74
Pin for connection between adjusting bolt engine bonnet and alu joint for engine bonnet.			

two pieces will be needed



 Under-frame
 Prod.No.

 regenerated under-frame (sandblasted and varnished)
 Prod.No.

colour: black

Trabant 601 > Spare parts > Body > inner room



<u>Ashtray for dashboard</u> Prod.No. 6179 25,50 Ashtray box as original spare part fit to Trabant 601 (not useable for the old dashbord type) and Trabant 1.1.



ashtray for inside cladding new original part Prod.No. 6180 19,69

Prod.No. 7849

Prod.No. 7127

445

98,36

15,47

22,36



Coat hook and retaining strap

The hook and the retaining band for the rear passengers. Mounted at the B-pillar at the driver and codriver side. scop of delivery:

1x hook 1x retainer 1x retaining strap 1x mounting screw Original-IFA-spare part




Foot lever clutch

Foot lever for the mecanical actuated cluch system of the Trabant 601 and 1,1.

fit to Trabant 601 and Trabant 1,1

scope of delivery without Rubber lining for brake and clutch pedal-shaft one piece will be needed



release spring for pedal, old model release spring fit to brake pedal and clutch pedal of pedal unit length of the spring coil: 69mm diameter of the spring coil: 8mm total length of the spring: ca.160mm

total length of the sp	onng: ca. 160mm			
fit to Trabant 601 two pieces will be n	eeded			
\bigcirc	Rubber lining EU for brake and clutch pedal-shaft Rubber pad for the clutch and brake pedal.	Prod.No.	8013	3,95
	material: rubber, black made in EU worse qulity two pieces will be needed			
	Rubber lining made in Germany for brake and clutch pedal-shaft Rubber pad for the clutch and brake pedal. New reproduction made in Germany in brilliant quality. Fit to many IFA cars like Trabant, P70/F8, Wartburg 311, Multicar	Prod.No.	184	8,57
	material: rubber, black made in Germany best quality two pieces will be needed			
\triangleleft	Spring clamp for cover plate, rear door station wagon Spring for coverplate air cooling housing Trabant two stroke motor and o wagon.	Prod.No. cover felt rea	1161 ar door sta	2,49 ation

material: matal, galvanized made in EU

Spring clip for interior lining

Prod.No. 1160 0,34



upper toothed segment front seat Prod.No. 6629 4,50 Seat segment with 3 teeth fit to the most Trabant 601 and 1,1 front seats. Mounting place: sidewards at the backrest, can be used for driver an codriver seats.

original spare part one piec will be needed

Trabant 601 > Spare parts > Body > rear door estate car



Prod.No. 512 8,50 Hinge rear door, left side Tailgate hinge complete component, aluminium. Made in Hungary, the qualtiy does not compare to the original ones (worse)

Trabant Universal driver side one piece will be needed



<u>Hinge rear door, right side</u> Tailgate hinge complete component, aluminium. Made in Hungary, the quality does not compare to the original ones (worse)

Trabant Universal codriver side one piece will be needed



 Lock unit for Rear door (station wagen)
 Prod.No.
 6136
 15,20

 This lock will be mounted at the Trabant Universal inside of rear door. It is applied by the door hinge.

original spare part one piece will be needed

<u>Rear door (station wagen)</u>	Prod.No.	510	115,55
Rear door for the Trabant Universal. Scope of delivery: single part, without additional mounting	parts.		

band new original spare part

surface: basic colour



1	Rubber section for rear door black cellular rubber (sponge rubber) section for tailgate of Trabant (601 and	Prod.No. 1.1)	517	19,79
	length: 3,50 Meter German product			
0	Spare key, copy from your original The original key have to be send to our company in advance. Not for all key types possible.	Prod.No.	1340	15,50




0	<u>Spare key, copy is made from yor key number</u> Production of an spare key for door, ignition or fuel cap looks and so on You have to tell us your key number per email, fax or letter. Keys for the vehicles: Trabant, Wartburg, W50, Barkas LO, LD Multicar usw.	Prod.No.	1341	15,50
	delivery time about one to two weeks all Trabant keys possible			
	Spring clamp for cover plate, rear door station wagon Spring for coverplate air cooling housing Trabant two stroke motor and co wagon.		1161 r door stat	2,49 tion

material: matal, galvanized made in EU



Trabant 601 > Spare parts > Accessories

	Brass cover for exhaust, chromium-plate Universal cover for exhaust, chromium-plate 48 x 120 mm, round-convoluted-transversal cuted fit to pipe diameter 24 - 48 mm	Prod.No.	6302	19,24
	Brass cover for exhaust, chromium-plate, angular Universal brass cover for exhaust, chromium-plate 70 x 57 x 145 mm, angular-transversal cuted fit to pipe diameter 30 - 50 mm for all Trabant	Prod.No.	6301	14,99
	Bulb retainer display instruments Holder for bulbs as an checked secound hand part. Can be used for nearly a Type with contact pin for wire plug: 6,3x0,8 (standart) Useabe for bulbs 6V, 12V oder 12V 2W with Ba7S base as speedome indecator lights.			2,50 / and
	checked secound hand part delivery without bulb original part			
E a	Bulb retainer display instruments, screw pin Holder for bulbs with screw pin for wire connection. Can be used for nearly a Type with contact for screw connection: up tp 1,5 mmm ² . Useabe for bulbs 6V, 12V oder 12V 2W with Ba7S base as speedome indecator lights.			3,90 / and
	new spare part delivery without bulb			
	Cap for water vessel for windscreen washer system Plastic cap with mounting sprap for the water bottle of the windscree The plug close up the refilling hole. To use at many reservoir bottles with electrical or mechanical pump. fit to follow washer systems: Trabant 601, Trabant 1.1, Wartburg 1.3, Wartburg 353, Multicar, W5			4,75
	<u>car jack</u>	Prod.No.		20,00
7-	original car jack for wheel changing on the way not used and like a new one incl. transport bag a must for every Trabant which is reproduced in facsimile			
	Fuel dip stick Fit to all Trabant with two stroke engine.	Prod.No.	1111	2,55
	material: plastic, black scaling: 2-24 liter length: 28 cm made in EU			
	<u>Fuel tank plug with trademark (S), polished</u> Plug for Trabant 500,600,601 with stamped trademark. Super quality material: aluminium, polished	Prod.No.	1241	23,40
	made in EU			



delivery inclusive 2x mounting metal strips set consist of two pieces dimension: 20 x 20 cm, thickness: 5 mm material: rubber, black one set will be needed

	Number plate holder with printed trademark black/blue	Prod.No.	1301	9,10
	Number plate holder with printed trademark black/orange	Prod.No.	1302	9,10
-r- L-J - J - L-J	Number plate holder with printed trademark black/white	Prod.No.	1303	9,10
Number plate ho	Ider with printed trademark white/blue	Prod.No.	1300	9,10
	Plastic cap for wheel nut Cap for wheel nuts and wheel bolts with a spanner gap of 19 mm. Type with additional collar and hemisphere.	Prod.No.	1085	0,45
	single part PVC, black for each car 16 pieces will be needed			
	Plastic cap for wheel nut plastic cup for wheel nuts for all wheel nuts and wheel bolts with a spanner gap of 19mm	Prod.No.	6438	0,95
	Material: plastic, black same shape like original plastic cup for wheel nuts of Trabant 601 for each wheel, 4 pieces will be needed			
	Plastic cap for wheel nut, chrom effect (set of 16 pieces) plastic cup for wheel nuts for all wheel nuts and wheel bolts with a spanner gap of 19mm	Prod.No.	6430	9,44
	set of sixteen pieces made of chromed plastic made in EU			
	<u>Plastic cap for wiper arm</u> Sealing cap (single part) for the mounting place of the wiper arm. Fit to CZ models Trabant, Wartburg and B1000. Can be used for screw joints spanner gap SW 13.	Prod.No.	7440	0,10
	material: plastic, black original spare part two pieces will be needed for models of Limousine station wagons will need three of this spare part			
	Plastic cap set for wheel nut, black cheapest type of plastic cap for all wheel nuts with a spanner gap of 19mm	Prod.No.	6366	5,31
	material: made of black plastic set consist of 20 pieces			
	The grip of the plastic cups on the wheel nuts is not the best. Additionall r instance: adhesive lubricant, Art.No. 6255 or better universal housing s 6258).			

	Plastic cap set for wheel nut, chrome cheapest type of plastic cap for all wheel nuts with a spanner gap of 19mm	Prod.No.	6367	5,64
	made of chromed plastic set consist of 20 pieces			
	The grip of the plastic cups on the wheel nuts is not the best. Additionall ministance: adhesive lubricant, Art.No. 6255 or better universal housing se 6258).			
	Replacement glass for RETRO rear fog lamp Red glass as spare part for our RETRO fog light	Prod.No.	7136	19,99
APPELLING STORE	material: red glass made in Germany			
	Replacement glass for RETRO reverse lamp Red glass as spare part for our RETRO reverse indication lamp	Prod.No.	7137	8,93
	material: clear (white) glass made in Germany			
	Retro back up lamp for rear bumper Chromed back up light for the mounting on top of the bumber. The lamp made of high end fabrication and the design fit brilliant to historical	Prod.No. cars.	6876	77,71
Ŧ	colour: chromium-plated casing, clear glass size: 11 x 5,5 cm delivery without bulb made in Germany			
	Retro licence plate lights Chromed reversing registration plate light. Mounting with two M6 nuts. The lamp made of high end fabrication and the design fit brilliant to historical	Prod.No.	7989	12,87
	colour: chromium-plated casing, clear lense size: L=82mm x B=29mm x H=27mm bolt distance: 45mm delivery without bulb made in Europe			
	Retro rear fog lamp for rear bumper Chromed reversing fog light for the mounting on top of the bumber. The lamp made of high end fabrication and the design fit brilliant to historical	Prod.No. cars.	6877	93,28
f	colour: chromium-plated casing, red glass size: 11 x 5,5 cm delivery without bulb made in Germany			
	Spare key, copy from your original The original key have to be send to our company in advance. Not for all key types possible.	Prod.No.	1340	15,50



Spare key, copy is made from yor key number Prod.No. 1341 15,50 Production of an spare key for door, ignition or fuel cap looks and so on... You have to tell us your key number per email, fax or letter. Keys for the vehicles: Trabant, Wartburg, W50, Barkas LO, LD Multicar usw.

delivery time about one to two weeks all Trabant keys possible



Spare Part Catalogue for Trabant 601, germ./ english

25,00 Prod.No. 1330

Prod.No. 7739

14,83

Splint-pin set, 555 pices Splint-pin set, complete with clear plastic box. Consist of 555 differnt splint diameters and sizes. Electrogalvanized, DIN 94. scope of dlivery:

1,6 x 32 (150 pieces) 2,4 x 25 (150 pieces) 2,4 x 38 (100 pieces) 3,2 x 32 (75 pieces) 3,2 x 50 (50 pieces) 4,0 x 64 (30 pieces)

100

<u>Splint-pin set, complete with metal box</u> Splint-pin set, complete with metal box.Consist of 1150 dif Electrogalvanized, DIN 94. scope of dlivery:	ifernt sp	Prod.No. lint diameters	1342 and	72,35 sizes.
1,6 x 32 (100 pieces) 2 x 22 (100 pieces) 2 x 32 (100 pieces) 2 x 40 (100 pieces) 3,2 x 20 (100 pieces) 3,2 x 32 (100 pieces) 3,2 x 40 (100 pieces) 4 x 32 (100 pieces) 4 x 50 (100 pieces) 5 x 40 (50 pieces) 5 x 50 (50 pieces)				
 Suction pump for windscreen washer Mechanical operating pump for the windshield cleaning system. Fit to Trabant 500, 600 and 601. original spare part		Prod.No.	1126	12,20
delivery pree mounted part inclusive attachment nut				
 T-Shirt *LDM-Tuning*, white white T-Shirt made of 100% cotton printed lettering on front- and back-side		Prod.No.	6425	11,99
size: M				



Universal boot kit Prod.No. 7010 Bellows for many exertions at automobiles, trailers, caravans and ships ... size:

length:19cm diameter:10mm / 30mm length:23cm diameter: 35mm / 35mm length:15cm diameter:30mm / 42mm length:13cm diameter:41mm / 48mm length:12cm diameter:41mm / 55mm different length and diameter combinable length of the bellow pice: 95mm



Wiper blade (270mm)

models).

Prod.No. 1118 5.00 Wiper blade single part. Fit to al older wiper types of the Trabant 500, 600 or 601 (does not fit to CZ

Prod.No. 1284

Prod.No. 1283

14,99

5,72

5.72

5,72

length: 270 mm material: treaded rubber original spare part delivery without mounting parts two pieces will be needed

Trabant 601 > Spare parts > Accessories > Badges



Badge with trademark * IFA *, blue Prod.No. 1285 badge *IFA*

background colour: blue quatrate footpoint (14 x 14mm)



Badge with trademark * S *, blue badge with silver trademark "S" for "Sachsenring" and blue background

diameter: 20mm



Badge with trademark * S *, silver silver trademark "S" for "Sachsenring"

diameter: 13mm



Badge, trademark * Trabant * black lettering "Trabant" on silver background Prod.No. 1280 5,72

length of lettering: 26mm hight of lettering: 3mm





silver trademark "S" and lettering "Trabant" on red background

39,39

dimensions (W x H): 16mm x 16mm

Trabant 601 > Spare parts > Accessories > Carpet set



Carpet set, front and rear carpet with printed trademark * Trabant *, bRred.No. 1311

Carpet set, front and rear carpet with printed trademark * Trabant *, green No. 1314 39,39







Carpet set, front and rear carpet with printed trademark * Trabant *, silPerd.No. 1310 39,39



Carpet set, front and rear carpet with printed trademark * Trabant *, yellow No. 1312



39,39



Fitted carpet front, Negro anthrazitProd.No.684843,33Elaborate made and exactly cuted carped for the Trabant 601 from vintage 1984 (without mechanical
high beam switch).1984 (without mechanical

good replacement for the original carpet material: Typ NEGRO solid needle fleece, with rubber bottom and fringe made in Germany



Fitted carpet front, Nobless blackProd.No.684959,00Elaborate made and exactly cuted carped for the Trabant 601 from vintage 1984 (without mechanical
high beam switch).1984 (without mechanical

good replacement for the original carpet material: typ NOBLESS high quality soft velours, with rubber bottom and fringe made in Germany



Rubber carpet front, blackProd.No.685059,00Elaborate made and exactly cuted carped for the Trabant 601 from vintage1984 (without mechanicalhigh beam switch).

material: corrugated rubber, with nonslip bottom and fringe made in Germany



 Rubber carpet rear boot, station wagon, coil spring
 Prod.No.
 7277

 Elaborate made and exactly cuted carped for the Trabant 601 Universal boot.
 7277



material: corrugated rubber, with nonslip bottom and fringe made in Germany

Rubber carpet rear boot, station wagon, leaf springProd.No.729668,50Elaborate made and exactly cuted carped for the Trabant 601 Universal boot.

material: corrugated rubber, with nonslip bottom and fringe made in Germany

Trabant 601 > Spare parts > Accessories > Key fob, Key figure



 Key figure, round, emblem * S *, red
 Prod.No.
 1272
 12,77

 key fob with a small and a bigger emblem "S" with backgroundcolour black
 12
 12,77



Key figure, round, tradmark * S *, blue key fob with a small and a bigger emblem "S" with backgroundcolour blue	Prod.No.	1274	12,77
Key figure, round, tradmark * S *, green key fob with a small and a bigger emblem "S" with backgroundcolour green	Prod.No.	1275	12,77

Key figure, round, tradmark * S *, grey

12,77

Prod.No. 1271

68,50

	anon photo. http://www.ann taning.ac Decanon and on oneoizorei			
Q ^{Cas} (k)as	Key figure, round, tradmark * S *, white key fob with a small and a bigger emblem "S" with backgroundcolour white	Prod.No.	1276	12,77
Ctanose 🕼	Key figure, round, tradmark * S *, yellow key fob with a small and a bigger emblem "S" with backgroundcolour yellow	Prod.No.	1273	12,77
Comme Co	Key figure, Trabant, blue	Prod.No.	1268	15,64
Correction (C)	Key figure, Trabant, green	Prod.No.	1269	15,64
Como C	Key figure, Trabant, grey	Prod.No.	1265	15,64
1000000000000000000000000000000000000	Key figure, Trabant, red	Prod.No.	1266	15,64
000 south 100	Key figure, Trabant, white	Prod.No.	1270	15,64
Source C	Key figure, Trabant, yellow	Prod.No.	1267	15,64
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Key holder with clutch- and handbrake levers key holder with small silver clutch- and handbrake levers	Prod.No.	6154	5,99
	material: aluminium length of levers: 5cm			
the second secon	Key holder with crank-shaft, blue key holder with silver crank-shaft and conrod material: aluminium colour: blue	Prod.No.	6149	5,99
X	Key holder with crank-shaft, red key holder with silver crank-shaft and conrod material: aluminium colour: red	Prod.No.	6148	5,99
a contraction	Key holder with crank-shaft, silver key holder with silver crank-shaft and conrod	Prod.No.	6147	5,99
	material: aluminium colour: silver length of crank shaft: 4,5cm			
and the second	Key holder with LED spark plug, red key holder with red spark plug	Prod.No.	6153	7,45
<i>"</i>	material: aluminium with red LED instead the electrode			

length of spark plug: 5cm

CHERREN	Key holder with LED spark plug, yellow key holder with red spark plug	Prod.No.	6152	7,45
Ser 30	material: aluminium with red LED instead the electrode length of spark plug: 5cm			
-	Key holder with open-end wrench key fob with a small adjustable open-end wrench (0-10mm)	Prod.No.	6143	5,99
A Composition	Key holder with smiley-piston, blue key holder with conrod and piston smiley on piston top	Prod.No.	6146	5,99
	material: aluminium colour: blue length (piston + conrod together): 4cm			
A MARKED	Key holder with smiley-piston, red key holder with conrod and piston smiley on piston top	Prod.No.	6145	5,99
	material: aluminium colour: red length (piston + conrod together): 4cm			
1 O	Key holder with smiley-piston, yellow key holder with conrod and piston smiley on piston top	Prod.No.	6144	5,99
	material: aluminium colour: yellow length (piston + conrod together): 4cm			
A CON	Key holder with suspension strut, red key holder with suspension strut red spiral spring	Prod.No.	6151	5,99
	Key holder with suspension strut, yellow key holder with suspension strut yellow spiral spring	Prod.No.	6150	5,99
Contraction of the second				

# Trabant 601 > Spare parts > Accessories > Letterings and Trademarks

<u>Clip for trademark</u> Mounting Clip for letterings.	Prod.No.	1258	0,19
Material: PVC price for each piece made in Europe			

trata	Rear lettering for the Trabant with the letters in original written script.	Prod.No.	1255	2,56
	Trabant material: plastic, black 3 fitted pins for mounting delivery without plugs original spare part			
Timeder	Rear lettering for the Trabant with the letters in original written script.	Prod.No.	7072	4,90
	Trabant material: plastic with chromium plated surface 3 fitted pins for mounting delivery with plugs original spare part			
G	Standing trademark * S * for engine bonnet Plastic trademark as replacement for the original engine bonnet plastic S. The screw connection.	Prod.No. e mounting car	1253 n be by c	10,83 clue or
ð	material: plastic, black delivery without mounting parts made in EU			
$\bigcirc$	Standing trademark * S * for engine bonnet, stainless steel, polished, constainless steel trademark as replacement for the original engine bonnet plastic Mounting by means of a bolt. The mark is kept by an spring, so it can be moved	S.	1254 d back si	52,08 ide.
<b>F</b>	material: VA, polished delivery inclusive mounting parts made in EU			
6-0	Rear lettering for the Trabant with the letters in original written script.	Prod.No.	1256	2,21
	601 material: plastic, black 2 fitted pins for mounting delivery without plugs original spare part			
6-0-1	Rear lettering for the Trabant with the letters in original written script.	Prod.No.	1257	2,21
	601_S material: plastic, black 2 fitted pins for mounting delivery without plugs original spare part			



Trademark * 601 S * chromin-plated

Rear lettering for the Trabant with the letters in original written stile.

Prod.No. 7074 4,55

601_S material: plastic with chromium plated surface 2 fitted pins for mounting delivery with plugs

de Luxa	Final Arrow Trademark * de luxe * Rear lettering for the Trabant with the letters in original written script.	Prod.No.	1250	2,56
	de_luxe material: plastic, black 3 fitted pins for mounting delivery without plugs original spare part			
and all all the	<u>Trademark * de luxe * chromium plated</u> Rear lettering for the Trabant with the letters in original written script.	Prod.No.	7073	4,90
	de_luxe material: plastic with chromium plated surface 3 fitted pins for mounting delivery with plugs			
	Trademark * S * for engine bonnet, PVC, black Trabant tradmark at the engine bonnet.	Prod.No.	1251	2,69
	S-symbol material: plastic, black 2 fitted pins for mounting made in Europe			
	Trademark * S * for engine bonnet, PVC, chromium-plated Trabant tradmark at the engine bonnet.	Prod.No.	7075	5,38
Ø	S-symbol material: plastic with chromium plated surface 2 fitted pins for mounting made in Europe			
	Trademark * S * for engine bonnet, stainless steel, polished High quality trademark made of stainless steel as replacement for the engine bonnet. Mounted with two tap bolts.	Prod.No. original plastic	1252 one. Fit t	27,73 to the
0	S-symbol material: VA, mirrorfinish made in EU			

## Trabant 601 > Spare parts > Accessories > valve caps



valve cap skull - one pair silver skull with red eyes

scope of delivery: 2 pieces height: 2cm inclusive mounting brass bushing

Prod.No. 6166

Prod.No. 6164



valve cap, hexagon with ball, blue material: anodized aluminium {L[scope of delivery: 2 pieces][heigth : 1,5 cm][colour : blue price for 1 pair (2 pieces) 5,79

4,79

	valve cap, hexagon with ball, red material: anodized aluminium scope of delivery: 2 pieces heigth : 1,5 cm colour : red	Prod.No.	6165	4,79
	heigth: 1,5 cm			
	heigth: 1,5 cm			
	colour . red			
	<u>valve cap, hexagon with ball, silver</u> material: anodized aluminium	Prod.No.	6167	4,79
	{L[scope of delivery: 2 pieces][heigth : 1,5 cm][colour : silver			
	price for 1 pair (2 pieces)			
	valve cap, hexagon, blue	Prod.No.	6172	4,79
	material: anodized aluminium	r rounto.	0112	1,1 0
	colour : blue with two silver stripes			
	heigth : 1,7 cm			
1	price for 1 pair (2 pieces)			
	valve cap, hexagon, red	Prod.No.	6171	4,79
	material: anodized aluminium			
	colour :red with two silver stripes heigth :1,7 cm			
	price for 1 pair (2 pieces)			
	valve cap, hexagon, silver	Prod.No.	6173	4,79
	material: anodized aluminium			
	colour : silver			
	heigth : 1,7 cm			
	price for 1 pair (2 pieces)			
	valve cap, piston, blue	Prod.No.	6169	4,79
	valve cap looks like a piston			
	material: anodized aluminium colour : blue with two silver stripes			
	heigth : 1,4 cm			
	price for 1 pair (2 pieces)			
	valve cap, piston, red	Prod.No.	6168	4,79
	valve cap looks like a piston			
	material: anodized aluminium			
	colour :red with two silver stripes heigth :1,4 cm			
	price for 1 pair (2 pieces)			



valve cap, piston, silver valve cap looks like a piston material: anodized aluminium colour : silver heigth : 1,4 cm

price for 1 pair (2 pieces)

## Trabant 601 > Tuning parts



Tuning rear-view mirror, black Prod.No. 6777 24,50 Universal tuning mirror with arodynamic shape

fit to left and right hand mounting delivery complete pree mounted with mirror glas material: ABS plastic black bracket and antrazit mirror case good locking mirror with acceptable quality and low price two different mounting panel and mounting screws are included one or two pieces will be needed

## Trabant 601 > Tuning parts > Engine



<u>Air filter</u>	Prod.No.	7228	9,85
Paper filter fit to all 2-stroke engines of Trabant without vintage limit.			
Best qualiy from Germany			
inside diameter:65mm			
outside diameter:105mm			
length:153mm			
Made in Germany			
with expanded metal as cover (no paperboard with holes) for better air flow	1		
one piece will be needed			

Air filter K&N Prod.No. 7288 Filterinsert made by K&N. Usealbe for an long period, because the filter can be cleaned by washing.

Made in Germany one piece will be needed



ß	Brake pipe spanner 10-11mm angled Special tool for mounting or demounting of screw-cap for brakelines. type: level angleded Fit to brake screws SW10 and SW11.	Prod.No.	7702	21,30
G	Brake pipe spanner 10-11mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW10 and SW11.	Prod.No.	7703	10,47
C	Brake pipe spanner 12-13mm, straight Special tool for mounting or demounting of screw-cap for brakelines.	Prod.No.	7992	14,26



type: sraight Fit to brake screws SW12 and SW13.

59,59

		brake-cleaner 600ml quick-cleaner for brake and clutch parts	Prod.No.	6252
		FCKW free volume: 600 ml type: AD delivery as an single spray		
		aner 660ml ner for brake and clutch parts	Prod.No.	7898
	FCKW free volume: 66 typ: X-trem delivery as	0 ml		
		Brake-cleaner, one packing unit, 12x Sprayer 600ml Complete packing unit quick-cleaner for brake and clutch parts	Prod.No.	7033
		FCKW free content: 12x sprayer with volume of 600 ml		
	ase for 45	hp 30mm, Inlet timing modificatet and polished, modificated rotary slide.	Prod.No.	6632
C		Fly wheel, less weight Fly wheel for Trabant tow stroke race engines. spare part is complete modificated	Prod.No.	6636

weight:3,98 kg Please choose at the window below your sealing system to the crankshaft (piston ring or radial selaing)

gear box adapter for Wartburg engine



T

Modification fly wheel for Wartburg engine-Trabant gearboxProd.No.6830148,87Upgrade band wheel for the modification of the Trabant 601 with 353 Wartburg engine.For more informations to this exchange part please use the Detail button.For more informations to this exchange part please use the Detail button.For more informations to this exchange part please use the Detail button.

Nozzle reamers set 12 parts Prod.No. 7890 28,77 One kit of reamers for adjusting your carburettor nozzles for your induvidual engine setup. Best use for braas nozzles. Can be used for upgrades and for tuning. Ideal for Young- and Oldtimer. Set consist of:

11 pieces light conical reamers for diameter 0,6mm - 1,90mm (60-190) 1 piece of holder 2,93

2,64

31,80

450,00

121,00

356.05

Prod.No. 6100

One paar or Tra	<u>r cylinder with three channels, one paar</u> bant 601 cylinders with additional 3. Kanal. y inclusive two cylinder heads. be about 45 hp.	Prod.No.	6633	866,0
-	<u>purettor Jijkov</u> ication of the Trabant 601 engine to Wartburg 353 engine. carburettor type Jijkov	Prod.No.	6101	59,0
rabant 601 > `	Tuning parts > Engine > Exhaust system         0,5 m pipe, diameter: 45mm *stainless steel*	Prod.No.	6465	19,9
	ideal for self-made stainless steel exhaust systems or for repair of existing			
	universal pipe bend with an outer diameter of 45mm length total: 0,5 m one side widened (inside diameter = 45mm)			
	<u>1m pipe, diameter: 45mm *stainless steel*</u> ideal for self-made stainless steel exhaust systems or for repair of existing	Prod.No. g defective exh	6464 naust pipe	27,9 es
	universal pipe bend with an outer diameter of 45mm length total: 1 m one side widened (inside diameter = 45mm)			
	Aftermuffler with 2 pipes fit to the original exhaust system of Trabant with two stroke engine.	Prod.No.	2003	73,8
	Brass cover for exhaust, chromium-plate Universal cover for exhaust, chromium-plate 48 x 120 mm, round-convoluted-transversal cuted fit to pipe diameter 24 - 48 mm	Prod.No.	6302	19,2
	Brass cover for exhaust, chromium-plate, angular Universal brass cover for exhaust, chromium-plate 70 x 57 x 145 mm, angular-transversal cuted fit to pipe diameter 30 - 50 mm for all Trabant	Prod.No.	6301	14,9
$\cap$	Clamp D=48mm universal-clamp for exhaust pipe D=48mm	Prod.No.	4005	1,4
	<ul> <li>2 pieces will be needed for Wartburg 353 (two stroke) (Pre-silencer - connection pipe - Exhaust aftermuffler)</li> <li>2 pieces will be needed for Barkas B1000 (two stroke) (Pre-silencer - connection pipe - Exhaust aftermuffler)</li> <li>1 piece will be needed for Trabant (Tuning pre-silencer - Tuning connection pipe )</li> </ul>			
	Complete set, tuning pre-silencer and connection-pipe	Prod.No.	2002	155,0
	Connection - pipe for tuning pre silencer	Prod.No.	2001	66,9
	length: 2,00 m diameter: 45mm			

•				
	heat protection ribbon	Prod.No.	6475	89,90
	ribbon made of heat resistant fabric			
	to lag hot exhaust pipes to protect flanking parts			
((0))				
	width: 50 mm			
	length: 15 m			
	mounting hook for exhaust parts *stainless steel*	Prod.No.	6463	6,73
	hook to mount on exhaust systems or on underside	1100.110.	0403	0,7
	to make retainer for selfmade exhaust systems or for repair of defectiv	ve retainer hooks		
	usable in tandem with rubber exhaust retainer (Art.No.: 38)			
pipe bend 15° p	ipe-diameter: 45mm *stainless steel*	Prod.No.	7193	28,99
	e stainless steel exhaust systems			,_,
universal pipe be	nd with an outer diameter of 45mm			
15° bent piece of				
	(inside diameter = 45mm)			
			7405	
	ipe-diameter: 45mm *stainless steel*	Prod.No.	7195	28,99
ideal for self-mad	e stainless steel exhaust systems			
and a second address to a	a da si the second and the second and <b>f</b> of <b>F</b> as an			
	nd with an outer diameter of 45mm			
30° bent piece of				
one side widened	(inside diameter = 45mm)			
	pipe bend 45° pipe-diameter: 45mm *stainless steel*	Prod.No.	7194	32,99
	ideal for self-made stainless steel exhaust systems			
	universal pipe bend with an outer diameter of 45mm			
	45° bent piece of pipe			
	one side widened (inside diameter = 45mm)			
	pipe bend 60° pipe-diameter: 45mm *stainless steel*	Prod.No.	6460	34,99
a lot in the lot of th	ideal for self-made stainless steel exhaust systems	1100.110.	0400	54,53
	ideal for self-made stalliess steer exhaust systems			
	universal pipe bend with an outer diameter of 45mm			
	60° bent piece of pipe			
	one side widened (inside diameter = 45mm)			
-	pipe bend 90° pipe-diameter: 45mm *stainless steel*	Prod.No.	6461	38,99
A Designation of the local division of the l	ideal for self-made stainless steel exhaust systems			
	universal pipe bend with an outer diameter of 45mm			
	90° bent piece of pipe			
	one side widened (inside diameter = 45mm)			
	ning alamp 45mm *atainlags staal*	Dred Ma	6460	A (7)
	pipe clamp 45mm *stainless steel*	Prod.No.	6462	4,5
	pipe clamp made of stainless steel strip			
	for exhaust pipes with an outer diameter of 45mm			
The second se	and the number of standard standard and a standard stand			


ideal for our universal parts of stainless steel exhaust pipes

1

pipe clamp D=48,5mm universal-clamp for exhaust pipe D=48mm

90,67


made of 2mm steel strip zinc-coated width: 25mm
2 pieces will be needed for Wartburg 353 (two stroke) (Pre-silencer - connection pipe - Exhaust aftermuffler)
2 pieces will be needed for Barkas B1000 (two stroke) (Pre-silencer - connection pipe - Exhaust aftermuffler)



Tuning Pre - silencerProd.No.2000tuning pree-selincer for Trabant two stroke engine up to 36 hp.Prod.No.2000

## Trabant 601 > Tuning parts > Engine > crankshaft

## Trabant 601 > Tuning parts > Engine > sport-clutch



For more informations to this exchange part please use the Detail button.

## Trabant 601 > Tuning parts > Engine > Carburettor

(32)

BING carburettor type 84Prod.No.tuning carburettor made by BING in GermanyType 84Cross-draught slide carburettor with part-load needle jet control and idling system.Starting carburettor with the housing made in aluminium (light weight).bore size: 30 mm (by request also with a bore size of 28 mm and 32 mm)Mounting on the engine by a push-on connection (by request also with clamped connection)

6447

132,00

7,99

30,00

Prod.No. 7170

CarbCarburettor tuning D=28mm, only for HB-type, you have to send your own carburettor main body to our company.	Prod.No.	2004	55,00
Carburettor tuning D=*30* Trabant 601 tuning carburetor (HB-type) complete overhauled with modified nozzle. Bore 29,50r	Prod.No. nm.	2005	195,00
Complete Tuning D=28mm Complete Tuning Carburettor HB-type, overhauled with modified nozzle.	Prod.No.	2006	161,94



Gasket kit Trabant engineProd.No.7501Set to seal the Trabi engine.Good use after repairing or total overhauling of the engine block.Scope of delivery:

Two pieces of exhaust manifold gaskets Two pieces of cylinder head packing Two pieces of Cylinder base packing Two pieces of gasket for carburettor flange One piece of seal for bearing cover crank shaft

<u>Throttle valve tuning carburettor</u> Spezial produced butterfly valve. Please note: we need the size for 1/10 mm precisely. Trabant 601 tuning carburetor (HB-type).

# Trabant 601 > Tuning parts > Engine > Ignition



Characteristic curve ignitionTrabant 600cm3Prod.No.2020350,00Tuning ignition with characteristic line for Trabant with 2 stroke engine.This ignition is programable for a lot of different ignition curves.This ignition is programable for a lot of different ignition curves.This ignition is programable for a lot of different ignition curves.

should be used for engines with more as 36 hp for more details please dont hesistate to ask.

## Trabant 601 > Tuning parts > Brakes



bolt for brake suddle - carrier (VW2)Prod.No.670012,08guide-bolt set for bearing of brake suddle at suddle carrierfit to use in Trabant 601 (2-stroke) after alternation of brake system front axle from brake drum to discbrake system (VW)

new original spare part vom brake manufactur ATE for brake carrier with guide bolt thread M8 1x short bushing (L = 35mm) with suitable mounting bolt 1x long bushing (L = 45mm) with suitable mounting bolt one set will be needed for one brake suddle



bolt for brake suddle - carrier for type (VW1) Prod.No. 6708 11,66 guide-bolt set for bearing of brake suddle (VW1) at suddle carrier fit to use in Trabant 601 (2-stroke) after exchange of brake system front axle from brake drum to disc brake system (VW)

new original spare part vom brake manufactur ATE fit to small fist sbrake suddle VW I for brake carrier with guide bolt thread M8 2x bushings (L = 35mm) with suitable mounting bolt one set will be needed for one brake suddle



bolt for brake suddle - carrier/ disc brake adpater Prod.No. 6578 1.62 Special bolt to mount the suddle carrier at the disc brake adapter during a brake system exchange of front axle from original brake drum to disc brake system (VW) in Trabant 601 (2-stroke)

new original spare part 4 pieces will be needed also fit to front axle of VW Golf 1 with fist suddle

#### bolt for brake suddle down - carrier

Prod.No. 6581 1,41 Bolt for connection between brake suddle down and suddle carrier for brake disc for use in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake system (VW)

new original spare part 2 pieces will be needed

#### bolt for brake suddle up - carrier

Prod.No. 6580 1.44 Bolt for connection between brake suddle up and suddle carrier for brake disc for use in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake system (VW)

new original spare part 2 pieces will be needed

#### Bracket for Brake suddle

Prod No. 6551 54.90 Holder for brake suddle for use in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake system (VW)

fit to left and right brake suddle fit to both brake suddle types (VW1 and VW2) two pieces will be needed



Brake caliper for type VW 1 left hand (+30 Euro deposit) Prod.No. 6703 74,53 caliper for use in Trabant 601 (2-stroke) after exchange of brake system front axle from brake drum to disc brake system (VW)

complete left brake caliper ready for brake disc thickness of 10mm remanufactured spare part to exchange for the old one one piece will be needed



Brake caliper for type VW 1 right hand (+ 30 Euro deposit) Prod.No. 6704 74,53 caliper for use in Trabant 601 (2-stroke) after exchange of brake system front axle from brake drum to disc brake system (VW)

complete rightt brake caliper ready for brake disc thickness of 10mm remanufactured spare part to exchange for the old one one piece will be needed

<u>Brake disc 10r</u>	<u>mm</u> Prod.No. 6577 30,16
brake disc for us system (VW I)	se in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake
new original spard diameter 239 mm thickness: 10 mm two pieces will be	
	Brake disc 10mm (Brembo) brake disc for use in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake system (VW I)
	manufacturer: BREMBO diameter 239mm thickness: 10mm also fit to front axle of VW Polo 86C (engine: MH, 2G, NZ, AAV) two pieces will be needed
	Brake disc 12mm (BREMBO) Prod.No. 6656 18,45 brake disc for use in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake system (VW II)
	made by BREMBO diameter 239 mm thickness: 12 mm two pieces will be needed
	Brake disc - Power disc 12mm         Prod.No.         6653         34,27           brake disc for use in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake system (VW II)         34,27
	made by ATE diameter 239 mm thickness: 12 mm two pieces will be needed
	Brake suddle for type VW 2 left hand (ATE) Prod.No. 6710 121,80 brake suddle for use in Trabant 601 (2-stroke) after exchange of brake system front axle from brake drum to disc brake system (VW)
	complete left brake suddle ready for brake disc thickness of 12mm or 20mm original spare part made by ATE one piece will be needed also fit to many vehicle types from VAG, for instance Golf 2 /Jetta 19E 1,3 to 1,8 16V
	Brake suddle for type VW 2 right hand (ATE)       Prod.No.       6711       121,80         brake suddle for use in Trabant 601 (2-stroke) after exchange of brake system front axle from brake drum to disc brake system (VW)       6711       121,80
	complete left brake suddle

ready for brake disc thickness of 12mm or 20mm original spare part made by ATE one piece will be needed also fit to many vehicle types from VAG, for instance Golf 2 /Jetta 19E 1,3 to 1,8 16V ; Seat Ibiza 2 (6K1) / Cordoba (6K/C)



Brake suddle VW 2 left hand (original spare part VW) Prod.No. 6549 121.80 brake suddle for use in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake system (VW)

complete left brake suddle ready for brake disc thickness of 12mm and 20mm new original spare part new original spare part one piece will be needed



Brake suddle VW 2, right hand (original spare part VW)

Prod.No. 6550 121.80 brake suddle for use in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake system (VW)

complete right brake suddle ready for brake disc thickness of 12mm and 20mm new original spare part one piece will be needed



brake hose for brake suddle VW Prod.No. 6484 14,13 lengthened brake hose for use in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake system (VW)

length ca. 43 cm type of thread: M10x1 1x female thread 1x male thread with rubber grommet for brake hose bracket two pieces will be needed for one front brake

#### Brake pad (original spare part VW)

Complete set of disc pad for use in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake system (VW)

new original spare part inclusive 4 pieces one set will be needed



Brake pad set (ATE) 15,3mm (10mm + 20mm) Prod.No. 6709 38.00 Complete set of disc pad for use in Trabant 601 (2-stroke) after exchange of brake system front axle from brake drum to disc brake system (with 10mm brake disc and small brake suddle VW1 or with 20mm brake disc and big brake suddle VW2)

original spare part from brake manufactur ATE inclusive 2 pieces outside of disc, 2 pieces inside disc and 2 pair of springs one set will be needed



Brake pipe spanner 10-11mm angled Prod.No. 7702 Special tool for mounting or demounting of screw-cap for brakelines. type: level angleded Fit to brake screws SW10 and SW11.



## Brake pipe spanner 10-11mm, straight

Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW10 and SW11.

Seite 207 from 443

6579

54 52


21,30

10,47

Prod No

Prod.No.

7703





<u>Modification set for T601</u> Prod.No. 6712 710,00 Complete set for brake suddle for use in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake system (VW)

one set will be needed



Modification set rear axle 4x100mm Prod.No. 6661 199,00 Complete upgrading set for the Trabant rear axle with bolt circle 4 x 100 mm. Fit to all Trabant 500, 600, 601 without vintage delimitation. The set consist of:

2x stub axle 2x brake drum inklusive 8 x fitted wheel bolts, length 50 mm 2x special distance washer 2x washer 2x round nuts



# rubber repair set for brake suddle piston

rubber repair set for piston of brake suddle fit to use in Trabant 601 (2-stroke) after exchange of brake system front axle from brake drum to disc brake system (VW)

Prod.No. 6702

8.45

16,24

fit to fist brake suddle VW I (brake disc 239 x 10mm) and VW II (brake disc 239 x 12 or 239 x 20mm) 1x rubber sealing ring 1x rubber collar for dust protection one set will be needed for one brake suddle



<u>sleeve rubber repair set for brake suddle (VW2)</u> Prod.No. 6701 16, sleeve rubber repair set for guide-bolt holes of brake suddle fit to use in Trabant 601 (2-stroke) after alternation of brake system front axle from brake drum to disc brake system (VW)

new original spare part vom brake manufactur ATE fit to fist brake suddle VW II (brake disc 239 x 12 or 239 x 20mm) 1x rubber sleeve with plastic inlay 1x long rubber sleeve with plastic inlay this plastic inlay is important, some simple repair sets didn't have it one set will be needed for one brake suddle



<u>sleeve rubber repair set for brake suddle for type (VW1)</u> Prod.No. 6707 12,31 sleeve rubber repair set for guide-bolt holes of brake suddle fit to use in Trabant 601 (2-stroke) after alternation of brake system front axle from brake drum to disc

brake system (VW)

new original spare part vom brake manufactur ATE

fit to fist brake suddle VW I (brake disc 239 x 10mm) and VW II (brake disc 239 x 12 or 239 x 20mm) 1x rubber sleeve with plastic inlay

1x long rubber sleeve with plastic inlay

this plastic inlay is important, some simple repair sets didn't have it

one set will be needed for one brake suddle



Special washer for nut of rear axle (T1.1)


Level washer between rear axle king pin and the brake drum (inner side). It only fits to Trabant 1.1. German reproduction made from stainless steel. dimensions:

inner diameter: ca. 26,3 mm (nominal diamter: 26 mm) outer diameter: ca. 40,0 mm thickness: 2 mm material: stainless steel surface: straight



Stainless steel braided brake hose for brake suddle VW Prod No. 6879 49.50 Lengthened teflon steeel braided brake hose for use in Trabant 601 (2-stroke) after alteration of brake system front axle from brake drum to disc brake system (VW). The outer plastic coat can be deliverd in different colours (picture shows an example with transparent coat.

length ca. 43 cm type of thread: M10x1 1x female thread 1x male thread with additional protection coat two pieces will be needed for one front brake



Technical drawing disk brake adapter

Prod.No. 6029 9,50 Technical drawing to change a Trabant 601 from original drum Brake to a Volkswagen disk brake, front axle.



wheel hub front axle (fit to VW Golf I) fit to all variants of VW Golf I (independet of cylinder capacity) Prod.No. 6654 39.99

Prod.No.

6898

3,32

also fit to front axle of Trabant 601 with new type of universal shaft 2 pieces will be needed for one front axle

## Trabant 601 > Tuning parts > Revolution counter



Elektronik Revolution counter for two stroke engine (black/black) Prod.No. 6042 229.00 Front rim black, clock face black. From 0...to 8000 r.p.m. Casing: round D=100mm

New! Now with mountig frame.



Elektronik Revolution counter for two stroke engine (black/chrome) Prod.No. 6043 229,00 Front rim chrome, clock face black. From 0...to 8000 r.p.m. Casing: round D=100mm

New! Now with mounting frame.



Elektronik Revolution counter for two stroke engine (white/black)Prod.No.6041229,00Front rim black, clock face white.From 0...to 8000 r.p.m.Casing: round D=100mm

New! Now with mounting frame.



<u>Elektronik Revolution counter for two stroke engine (white/chrome)</u> Prod.No. 6044 229,00 Front rim chrome, clock face white. From 0...to 8000 r.p.m. Casing: round D= 100mm

New! With mounting frame.

## Trabant 601 > Tuning parts > Electrical system

Sec.	protection cap for toggle switch, color: black with carbon-look	rod.No.	6005	10,92
0.	protection cap made of plastic with carbon-look surface black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length of max. ideal for safety-related applications like ignition or approval, nitrous oxide injection switching off and lock the toggle switch, if cap will put down for most toggle switches		n or similar	
	protection cap for toggle switch, color: blue metallic P	rod.No.	6004	10,92
	protection cap made of (metallic glaze) blue plastic black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length of max. A ideal for safety-related applications like ignition or approval, nitrous oxide injection switching off and lock the toggle switch, if cap will put down for most toggle switches		or similar	
	protection cap for toggle switch, color: red	rod.No.	6002	14,45
<b>S</b>	protection cap made of red plastic black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length of max. ideal for safety-related applications like ignition or approval, nitrous oxide injection switching off and lock the toggle switch, if cap will put down for most toggle switches		or similar	
	protection cap for toggle switch, color: transparent blue	rod.No.	6007	10,45
5.	protection cap made of blue transparent plastic black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length of max. A ideal for safety-related applications like ignition or approval, nitrous oxide injection switching off and lock the toggle switch, if cap will put down for most toggle switches		or similar	

	protection cap for toggle switch, color: transparent green	Prod.No.	6008	10,45
	protection cap made of green transparent plastic black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length o ideal for safety-related applications like ignition or approval, nitrous oxide i switching off and lock the toggle switch, if cap will put down for most toggle switches		n or simila	r
	protection cap for toggle switch, color: transparent red	Prod.No.	6006	10,45
5.	protection cap made of red transparent plastic black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length of ideal for safety-related applications like ignition or approval, nitrous oxide i switching off and lock the toggle switch, if cap will put down for most toggle switches		n or similar	
	protection cap for toggle switch, color: transparent yellow	Prod.No.	6009	10,45
80	protection cap made of yellow transparent plastic black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length of ideal for safety-related applications like ignition or approval, nitrous oxide ir switching off and lock the toggle switch, if cap will put down for most toggle switches		or similar	
	toggle switch with protection cap toggle switch with mechanical unblocking (protection cap)	Prod.No.	6001	17,95
222	double-pole change over switch			
	max. current: 15A red protection cap, failsafe inhibiting of switching by mistake (ideal for sa ignition or approval, nitrous oxide injection-system or similar) Automatical switching off by folding back the protection cap	afety-related a	pplications	ike
100	red protection cap, failsafe inhibiting of switching by mistake (ideal for sa ignition or approval, nitrous oxide injection-system or similar) Automatical switching off by folding back the protection cap ggle switch, illuminated	afety-related a	pplications	
	red protection cap, failsafe inhibiting of switching by mistake (ideal for sa ignition or approval, nitrous oxide injection-system or similar) Automatical switching off by folding back the protection cap	Prod.No.	6003	6,50
UN OFFICIAL	red protection cap, failsafe inhibiting of switching by mistake (ideal for sa ignition or approval, nitrous oxide injection-system or similar) Automatical switching off by folding back the protection cap ggle switch, illuminated nipolar toggle switch for using inside a car ne lever was made of transparent plastic. It can be illuminated by a bulb in	Prod.No.	6003	6,50
ur Th illu Se	red protection cap, failsafe inhibiting of switching by mistake (ideal for sa ignition or approval, nitrous oxide injection-system or similar) Automatical switching off by folding back the protection cap ggle switch, illuminated hipolar toggle switch for using inside a car ne lever was made of transparent plastic. It can be illuminated by a bulb in umination will be changed dependig on position of lever.	Prod.No.	6003	6,50

material: plastic colour for stop light and rear light: red colour for flasher: whites made in EU with E-icon

•				
	Glass for flasher stop tail lamp ( red / red ) E-icon Rear light lense for Trabant 601.	Prod.No.	2103	8,95
	material: plastic colour for stop light, rear light and flasher: red made in EU without E-icon			
	Glass for flasher stop tail lamp ( white / white ) E-icon Rear light lense for Trabant 601.	Prod.No.	2102	8,95
	material: plastic colour for stop light, rear light and flasher: white made in EU with E-icon			
	Glass for flasher stop tail lamp ( yellow / yellow ) E-icon Rear light lense for Trabant 601.	Prod.No.	2104	8,95
	material: plastic colour for stop light, rear light and flasher: orange made in EU with E-icon			
	<u>Glass for flasher stop tail lamp ( yellow / red )</u> Rear light lense for Trabant 601 with colours like original.	Prod.No.	7095	2,95
	material: plastic colour for stop light and rear light: red colour for flasher: orange made in EU without E-icon special offer with reduced price subject to availability			
	<u>Glass for flasher stop tail lamp ( yellow / red ) E-icon</u> Rear light lense for Trabant 601 like original.	Prod.No.	2100	8,95
	material: plastic colour for stop light and rear light: red colour for flasher: orange made in EU with E-icon			
	Indicator lamp complete, front white Front indicator lamp with clear lense for Trabant 601 scope of delivery:	Prod.No.	6321	13,87
A.	Glass for direction indicator lamp white Seal for indicator insert front Seal for indicator lamp front Indicator insert complete front made in EU			
	with clear lense needed accessory:			

yellow Bulb 12V / 21W

#### Speedometer T601

Prod.No. 7355 29,65

Prod.No.

6555

66,94

Round tachometer for the speed of the Trabant 601 The spedometer is an genuine spare part and was mounted at the most types of Trabant 601 Limousine and Universal(station wagon) except model 1968.

speed display: 120km/h slot for alternator control light (red) slot for indicator control light (green) slot for high beam control light (blue) mounting diameter: 100mm tachoneedle colour: red

## Trabant 601 > Tuning parts > steering wheel



Steering wheel safety adapter kit

Hub for Trabant steering wheel

length total: 100 mm pitch circle diameter of mounting screws: 74 mm

content:

hub for sport steering wheels made by RAID mounting screws (countersunk head with hexagon socket)



#### Parallel grooved pin

Prod.No. 6569 1,34 The grooved dowel pin is the connection between the steering wheel - steering wheel adapter and the steering column. Be careful: do not use the grooved pins twice!

size: 8 x 32mm fit to all Trabant one piece will be needed



steering wheel without ABE

Tuning steering wheel

typ: 13 Lesmo handle: PU, colour black handle bowl: plastic, black spokes black diamether: 320mm



Tuning steering wheel steering wheel without ABE

typ: 13 Lesmo handle: PU, colour black handle bowl: plastic, colour silver spokes silver diamether: 320mm

Prod.No. 7347 144,50

6982

144,50

Prod.No.

	Tuning steering wheel, Alcantara 320mm Very nice and high quality steering wheel without ABE. Surface: suede leather with cross stitch (red)	Prod.No.	7660	184,2
	typ: Serie raid Alcantara handle: anthrazit inclusice thumb support spokes black diamether: 320mm			
· @ .	Tuning steering wheel, Alcantara 340mm Very nice and high quality steering wheel without ABE. Surface: suede leather with cross stitch (red)	Prod.No.	7661	184,2
J	typ: Serie raid Alcantara handle: anthrazit inclusice thumb support spokes black diamether: 340mm			
3-point auton	• Tuning parts > harness belts hatic harness belt, black, left side point automatic harness belt (asm autocontrol® II)	Prod.No.	6267	199,9
colour of webb colour of letter for left seat asm autocontr <u>3-point auton</u>	ngs: yellow DI® II can not started up to Rallye 3 asm® (static)!incl. drawing for mounting po natic harness belt, black, right side	ints of Trabant Prod.No.	6268	199,9
SCHROTH 3-p	oint automatic harness belt (asm autocontrol® II)			
colour of webb colour of letter for rigth seat	ngs: yellow	ints of Trabant		
colour of webb colour of letter for rigth seat	ings: black ngs: yellow bl® II can not started up to Rallye 3 asm® (static)!incl. drawing for mounting pol <u>3-point automatic harness belt, blue, left side</u> SSCHROTH 3-point automatic harness belt (asm autocontrol® II)	ints of Trabant Prod.No.	6269	199,9
colour of webb colour of letter for rigth seat	ings: black ngs: yellow bl® II can not started up to Rallye 3 asm® (static)!incl. drawing for mounting po <u>3-point automatic harness belt, blue, left side</u>	Prod.No.		
colour of webb colour of letter for rigth seat	ings: black ngs: yellow bl® II can not started up to Rallye 3 asm® (static)!incl. drawing for mounting po <u>3-point automatic harness belt, blue, left side</u> SSCHROTH 3-point automatic harness belt (asm autocontrol® II) shoulder and lap belts: 50 mm (2?) wide webbing colour of webbings: blue colour of letterings: black for left seat asm autocontrol® II can not started up to Rallye 3 asm® (static)!incl. dr	Prod.No.		

	natic harness belt, red, left side oint automatic harness belt (asm autocontrol® II)	Prod.No.	6271	199,90
shoulder and la colour of webbi colour of letteri for left seat				
asm autocontro	bl® II can not started up to Rallye 3 asm® (static)!incl. drawing for mounting po	pints of Trabant		
-	natic harness belt, red, right side oint automatic harness belt (asm autocontrol® II)	Prod.No.	6272	199,90
colour of webbi				
colour of letteri for right seat	ngs: Dlack			
-	bl® II can not started up to Rallye 3 asm® (static)!incl. drawing for mounting po	pints of Trabant		
7	<u>3-point automatic harness belt, violet, left side</u> SCHROTH 3-point automatic harness belt (asm autocontrol® II)	Prod.No.	6273	199,90
1	shoulder and lap belts: 50 mm (2?) wide webbing colour of webbings: violet colour of letterings: black for left seat			
	asm autocontrol® II can not started up to Rallye 3 asm® (static)!incl. d Trabant	Irawing for mou	inting poi	nts of
7	<u>3-point automatic harness belt, violet, right side</u> SSCHROTH 3-point automatic harness belt (asm autocontrol® II)	Prod.No.	6274	199,9
	shoulder and lap belts: 50 mm (2?) wide webbing colour of webbings: violet			
L	colour of webbings: violet colour of letterings: black			
L	colour of webbings: violet	Irawing for mou	inting poi	nts of
	colour of webbings: violet colour of letterings: black for right seat asm autocontrol® II can not started up to Rallye 3 asm® (static)!incl. d	Irawing for mou Prod.No.	nting poi	nts of 199,9
SCHROTH 3-p shoulder and la colour of webbi colour of letteri for left seat	colour of webbings: violet colour of letterings: black for right seat asm autocontrol® II can not started up to Rallye 3 asm® (static)!incl. d Trabant <u>natic harness belt, yellow, left side</u> oint automatic harness belt (asm autocontrol® II) ap belts: 50 mm (2?) wide webbing ings: yellow	Prod.No.		
SCHROTH 3-p shoulder and la colour of webbi colour of letteri for left seat asm autocontro <u>3-point autom</u>	colour of webbings: violet colour of letterings: black for right seat asm autocontrol® II can not started up to Rallye 3 asm® (static)!incl. d Trabant <u>natic harness belt, yellow, left side</u> oint automatic harness belt (asm autocontrol® II) ap belts: 50 mm (2?) wide webbing ings: yellow ngs: black	Prod.No.		
SCHROTH 3-p shoulder and la colour of webbi colour of letteri for left seat asm autocontro <u>3-point autom</u> SCHROTH 3-p	colour of webbings: violet colour of letterings: black for right seat asm autocontrol® II can not started up to Rallye 3 asm® (static)!incl. d Trabant <u>matic harness belt, yellow, left side</u> oint automatic harness belt (asm autocontrol® II) ap belts: 50 mm (2?) wide webbing ings: yellow ngs: black <u>pl® II can not started up to Rallye 3 asm® (static)!incl. drawing for mounting potentic harness belt, yellow, right side</u> oint automatic harness belt (asm autocontrol® II)	Prod.No.	6275	199,9



<u>3-point static harness belt, black, left side</u> Prod.No. 6261 129,10 SCHROTH shoulder and lap belts with single push-button buckle for connection and release

color: black colour of lettering: yellow belts wide: 50 mm (2")

incl. drawing for mounting points of Trabant



<u>3-point static harness belt, black, right side</u> Prod.No. 62 SCHROTH shoulder and lap belts with single push-button buckle for connection and release

Prod.No. 6262 129,10

belt color: black lettering colour: yellow belts wide: 50 mm (2")

incl. drawing for mounting points of Trabant



<u>3-point static harness belt, blue, left side</u> Prod.No. 6263 129,10 SCHROTH shoulder and lap belts with single push-button buckle for connection and release

belt color: blue lettering colour: black belts wide: 50 mm (2")

incl. drawing for mounting points of Trabant



3-point static harness belt, blue, right sideProd.No.6264129,10SCHROTH shoulder and lap belts with single push-button buckle for connection and release

belt color: blue lettering colour: black belts wide: 50 mm (2")

## incl. drawing for mounting points of Trabant



<u>3-point static harness belt, red, left side</u> Prod.No. 6265 129,10 SCHROTH shoulder and lap belts with single push-button buckle for connection and release

belt color: red lettering colour: black belts wide: 50 mm (2")

incl. drawing for mounting points of Trabant



<u>3-point static harness belt, red, right side</u> Prod.No. 6266 129,10 SCHROTH shoulder and lap belts with single push-button buckle for connection and release

belt color: red lettering colour: black belts wide: 50 mm (2")

incl. drawing for mounting points of Trabant

# Trabant 601 > Tuning parts > LDM-design-line

LDM-Design outer doorhandle, 1 pair 1 pair Design-doorhandles made from polished aluminium with punched handle frame These outer doorhandles was elaborate handmade by LDM-tuning no series producktion!	Prod.No.	6323	401,63
 complete with lock and key			
LDM-Design outer rear view mirror, left chromed Design rear view mirrors for drivers side (left door) arm is made of zinc die casting (chromed) mounting in the same way like original rear view mirrors	Prod.No.	6337	68,20
 These outer rear view mirrors was elaborate handmade by LDM-tuning no series producktion!			
LDM-Design outer rear view mirror, right chromed Design rear view mirrors for co-drivers side (right door) arm is made of zinc die casting (chromed) mounting in the same way like original rear view mirrors	Prod.No.	7063	68,20
 These outer rear view mirrors was elaborate handmade by LDM-tuning no series producktion!			
 T-Shirt *LDM-Tuning*, white white T-Shirt made of 100% cotton	Prod.No.	6425	11,99
printed lettering on front- and back-side size: M			

# Trabant 601 > Tuning parts > Soundboards

	Soundboard for rear cover flat (3 speaker)	Prod.No.	7080	198,00
0	skeletal structure: rings and base plate made from MDF surface: Gfk with flauschigem Überzug aus Filz two holes for speaker with inner diameter of 14 cm (6,5" speaker s one hole in the middle for speaker with diameter of 18 cm (8 " wool weight: ca. 3,8 kg	,		
P	Soundboard for rear cover flat (4 speaker)	Prod.No.	7081	198,00
0	skeletal structure: rings and base plate made from MDF			
	surface: Gfk with flauschigem Überzug aus Filz			
	two outer holes for speakers with inner diameter of 14 cm (6,5" spe	,		
	two inner holes for speakers with diameter of 18 cm (8" woofer size	e)		
	weight: ca. 3,3 kg			

# Trabant 601 > Tuning parts > Spoiler

Trabant 601 > Tuning parts > wheel spacer



Bolt circle adapter 20 mm 4 x 160 mm to 4 x 100 mmProd.No.6232215,00One set of wheel space with pitch circle variation made from aluminium-magnesium-alloy.The original bolt circle from zhe car (4x160mm) will be changed by this spacer to the bolt circle 4x100mm.That allow the mounting of different steel or aluminium wheels with a hole circle diameter of 4x 100 mm, a centring hole diameter of 57,0 mm.

Fit to the car types with drum brake system of the Trabant (500, 600, 601).

delivery inclusive mounting bits bolt circle car: 4x160mm adapted pitch circle: 4x100mm wheel spacer: 40mm each axle thickness of the single bolt circle adapter: 20mm kit constist of two pieces, for one axle one or two sets will be needed made in Germany



hole circle adapter 20 mm 4 x 160 mm to 4 x 108 mmProd.No.6233216,00One set of wheel space with pitch circle variation made from aluminium-magnesium-alloy.The original bolt circle from zhe car (4x160mm) will be changed by this spacer to the bolt circle 4x108mm.4x108mm.

That allow the mounting of different steel or aluminium wheels with a hole circle diameter of 4x 108 mm, a centring hole diameter of 57,0 mm.

Fit to the car types with drum brake system of the Trabant (500, 600, 601).

delivery inclusive mounting bits bolt circle car: 4x160mm adapted pitch circle: 4x108mm wheel spacer: 40mm each axle thickness of the single bolt circle adapter: 20mm kit constist of two pieces, for one axle one or two sets will be needed made in Germany

#### hole circle adapter 20 mm 4 x 160 mm to 4 x 98 mm

Prod.No. 6231 218,00

One set of wheel space with pitch circle variation made from aluminium-magnesium-alloy. The original bolt circle from zhe car (4x160mm) will be changed by this spacer to the bolt circle 4x98mm.

That allow the mounting of different steel or aluminium wheels with a hole circle diameter of 4x 98 mm, a centring hole diameter of 57,0 mm.

Fit to the car types with drum brake system of the Trabant (500, 600, 601).

delivery inclusive mounting bits bolt circle car: 4x160mm adapted pitch circle: 4x98mm wheel spacer: 40mm each axle thickness of the single bolt circle adapter: 20mm kit constist of two pieces, for one axle one or two sets will be needed made in Germany



hole circle adapter30 mm4 x 160 mmto 4 x 100 mmProd.No.6235234,00One set of wheel space with pitch circle variation made from aluminium-magnesium-alloy.The original bolt circle from zhe car (4x160mm) will be changed by this spacer to the bolt circle 4x100mm.4x100mm.That allow the mounting of different steel or aluminium wheels with a hole circle diameter of 4x 100

mm, a centring hole diameter of 57,0 mm. Fit to the car types with drum brake system of the Trabant (500, 600, 601) and disc or drum brake Wartburg 312, 353 and 1,3.

delivery inclusive mounting bits bolt circle car: 4x160mm adapted pitch circle: 4x100mm wheel spacer: 60mm each axle thickness of the single bolt circle adapter: 30mm kit constist of two pieces, for one axle one or two sets will be needed made in Germany



hole circle adapter 30 mm 4 x 160 mm to 4 x 108 mm Prod.No. 6236 254,00

One set of wheel space with pitch circle variation made from aluminium-magnesium-alloy. The original bolt circle from zhe car (4x160mm) will be changed by this spacer to the bolt circle 4x108mm.

That allow the mounting of different steel or aluminium wheels with a hole circle diameter of  $4x \ 108$  mm, a centring hole diameter of 57,0 mm.

Fit to the car types with drum brake system of the Trabant (500, 600, 601) and disc or drum brake system Wartburg 312, 353 and 1,3.

delivery inclusive mounting bits bolt circle car: 4x160mm adapted pitch circle: 4x108mm wheel spacer: 60mm each axle thickness of the single bolt circle adapter: 30mm kit constist of two pieces, for one axle one or two sets will be needed made in Germany

## hole circle adapter 30 mm 4 x 160 mm to 4 x 114,3 mm

Prod.No. 6237 256,00

One set of wheel space with pitch circle variation made from aluminium-magnesium-alloy.

The original bolt circle from zhe car (4x160mm) will be changed by this spacer to the bolt circle 4x114,3mm.

That allow the mounting of different steel or aluminium wheels with a hole circle diameter of 4x 114,3 mm, a centring hole diameter of 57,0 mm.

Fit to the car types with drum brake system of the Trabant (500, 600, 601) and disc or drum brake system Wartburg 312, 353, 1,3.

delivery inclusive mounting bits bolt circle car: 4x160mm adapted pitch circle: 4x114,3mm wheel spacer: 60mm each axle thickness of the single bolt circle adapter: 30mm kit constist of two pieces, for one axle one or two sets will be needed made in Germany

hole circle adapter 30 mm 4 x 160 mm to 4 x 98 mm

Prod.No. 6234 257,00

Prod.No.

Prod.No.

7200

6450

3,30

3.42

7208

59,70

One set of wheel space with pitch circle variation made from aluminium-magnesium-alloy.

The original bolt circle from zhe car (4x160mm) will be changed by this spacer to the bolt circle 4x98mm.

That allow the mounting of different steel or aluminium wheels with a hole circle diameter of 4x 98 mm, a centring hole diameter of 57,0 mm.

Fit to the car types with drum brake system of the Trabant (500, 600, 601)and disc or drum brake Wartburg 312, 353 and 1,3.

delivery inclusive mounting bits bolt circle car: 4x160mm adapted pitch circle: 4x98mm wheel spacer: 60mm each axle thickness of the single bolt circle adapter: 30mm kit constist of two pieces, for one axle one or two sets will be needed made in Germany



<u>Modification rear axle camber 1,9 degree</u> Trabant 601 rear wheel camber variation. The modification angle is 1,9 degrees wheelside.

only use for leaf spring material: steel, milled surface: galvaniced delivery inclusive mounting bolts made in Germany one set consist of two pieces



 Steering angle limiter
 Prod.No.
 6718
 35,00

 One paar of rings to limit the Steering angle. Infinitely variable, mounting dirctly at the steering rack.
 35,00

material: steel delivery inclusive mounting bolts fit to Trabant 601 and Trabant 1,1



wheel bolt 40mm

universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 40mm consist the length of thread and the length of knurling.

legth: 40mm thread: M12 x 1,5 thread length: 28mm knurling diameter: 14,5mm knurling length: 7,6mm



 wheel bolt 50mm
 Prod.No.

 universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers

 Please note:

 The length of 50mm consist the length of thread and the length of knurling.

legth: 50mm thread: M12 x 1,5 thread length: 38mm knurling diameter: 14,5mm knurling length: 7,6mm



F	wheel bolt 60mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 60mm consist the length of thread and the length of knurling.	Prod.No.	7201	3,96
	legth: 60mm thread: M12 x 1,5 thread length: 48mm knurling diameter: 14,5mm knurling length: 7,5mm			
	wheel bolt 80mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 80mm consist the length of thread and the length of knurling.	Prod.No.	7203	5,89
	legth: 80mm thread: M12 x 1,5 thread length: 68mm knurling diameter: 14,5mm knurling length: 7,5mm			
0	wheel spacer 10mm 4x160 made from aluminium-magnesium-alloy for one axle thickness: 10 mm for each disc (20 mm for axle) without centring collar and mountig material	Prod.No.	6222	56,87
	wheel spacer 15mm 4x160 made from aluminium-magnesium-alloy for one axle thickness: 15 mm for each disc (30 mm for axle) without centring collar and mountig material	Prod.No.	6223	69,99
	wheel spacer 20mm 4x160 made from aluminium-magnesium-alloy for one axle thickness: 20 mm for each disc (40 mm for axle)	Prod.No.	6224	79,42
made from aluminiu for one axle	without centring collar and mountig material <u>mm_4x160 (with wheel bolts)</u> Im-magnesium-alloy or each disc (40 mm for axle)	Prod.No.	6227	172,55
mountig material ind Attention!recesses wheel lug must be s	(bag drillings) at the hub mating surface of the rims necessary or when asser	nbling of the	shims o	riginal
	wheel spacer 25 mm 4x160 (with wheel bolts) made from aluminium-magnesium-alloy for one axle thickness: 25 mm for each disc (50 mm for axle)	Prod.No.	6228	184,32

mountig material included

Co ist	wheel spacer 30 mm 4x160 (with wheel bolts) made from aluminium-magnesium-alloy for one axle thickness: 30 mm for each disc (60 mm for axle)	Prod.No.	6229	196,00
	mountig material included wheel spacer 35 mm 4 x 160 mm (with wheel bolts) made from aluminium-magnesium-alloy for one axle thickness: 35 mm for each disc (70 mm for axle)	Prod.No.	6230	207,85
	mountig material included         wheel spacer 5mm 4x160         made from aluminium-magnesium-alloy         for one axle         thickness: 5mm for each disc (10mm for axle)         without centring collar and mountig material	Prod.No.	6221	46,90
Trabant 601 > To	uning parts > Suspension <u>Modification rear axle camber 1,9 degree</u> Trabant 601 rear wheel camber variation. The modification angle is 1,9 degrees wheelside .	Prod.No.	7208	59,70
	only use for leaf spring material: steel, milled surface: galvaniced delivery inclusive mounting bolts made in Germany one set consist of two pieces			
	Modification rear axle camber 3,8 degree Trabant 601 rear wheel camber variation. The modification angle is 3,8 degrees wheelside . only use for leaf spring material: steel, milled surface: galvaniced delivery inclusive mounting bolts made in Germany one set consist of two pieces	Prod.No.	7207	59,70
LUM-Turing Act-Mex GETS	Outer wishbone - set with camber variation 12,5 mm Trabant 601 bottom wishbone for camber variation at the front axle. The track of the car will be 12,5 mm more wide at each wheel side as the ori angle is 2,75 degrees. material: steel, milled surface: galvaniced delivery inclusive nipple head made in Germany one set consist of two pieces	Prod.No. iginal one. Tl	6675 ne modifi	89,95 cation



Outer wishbone - set with camber variation 25,00 mmProd.No.667789,95Trabant 601 bottom wishbone for camber variation at the front axle.The track of the car will be 25,00 mm more wide at each wheel side as the original one. The<br/>modification angle is 5,50 degrees.

material: steel, milled surface: galvaniced delivery inclusive nipple head made in Germany one set consist of two pieces



Shock absorber for coil spring, rear axle, 40mm shorterProd.No.606052,64These tuning shock absorbers are 40 mm shorter than the original part and more tautly. Fit only toTrabant601 rear axle form april 1988.Brilliant for Trabant 601 and Trabant 1,1 racing.

made in Germany two pieces will be needed



Shock absorber for coil spring, rear axle, 60mm shorterProd.No.647659,53These tuning shock absorbers are 60 mm shorter than the original part and more tautly. Fit only toTrabant601 rear axle form april 1988.Brilliant for Trabant 601 and Trabant 1,1 racing.

made in Germany two pieces will be needed



Special shock absorber with piston rod D=14mmProd.No.688295,20Special produced buffer for the Trabant 601 leaf spring with more hydraulics volume (casing diameter:45mm) and 2mm more thicker piston rod.At the pull level the shock absorber is very strong.The normal length is the same like the original ones.Please choose at the window below your needed length.

Prod No.

7091

304,64

#### Special Tuning leaf spring front

Special spring for the front axle of the Trabant 601 with additional spring layer to support the spring eye. Developed for the Trabant 601 modification to disc brake system or the hard Rallye-action.

#### + 100 Euro pledge



Telescopic shock absorber for laef spring, 40mm shorterProd.No.605944,10These tuning shock absorbers are 40 mm shorter than the original part and more tautly.Fit to Trabant601 front axle and only to Trabant 601 rear axle up to april 1988.Brilliant for Trabant 601 racing.

made in Germany two or four pieces will be needed



Telescopic shock absorber for laef spring, 60mm shorterProd.No.647745,79These tuning shock absorbers are 60 mm shorter than the original part and more tautly. Fit to Trabant601 front axle and only to Trabant 601 rear axle up to april 1988.878Brilliant for Trabant 601 racing.878878

made in Germany two or four pieces will be needed

	Tuning leaf spring front, 100 mm down	Prod.No.	890	228,4
	<ul> <li>Exchange tuning leaf spring to upgrade the Trabant 601 front axle.</li> <li>the original level.</li> <li>Please note: the leaf spring need a while to settle to the correct low le</li> </ul>		)mm lov	ver as
	Flease hole. The real spring need a while to settle to the conectrow le	ver alter mounting.		
	manufactured in Germany Please ask for different sizes			
	exchenge part: deposit 100 Euro			
Exchange tuni	spring front, 50 mm down ng leaf spring to upgrade the Trabant 601 front axle. The car will be 50mm lo ne leaf spring need a while to settle to the correct low level after mounting.	Prod.No. ower as the original	6160 level.	228,4
manufactured Please ask for				
	<ul> <li>Tuning leaf spring front, 70 mm down</li> <li>Exchange tuning leaf spring to upgrade the Trabant 601 front axle. To original level.</li> </ul>	Prod.No. he car will be 70mn	6161 n lower	228,4 as the
	Please note: the leaf spring need a while to settle to the correct low le	vel after mounting.		
	manufactured in Germany Please ask for different sizes			
	exchenge part: deposit 100 Euro			
3	Tuning coil spring 40 mm lower, rear axle, limousine Helical spring for the Trabant 601 rear axle, Limousine. The spring is 2 coils shorter.	Prod.No.	894	48,0
$ \ge $	made in Germany			
	car is about 40 mm lower surface: black or red powder coated			
3	price for each, two pieces will be needed			
2	Tuning coil spring 40 mm lower, rear axle, station wagon Helical spring for the Trabant 601 rear axle, Universal. The spring is 2 coils shorter.	Prod.No.	6666	55,0
X				
	made in Germany			
	car is about 40 mm lower surface: black or red powder coated			
Y	price for each, two pieces will be needed			
	Tuning leaf spring rear, 100 mm down Exchange tuning leaf spring to upgrade the Trabant 601 rear axle. Th	Prod.No.	891 n lower	162,4 as the
	original level. Please note: the leaf spring need a while to settle to the correct low le			

Tuning leaf spring rear, 50 mm down Exchange tuning leaf spring to upgrade the Trabant 601 rea Please note: the leaf spring need a while to settle to the con		162,44
manufactured in Germany Please ask for different sizes exchenge part: deposit 100 Euro		
Tuning leaf spring rear, 70 mm down Exchange tuning leaf spring to upgrade the Trabant 601 rea Please note: the leaf spring need a while to settle to the con	-	162,44
manufactured in Germany Please ask for different sizes exchenge part: deposit 100 Euro		
rabant 601 > Tuning parts > Roll bar		
roll-bar with cross strut, aluminium tube, main bar rei roll bar with reinforsed main bar, struts to the rear wheel ho		484,00
material: aluminium tube main bar: 45 X 3 mm struts: 40 X 3 mm surface: Please chose your wanted tube surface below!		
No shipping possible.		
roll-bar with cross strut, cromo tube, main bar reinfor roll bar with reinforsed main bar, struts to the rear wheel ho Because of using a better material (chrome-moly steel) tube	buses and cross strut	541,00
material: chrome-moly tube main bar: 45 X 1,5 mm struts: 41,3 X 1,5 mm		
No shipping possible!		
roll-bar with cross strut, steel tube roll bar with struts to the rear wheel ho	•	420,00
material: steel tube, St.52 main bar and struts: steel tube 40 X 2	mm	
No shipping possible!		
roll-bar with cross strut, steel tube, main bar reinforce roll bar with reinforsed main bar, struts to the rear wheel ho		420,00
material: steel tube, St.52 main bar: steel tube, 45 X 2,5 mm struts: steel tube 40 X 2 mm		

roll-bar with diagonal strut, aluminium tube, main bar reinforcedProd.No.6591396,00roll bar with reinforsed main bar, struts to the rear wheel houses and diagonal strut900,000900,000

material: aluminium tube main bar: 45 X 3 mm struts: 40 X 3 mm surface: Please chose your wanted surface below!

No shipping possible.

roll-bar with diagonal strut, cromo tube, main bar reinforcedProd.No.roll bar with reinforsed main bar, struts to the rear wheel houses and diagonal strutBecause of using a better material (chrome-moly steel) tubes with thinner wall thickness can be taken.

material: chrome-moly tube main bar: 45 X 1,5 mm struts: 41,3 X 1,5 mm

No shipping possible!

roll-bar with diagonal strut, steel tube roll bar with struts to the rear wheel houses and diagonal strut

material: steel tube, St.52 main bar and struts: steel tube 40 X 2 mm

No shipping possible!

<u>roll-bar with diagonal strut, steel tube, main bar reinforced</u> roll bar with reinforsed main bar, struts to the rear wheel houses and diagonal strut Prod.No. 6585 342,00

6587

Prod.No.

6589

448.00

342,00

material: steel tube, St.52 main bar: steel tube, 45 X 2,5 mm struts: steel tube 40 X 2 mm

No shipping possible!

## Trabant 601 > Tuning parts > roll-cage

## Trabant 601 > Tuning parts > roll-cage > in front of dashboard

<u>A- and B-bar</u> A and B bar as an single part to make your own roll-cage. Prod.No. 7148 545,00

material: steel tube St.52 main bars: steel tube 45 X 2,5 mmm surface: not varnished (sheer metall)

roll-cage with cross strut, aluminium roll-cage with reinforced main bars, struts to the rear wheel houses and cross strut Prod.No. 6090 849,00

material: aluminium tube AIMg3 main bars: aluminium tube 45 X 3 mmm all other struts: aluminium tube 40 X 3 mm A-main bar in front of dashboard cross strut surface: sheer aluminium, matt (tarnished)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!

#### roll-cage with cross strut, aluminium, polished

roll-cage with reinforced main bars, struts to the rear wheel houses and cross strut

Prod.No. 6088 1180,83

material: aluminium tube AIMg3 main bars: aluminium tube 45 X 3 mm all other struts: aluminium tube 40 X 3 mm A-main bar in front of dashboard cross strut surface: polished aluminium

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!



roll-cage with cross strut, cromo tube, main bar reinforced, black varnesbed to. 6609 1003,00 roll-cage with reinforced main bars, struts to the rear wheel houses and cross strut.

Because of using a better material (chrome-moly steel), tubes with thinner wall thickness can be taken.

material: chrome-moly steel tube (CroMo4) main bars: chrome-moly tube 45 X 1,5 mmm all other struts: chrome-moly tube 41,3 X 1,5 mm A-main bar in front of dashboard cross strut surface: varnished with colour: black (for an additional charge a different colour is available)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!



roll-cage with cross strut, cromo tube, main bar reinforced, not varnis **Read**.No. 6608 968,00 roll-cage with reinforced main bars, struts to the rear wheel houses and cross strut.

Because of using a better material (chrome-moly steel), tubes with thinner wall thickness can be taken.

material: chrome-moly steel tube (CroMo4) main bars: chrome-moly tube 45 X 1,5 mmm all other struts: chrome-moly tube 41,3 X 1,5 mm A-main bar in front of dashboard cross strut surface: not varnished (sheer metall)



roll-cage with cross strut, steel tube roll-cage with struts to the rear wheel houses and cross strut

material: steel tube St.52 main bars: steel tube 40 X 2 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard cross strut surface: not varnished (sheer metall)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!

roll-cage with cross strut, steel tube, black roll-cage with struts to the rear wheel houses and cross strut Prod.No. 6089 774,00

Prod.No.

6604

741,00

material: steel tube St.52 main bars: steel tube 40 X 2 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard cross strut surface: varnished with colour: black (for an additional charge a different colour is available)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!



<u>roll-cage with cross strut, steel tube, main bar reinforced, black</u> Prod.No. 6085 774,00 roll-cage with reinforced main bars, struts to the rear wheel houses and cross strut

material: steel tube St.52 main bars: steel tube 45 X 2,5 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard cross strut surface: varnished with colour: black (for an additional charge a different colour is available)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!



roll-cage with cross strut, steel tube, main bar reinforced Prod.No. 6083 741,00 roll-cage with reinforced main bars, struts to the rear wheel houses and cross strut

material: steel tube St.52 main bars: steel tube 45 X 2,5 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard cross strut surface: not varnished (sheer metall)

#### roll-cage with diagonal strut, aluminium

roll-cage with reinforced main bars, struts to the rear wheel houses and diagonal strut

Prod.No. 6086 775,00

material: aluminium tube AIMg3 main bars: aluminium tube 45 X 3 mmm all other struts: steel tube 40 X 3 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: sheer aluminium, matt (tarnished)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!

#### roll-cage with diagonal strut, aluminium, polished

roll-cage with reinforced main bars, struts to the rear wheel houses and diagonal strut

Prod.No. 6087 1015,00

material: aluminium tube AIMg3 main bars: aluminium tube 45 X 3 mmm all other struts: tube 40 X 3 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: polished aluminium

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!



roll-cage with diagonal strut, cromo tube, main bar reinforced, black varmished 6607 903,00 roll-cage with reinforced main bars, struts to the rear wheel houses and diagonal strut. Because of using a better material (chrome-moly steel), tubes with thinner wall thickness can be taken.

material: chrome-moly steel tube (CroMo4) main bars: chrome-moly tube 45 X 1,5 mmm all other struts: chrome-moly tube 41,3 X 1,5 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: varnished with colour: black (for an additional charge a different colour is available)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!



roll-cage with diagonal strut, cromo tube, main bar reinforced, not varFinsdetb. 6606 875,00 roll-cage with reinforced main bars, struts to the rear wheel houses and diagonal strut.

Because of using a better material (chrome-moly steel), tubes with thinner wall thickness can be taken.

material: chrome-moly steel tube (CroMo4) main bars: chrome-moly tube 45 X 1,5 mmm all other struts: chrome-moly tube 41,3 X 1,5 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: not varnished (sheer metall)



<u>roll-cage with diagonal strut, steel tube</u> Prod.No. roll-cage with struts to the rear wheel houses and diagonal strut

material: steel tube St.52 main bars: steel tube 40 X 2 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: not varnished (sheer metall)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask!

No shipping possible!



 roll-cage with diagonal strut, steel tube, black colour
 Prod.No.
 6092
 691,00

 roll-cage with struts to the rear wheel houses and diagonal strut
 Prod.No.
 6092
 691,00

6091

663,00

material: steel tube St.52 main bars: steel tube 40 X 2 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: varnished with colour: black (for an additional charge a different colour is available)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!



<u>roll-cage with diagonal strut, steel tube, main bar reinforced</u> Prod.No. 6082 663,00 roll-cage with reinforced main bars, struts to the rear wheel houses and diagonal strut

material: steel tube St.52 main bars: steel tube 45 X 2,5 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: not varnished (sheer metall)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!

<u>roll-cage with diagonal strut, steel tube, main bar reinforced, black</u> Prod.No. 6084 691,00 roll-cage with reinforced main bars, struts to the rear wheel houses and diagonal strut


material: steel tube St.52 main bars: steel tube 45 X 2,5 mmm all other struts: steel tube 40 X 2 mm

A-main bar in front of dashboard

diagonal strut (vom upper left to lower right

surface: varnished with colour: black (for an additional charge a different colour is available)


roll-cage with DMSB - FIA certificate Prod.No. 6354 1063,39 made from steel St.52 main bar: steel tube 45 X 2,5 mm ancillary bar: steel tube 40 X 2 mm not varnished with diagonal cross strut and lateral protection roll-cage with DMSB - FIA certificate Prod.No. 6355 1083.09 made from steel St.52 main bar: steel tube 45 X 2,5 mm ancillary bar: steel tube 40 X 2 mm black varnished with diagonal cross strut and lateral protection Trabant 601 > Tuning parts > valve caps Prod.No. 6164 valve cap skull - one pair 5,79 silver skull with red eyes scope of delivery: 2 pieces height: 2cm inclusive mounting brass bushing valve cap, hexagon with ball, blue Prod.No. 6166 4,79 material: anodized aluminium {L[scope of delivery: 2 pieces][heigth : 1,5 cm][colour : blue price for 1 pair (2 pieces) valve cap, hexagon with ball, red Prod.No. 6165 4,79 material: anodized aluminium scope of delivery: 2 pieces heigth: 1,5 cm colour : red valve cap, hexagon with ball, silver Prod.No. 6167 4,79 material: anodized aluminium {L[scope of delivery: 2 pieces][heigth : 1,5 cm][colour : silver price for 1 pair (2 pieces) valve cap, hexagon, blue Prod.No. 6172 4,79 material: anodized aluminium colour : blue with two silver stripes heigth : 1,7 cm price for 1 pair (2 pieces)




Trabant 1.1

Trabant 1.1 > Spare parts

## Trabant 1.1 > Spare parts > Exhaust System







<u>Rear Muffler with pipes T1.1</u> after Muffler with pipes for Trabant 1,1

one piece will be needed

additional units:

3x exhaust retainer

1x clamp 42mm for connection between exhaust pre silencer and after muffler or 1x clamp 42,5mm for connection between exhaust pre silencer and after muffler



 Retainer
 Prod.No.
 38

 retainer for Trabant 1.1, Wartburg 1.3 and many other vehicle types (VW, Audi, Skoda, Seat,..)
 38

Prod.No.

67,43

2,91

2,99

4.85

Prod.No.

6202

36

material: rubber, black made in Germany

# Trabant 1.1 > Spare parts > Brakes



brake fluid, DOT4, 0,25 litre Prod.No. 6200 1,99 for use in Trabant, Wartburg, B1000, trailer and camper with hydraulical brake system and a lot of other car types

volume: 250 ml

Additional comment: Notes for used oil disposal



brake fluid, DOT4, 0,5 litre Prod.No. 6201 2 for use in Trabant, Wartburg, B1000, trailer and camper with hydraulical brake system and other cars

volume: 500 ml

Additional comment: Notes for used oil disposal



brake fluid, DOT4, 1,0 litre for use in Trabant, Wartburg, B1000 and other cars

volume: 1,0 l norms: FMVSS Nr.116 DOT4 und DOT3, SAEJ1703, DIN/ISO 4925

Additional comment: Notes for used oil disposal

	Brake line set, complete set of all brake lines for Trabant 1.1	Prod.No.	282	45,00
$(\bigcirc$	made of copper brake line, pre-finished with srew-fittings			
N.	not bent in the right form			
	Brake master cylinder, complete (T1.1) Bicrcle brake master cylinder for Trabant 1.1. Delivery inclusive sleeves.	Prod.No.	193	104,12
	made in Europe			
John .	Brake master cylinder, complete (T1.1) Tandem bicircle brake master cylinder fit to all Trabant 1.1 types like Lir wagon) and Tramp. Delivery complete preinstalled inclusive sleeves.	Prod.No. nousine, Uni	6768 versal (s	175,70 adion
A Com	original spare part overhauled in Germany			
	For more informations to this exchange part please use the Detail button.			
2	Brake pipe spanner 10-11mm angled Special tool for mounting or demounting of screw-cap for brakelines. type: level angleded Fit to brake screws SW10 and SW11.	Prod.No.	7702	21,30
2	Brake pipe spanner 10-11mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW10 and SW11.	Prod.No.	7703	10,47
2	Brake pipe spanner 12-13mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW12 and SW13.	Prod.No.	7992	14,26
(1)	Brake shoe set rear axle, overhauled The set consists of four brake shoes fit to Trabant 500,600 and 601. The breke shoes will be complete overhauled in Germany. Please note: your old brake shoes have to be shipped to us before we send	Prod.No. d you the spa		122,17
	brake-cleaner 600ml quick-cleaner for brake and clutch parts FCKW free volume: 600 ml type: AD delivery as an single spray	Prod.No.	6252	2,93

Prod.No. 7898 2,64

1	TREM
	1m033

FCKW free volume: 660 ml typ: X-treme delivery as an single spray

quick-cleaner for brake and clutch parts

Brake-cleaner 660ml

# Brake-cleaner, one packing unit, 12x Sprayer 600ml

Complete packing unit quick-cleaner for brake and clutch parts

Prod.No. 7033 31,80

FCKW free content: 12x sprayer with volume of 600 ml

	Cap for stop-lamp oil-pressure switch	Prod.No.	7308	5,15
-	Rubber cap for the brake ligths switch. Best protection for dust and wather.			
	Fit to the vehicles: Trabant 500, 600, 601, 1.1 Wartburg 311, 312 B1000,B1000-1 Framo, Mulicar M22, M24, M26	2, 313, 353	3, 1.3 Ba	arkas
	Connection hose master brake cylinder - plastic reservoir (12cm) lenght: 120 mm	Prod.No.	196	1,22
	Connection hose master brake cylinder - plastic reservoir (95mm) lenght: 95 mm	Prod.No.	195	1,22
-	oot lever clutch ot lever for the mecanical actuated cluch system of the Trabant 601 and 1,1.	Prod.No.	7127	22,36
sc	to Trabant 601 and Trabant 1,1 ope of delivery without Rubber lining for brake and clutch pedal-shaft e piece will be needed			
1	Foot lever unit (overhauled) Foot lever unit constist of one lever for the hydraulic actuated brake system mecanical actuated cluch system. The set is complete pre-installed.	Prod.No. em and one	185 e lever fo	59,37 r the
	fit to Trabant 601 and Trabant 1,1			
	scope of delivery inclusive Rubber lining for brake and clutch pedal-shaft one piece will be needed			
		Prod.No.	7150	5,50

	release spring for pedal, late model release spring fit to brake pedal and clutch pedal of pedal unit length of the spring coil: 53mm diameter of the spring coil: 10mm total length of the spring: ca.122mm
	fit to Trabant 601 and Trabant 1.1 two pieces will be needed
$\bigcirc$	Rubber lining EU for brake and clutch pedal-shaft Rubber pad for the clutch and brake pedal.
	material: rubber, black
	made in EU
	worse qulity
	two pieces will be needed
	Rubber lining made in Germany for brake and clutch per Rubber pad for the clutch and brake pedal.
	New reproduction made in Germany in brilliant quality.
	Fit to many IFA cars like Trabant, P70/F8, Wartburg 311, Multic

any for brake and clutch pedal-shaft Prod.No. rake pedal. nany in brilliant quality. t, P70/F8, Wartburg 311, Multicar...

material: rubber, black made in Germany best quality two pieces will be needed

.

Screw-cap for brakeline 4,75x0,7TrabantProdScrew-cap for breakline 4,75mm x 0,7mmfit to Trabant 500, 600, 601 and Trabant 1,1Fit to Trabant 500, 600, 601 and Trabant 1,1	d.No.	264

Prod.No.

Prod.No. 8013

184

6643

1,96

3,95

8,57

0,69



00	Sleeve set brake master cylinder Sleeve set made in EU for the brake master cylinder Trabant 1,1.	Prod.No.	194	15,20
	Stop-lamp oil-pressure switch	Prod.No.	103	8,16
Brakepipeline mad	ine set, PVC-coated 5m, 4,75x0,7 e of steel and plastic coated. of 6mm x 0,7mm 5m long urg, Volkswagen	Prod.No.	262	13,00
Brakepipeline mad	ine set, PVC-coated 5m, 4,75x0,7 e of steel and plastic coated. f 6mm x 0,7mm 5m long urg, Volkswagen	Prod.No.	7497	5,50
$\bigcirc$	<u>Universal brake line, CUNIFER 5m, 4,75x0,7</u> Brakepipeline 4,75 x 0,7 mm made of NiCuFe length: 5m for Trabant, Wartburg, Volkswagen	Prod.No.	6177	27,23

Universal brake line, PVC-coated in 1 m pices max.5m, 6x0,7Prod.No.2633,00Brakepipeline made of steel and plastic coated.Dimensions: 6mm x 0,7mm maximum 5m long.555Fit to Trabant, Wartburg, Volkswagen.Price per meter.555

Trabant 1.1 > S	pare parts > Brakes > Front brake			
	Bleeder screw cap fit to all offered bleeder screws Protect the bleeder screw hole from dust and water.	Prod.No.	215	0,35
	material: rubber made in Germany			
	Bleeder screw for brake suddle Bleeder screw for brake suddle of Trabant 1.1	Prod.No.	1316	3,21
	electrogalvanized surface width over flats: 10mm			
	Bolt for brake suddle Guide bolt for brake suddles of the Trabant 1,1.	Prod.No.	7278	14,94
	thread: M10x1 two pieces will be needed for each brake suddle made in Germany			
	e single piston brake caliper system of the Trabant 1,1. front axle left and right hand	Prod.No.	293	39,90
bolt circle 4 x 98r diameter disc:23 thickness:10 mm made in Europe for each Trabi tw	1 mm			
B	Brake hose retainer sacer spring for connection between flexible brake hose and brake pipe not the same design like the originale one (made for VW). This retainer ca and Wartburg.	Prod.No. an be also us		0,99 abant
	electrogalvanized, black high quality made in Germany, spring metal one piece for each screw joint will be needed			
9	Brake hose retainer, original style sacer spring for connection between flexible brake hose and brake pipe	Prod.No.	240	1,43
	surface bronzing one piece for each screw joint will be needed			

0	Brake pipe spanner 10-11mm angled Special tool for mounting or demounting of screw-cap for brakelines. type: level angleded Fit to brake screws SW10 and SW11.	Prod.No.	7702	21,30
2	Brake pipe spanner 10-11mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW10 and SW11.	Prod.No.	7703	10,47
2	Brake pipe spanner 12-13mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW12 and SW13.	Prod.No.	7992	14,26
(J	Brake suddle, overhauled (+30,00 ? pledge)         brake suddle complete with brake suddle bracket, braket linings and spir         Trabant 1,1 Limousine and Universal.         The bake suddle can be mounted at the left or the right side.	Prod.No. ring for braket	290 lining, fit	135,00 to all
#668H	brake-cleaner 600ml         quick-cleaner for brake and clutch parts         FCKW free         volume: 600 ml         type: AD         delivery as an single spray	Prod.No.	6252	2,93
TREE	Brake-cleaner 660ml quick-cleaner for brake and clutch parts FCKW free volume: 660 ml typ: X-treme delivery as an single spray	Prod.No.	7898	2,64
	Brake-cleaner, one packing unit, 12x Sprayer 600ml           Complete packing unit quick-cleaner for brake and clutch parts           FCKW free content: 12x sprayer with volume of 600 ml	Prod.No.	7033	31,80



Braket lining - set the spring for braket lining should be changed, too Prod.No. 294 16,75

	Front brake hose	Prod.No.	235	12,79
	Brake hose for the connection between brake pipe and brake caliper from Trabant 1,1.	t axle right and	left side o	of the
1	lenght total: 420mm			
	Connection: 1x female thread M10 x 1,0 , 1x external thread M10x 1,0mm	1		
	rake line, complete, left hand	Prod.No.	273	16,50
1350 mm	ng from distributor to brake pressure regulatoring valve			
<u>Front centre b</u> 1350 mm	rake line, complete, right hand	Prod.No.	272	16,50
	ng from master brake cylinder to brake pressure regulatoring valve			
	Inner front brake line, complete, left side	Prod.No.	271	7,30
	360 mm			
	brake line from master brake cylinder to the left front brake hose			
$\frown$	Inner front brake line, complete, right side	Prod.No.	270	10,50
	650 mm			- ,
	brake line from divider to the right front brake hose			
	Screw-cap for brakeline 4,75x0,7 Trabant	Prod.No.	264	0,69
The second	Screw-cap for breakline 4,75mm x 0,7mm	1100.110	201	0,00
- IIII	fit to Trabant 500, 600, 601 and Trabant 1,1			
- mille				
~	Sleeve rubber set for brake suddle	Prod.No.	291	14,94
	Sleeve rubber set for brake suddle of Trabant 1.1 (4-stroke)			,
$\cup$	all rubber partsd for two brake suddles (complete front axle) included:			
	4x rubber bushings for guide bolts			
	2x sealing ring for brake suddle piston			
	2x protection cap for brake suddle piston			
	Spring for braket lining	Prod.No.	295	4,31
	Form metal for the brake disk lining.			
	Fit to Trabant 1,1 Limousins, Universal, Tramp without vintage limit.			
	for each brake caliper two pieces will be needed			
Trabant 1.1 > \$	Spare parts > Brakes > Rear brake			
	Bleeder screw cap	Prod.No.	215	0,35
	fit to all offered bleeder screws			
A TEAM	Protect the bleeder screw hole from dust and water.			
	material: rubber			
	made in Germany			



2	Brake hose retainer, original style sacer spring for connection between flexible brake hose and brake pipe	Prod.No.	240	1,43
	surface bronzing one piece for each screw joint will be needed			
<u>brake line - re</u>	ear centre right side	Prod.No.	276	14,8
1380 mm brake line is go	ping from brake pressure regulatoring valve to the left rear brake hose			
	Cable conduit, complete with threaded rod for adjustment of handbrake	Prod.No.	182	4,9
	fit to all Trabant 500, 600, 601 and Trabant 1.1 galvaniced metal			
	original spare part delivery without adjustment nut (ArtNr.: 6068)			
650 mm	e line, complete, right hand	Prod.No.	274	9,5
Hand brake le		Prod.No.	6306	35,5
one piece will b				
one piece will b lever for park		Prod.No.	6857	65,2
one piece will b lever for park handbrake leve	be needed <u>king brake comlete</u> er for the parking brake of the Trabant 500,600,601 and 1.1 ive unkock push button and toothed segment	Prod.No.	6857	65,2
one piece will b lever for park handbrake leve delivery inclusi	be needed <u>king brake comlete</u> er for the parking brake of the Trabant 500,600,601 and 1.1 ive unkock push button and toothed segment	Prod.No. Prod.No.	6857 313	65,2 2,4
one piece will b lever for park handbrake leve delivery inclusi	be needed         cing brake comlete         er for the parking brake of the Trabant 500,600,601 and 1.1         ive unkock push button and toothed segment         be needed         Dever release spring ( short )         spring for brake shoes front and rear axle         length: 67 mm         diameter: 10 mm         made in EU			
one piece will b lever for park handbrake leve delivery inclusi	be needed <u>king brake comlete</u> er for the parking brake of the Trabant 500,600,601 and 1.1 ive unkock push button and toothed segment be needed <u>Lower release spring ( short )</u> spring for brake shoes front and rear axle length: 67 mm diameter: 10 mm			
one piece will b lever for park handbrake leve delivery inclusi	be needed <u>king brake comlete</u> er for the parking brake of the Trabant 500,600,601 and 1.1 ive unkock push button and toothed segment be needed <u>Lower release spring ( short )</u> spring for brake shoes front and rear axle length: 67 mm diameter: 10 mm made in EU 1 piece will be needed for each rear wheel brake side <u>nut for cable conduit</u>	Prod.No.	313	2,4
one piece will b lever for park handbrake leve delivery inclusi	be needed   cing brake comlete   er for the parking brake of the Trabant 500,600,601 and 1.1   ive unkock push button and toothed segment be needed Lower release spring ( short ) spring for brake shoes front and rear axle length: 67 mm diameter: 10 mm made in EU 1 piece will be needed for each rear wheel brake side nut for cable conduit speciall nut for adjustment of handbrake and clutch cable fit to all Trabant 500,600,601 and 1,1 hexagon nut, galvaniced original spare part	Prod.No. Prod.No.	313 6068 306	3,7



Pressure web, right hand - rear wheel brake Prod.No. 307 8,55 The pressure web is fixed between the two rear wheel brake shoes to transmit the power of the mechanical handbrake to both of the brake shoes.

Prod.No.

236

8,11

material: metal, galvaniced place: rear wheel brake, right hand original spare part fit to Trabant 601 and Trabant 1,1 one piece will be needed



<u>Rear brake line, complete, left side</u> length: 460mm	Prod.No.	278	8,30
Rear brake line, complete, right side length: 460mm	Prod.No.	277	8,30
Rear brake shoe set complete	Prod.No.	312	29,47



The brake shoe rear set consist of an metal basic part and an lining.

Complete set inclusive 4 brake shoes: 2 x with long lining and 2 x with short lining inclusive mounted lever for the hand brake cable.

Fit to Trabant 601 and Trabant 1,1.

Also fit to some trailers and campers like Qek and Camptourist / Klappfix with hydraulic brake system.

2x lining length: 215 mm 2x lining length: 165 mm lining thickness: 4 mm wide: 30 mm for brake drum diameter: 200 mm one set will be needed for each car

<u>Rear centre bra</u> 1450 mm	ake line ( right hand )	Prod.No.	275	16,99
	Rear wheel-brake cylinder, d=19,05mm T1.1 Rear wheel brake cylinder for Trabant 1,1. Brake-piston D=19,05mm. Complete with sleeve, without bleeder screw made in Europe	Prod.No.	222	27,78
U.C	Rear wheel-brake cylinder, original 19,05mm For this spare part we use only the case of the brake cylinders from latest be special made and we replace the ring sleeves into original ones made in So we can offer you an product by best quality.		7449 he pistior	32,50 ns will
	delivery complete with german sealings brake pistion diameter 19,05mm Trabant 601 up to vintage: 31.3.1968, for Trabant 500, 600, 601 Baujahr also for QEK-caravan with hydraulic brake system inclusive bleeder screw			
	Ring sleeve, Ø 19,05 mm, rear (incl. 2 pieces) Ring sleeve for wheel brake cylinder D=19,05mm 2 pieces in one set. Fit to Trabant 500,600 und 601 up to 31.3.1968 and all Trabant 1.1 The ring sleeve should only be changed, if inner surface of cylinder is okay Otherwise the complete wheel brake cylinder (Art.No. 212) should be chan		223	6,79



Rivet bolt for hand-brake leverProd.No.1831,21Rivet bolt for mounting the hand brake lever at the rear brake shoe (short lining).Fit to Tarabant 601 and Trabant 1,1 rear axle, Wartburg 311,312,353,1.3 and Anhänger wie Qek,Intercamp, Oase, Camptorist, Klappfix.

material: steel, galvaniced one piece for each rear brake



one piece for each rear brake			
Screw-cap for brakeline 4,75x0,7 Trabant Screw-cap for breakline 4,75mm x 0,7mm fit to Trabant 500, 600, 601 and Trabant 1,1	Prod.No.	264	0,69

	Slealing for Hand brake lever	Prod.No.	1070	5,44
-	toothed segment for hand brake lever single part	Prod.No.	6185	4,95
•	original made in Germany by IFA one piece will be needed			
	toothed segment for lever for parking brake toothed segment for the handbrake lever of the Trabant 500,600,601 and 1.1	Prod.No.	6994	7,50
U	delivery without connection rivet original spare part one piece will be needed			
~	<u>Upper release spring ( long )</u> spring for brake shoes front and rear axle	Prod.No.	314	2,90
	length: 132 mm diameter: 10 mm galvaniced made in EU 2 pieces for each front wheel brake side 1 piece for each rear wheel brake side			

## Trabant 1.1 > Spare parts > Electrical system



Auxiliary diode base plate for Dynamo ACProd.No.76229,77Spare base plate pre installed with excitation diodes.Best use for exchanging the single complete componet.99Delivery without mounting parts.Fit to dynamo 12V Trabant 601111Trabant 1,1 and Wartburg 1,3 as well Barkas B1000-1911

original spare part one base plate will be needed



Bearing cover rotary current generator Prod.No. 772 1,25 Metal cover for the rear ball bearing (rotor shaft rear 6303ZZ) of the rotary current generator to the collector ring. Original spare part (NOS)

metal, galvaniced For each generator one piece will be needed Fit to all generators 12V Trabant 601, Trabant1.1, Wartburg 353, Wartburg 1.3, Barkas B1000 und B1000-1

Prod.No. 7600

7598

Prod.No.

7601

762

28,75

168,34

2,45

5,51



Bolt for regulator

Mounting bolt for regulator and cutout relay. Original spare part (NOS)

threed: M5 length: 49mm delivery inclusive nut SW8 For each generator tow pieces will be needed Fit to all generators 12V Trabant 601, Trabant1.1, Wartburg 353, Wartburg 1.3, Barkas B1000 und B1000-1



# Brush for Dynamo AC

Prod.No. Spare brush fit to AC Dynamo 12V Trabant 1.1, Wartburg 1.3 and Barkas B1000-1

original spare part (NOS) price for each one two pieces will be needed

size:15,5mm x 10mm x 5mm wire: 40mm flat plug 6,3mm



controller-unit for overrun cut-off (T1.1/W1.3) Prod.No. 6489 81,29 Electronical control unit for overrun cut-off of 4-stroke engines of Trabant or Wartburg. Discontinues the fuel supply during overrun. Works in tandem with Switch for throttle valve und tick-over valve



# Diode base plate for Dynamo AC

Spare base plate complete pre installed with excitation diodes and plus diodes. Best use for exchanging the complete componet. Delivery without mounting parts. Fit to dynamo 12V Trabant 601 Trabant 1,1 and Wartburg 1,3 as well Barkas B1000-1

original spare part one base plate will be needed



Dynamo AC 12V, four stroke Prod.No. Rotary current generator complete in germany overhauled spare part. Fit to Trabant 1,1 and Wartburg 1,3 and Barkas B1000-1 with four stroke engine. Scope of delivery inclusive voltage regulator.

For more informations to this exchange part please use the Detail button.

pecial offers e	end current prices: <b>http://www.iam-tuning.de</b> Document draw on 07.06.2016.			
	Electrical mixture preheater electrical mixture preheater for Trabant 1.1 and Wartburg 1.3	Prod.No.	801	24,93
	Fan for radiator electrical fan for radiator Trabant 1,1. complete with installing frame for radiator curency: 12V made in Germany one piece will be needed	Prod.No. pr.	6483	77,77
	white fuse for current up to 8A	Prod.No.	1220	0,18
	fit to all vehicles with this type of fuse Fuse 16A red fuse for current up to 16A	Prod.No.	1221	0,18
SILLIS	fit to all vehicles with this type of fuse         Fuse box SDS/10.1         Retainer for the fuses (8 pieces) as terminal block with clamp connection for the         Fit to Trabant 1,1 Limousine, Universal and Tramp.	Prod.No. he wires.	7476	18,50
	original spare part delivery complete cover without fuses			
	Fuse set         Torpedo-fuse kit ideal for traveles or for the daily use.         Delivery with resealable blister box.         Scope of delivery:         4x 8A (withe)         4x 16A (red)	Prod.No.	6437	0,99
	2x 25A (blue)			



 2x 25A (blue)
 Graphite collector ring rotary current generator
 Prod.No. 7599
 23,95

 Collector ring for the generator rotor.
 Inclusive metal plates for mounting the rotor windings
 Original spare part (NOS)


 For each generator one piece will be needed
 Fit to all generators 12V Trabant 601, Trabant1.1, Wartburg 353, Wartburg 1.3, Barkas B1000 und B1000-1

Isolating plate for auxiliary diode base plate Spare plasic isolating plate for the base plate (excitation diodes) for Dynamo AC Delivery without mounting parts. Fit to dynamo 12V Trabant 601 Trabant 1,1 and Wartburg 1,3 as well Barkas B1000-1

original spare part one isolating plate will be needed 3,51

Prod.No. 7662

	<u>Key_switch</u> One grade switch made of Duro-plastic Can be used for 6,12 (120W) and 24V (150W) electrical systems. Best use for additional electrical units at Old- and Youngtimers.	Prod.No.	7590	1,95
	<u>Oel pressure switch, black</u> oel pressure switch it closes if oil pressure is more than 140 kPa (+/-20 kPa) colour of plastic: black	Prod.No.	840	6,91
	original name of the part: DTR 8640.10/17.1.1			
100	<u>Oel pressure switch, colour brown</u> oel pressure switch it opens if oil pressure is more than 30 kPa (+/-15 kPa) colour of plastic: brown	Prod.No.	841	6,91
	original name of the part: DTR 8640.9/2.1.1			
	Paper sealing for electrical mixture preheater Upper paper seal for the electrical mixture preheater. Fit to Trabant 1.1 and Wartburg 1.3	Prod.No.	7971	3,94
	material: sealing paper high quality reproduction			
OMELLELLI	Pessure spring carbon brush Coil spring for the carbon brushes at the rotary current generator. Original spare part (NOS) For each generator two pieces will be needed. Fit to all generators 12V Trabant 601, Trabant1.1, Wartburg 353, Wartb B1000-1	Prod.No. urg 1.3, Bark	760 as B1000	1,55 und
-	Protection cap for starter lite ( plastic ) Sealing cap to protect the starter wire (plus) against dust and moisture. Fit to the vehicles: P70, Trabant, Wartburg, Multicar, Framo and Barkas.	Prod.No.	786	2,28
	made in Germany one piece will be needed			
	Rear fog lamp for rear bumper Rear fog light for the mounting on top of the bumber.	Prod.No.	7413	9,9
-501	colour: black casing, glass red size: 14 x 7,5 cm delivery without bulb original spare part			
	Regulator and cutout relay for AC 12V Dynamo The voltage regulator is direct mounted at the dynamo. Fit to many IFA c for example:	Prod.No. dynamos with	775 rotary cur	36,32 rent.
	dynamo 12V Trabant dynamo 12V Trabant 1.1, Wartburg 1,3 and Barkas B1000-1 dynamo 12V Wartburg 353 and Barkas B1000			
	one niece will be needed			



6		
	6	
1	2	
2		9

Signal horn, 12VProd.No.1205universal signal horn for the supply voltage 12V.Also for any type of vehicle with voltage of 12V (like Audi, VW, Opel, Ford and more).1205

galvaniced metal-body inclusive grounding clip made in Germany one piece will be needed



Single grade pull switchProd.No.7589Small pull switch for mounting for example at the dashboards.Can be used for 6,12 and 24V electrical systems.Space saving frame size, best use for additional electrical units at Old- and Youngtimers.

solenoid switch for starter	Prod.No.	6651	53,26
fit to Starter 12V T 1.1 and W1.3 and Starter 12V remanufactuered Trabant 1.1 and Wartburg 1.3			

one piece will be needed



Speedometer with trip meterProd.No.709224,99Round speedometer for the cars Wartburg 1.3, Wartburg 353, Trabant 1.1, Barkas B1000 and B100-1.type:

Speedscale up to 150km/h inclusive trip meter power 12V scope of delivery inclusive bulbs front rim : black mounting diameter: 100mm genuine spare part Zak No: 3.0230/47



Starter 12V *reclaimed* (T1.1/W1.3/B1000-1) +90,00 desposit Prod.No. 6417 189,11 Complete overhauled starter for Trabant 1,1 Wartburg 1,3 and Barkas B1000-1 with 4-cylinder 4-stroke engine.

delivery inclusive starter magnet overhauled in Germany

For more informations to this exchange part please use the Detail button.



 Switch and timing switch for wiper motor, second hand
 Prod.No. 1117
 38,08

 switch for wiper motor 12V
 combination switch with 2 level timing and 2 level of wiper speeds, button for screen water.
 38,08

 second hand, checked for funktion one piece will be needed
 Second hand, checked for funktion
 Second hand, checked for funktion

Switch for heating blower		Prod.No.	74	12,12	
	Switch for rear wiper motor	Prod.No.	7104	18,50	
	Switch for the Trabant Universal (station wagon) electrical wiper motor rear screen				

14,87

3,28

	A 5	
2		
Sunah		
and a		

I hermo switch	Prod.No.	850
Thermostat is mounted in thermotat housing		
The thermo switch is a earthless closed-circuit current switch for warm runn	ing automatic	
It open if cooling water temperature is about 60°C.		



Thermo switch for radiator fanProd.No.72314,74The thermo switch for radiator fan is a make contact, which is screwed directly into the radiator.14,74

It closes contact if temperature of coolant is about 95°C +/- 3K and it closes if temperature is about 89°C +/- 3K.



<u>Transmitter for fuel gauge</u> Prod.No. 1234 46,08 Sensor for fuel gauge with potentiometer for connection to all offert fuel gauges. Complete with rubber sealing and float.

made in Germany one piece will be needed



Transmitter for temperature indicationProd.No.8518,44transmitter for temperature indication is screwed into thermostat housing

 $\bigcirc$ 

<u>V-belt AVX 10 x 700</u> Prod.No. Alternator belt fit to Wartburg 1,3, Trabant 1,1 and Barkas B1000-1.

No. 1106 7,61

27,13

dimensions: 10mm wide, 700mm long made in England



Wiper motor 12 V, secound hand (from 88)Prod.No.111667,92The differnt between wiper motor, built in from year 1988 and later to the wiper motor up to 1987 is the<br/>form of motor shaft.For see on the picture below is the conical shaft of a wiper motor built-in from year 1988. In contrast to<br/>this wiper motor the wiper motor built-in up to year 1987 has a cylindrical shaft.

# Trabant 1.1 > Spare parts > Electrical system > Lighting




Bulb retainer display instrumentsProd.No.78432,50Holder for bulbs as an checked secound hand part. Can be used for nearly all IFA vehicles.Type with contact pin for wire plug: 6,3x0,8 (standart)Useabe for bulbs 6V, 12V oder 12V 2W with Ba7S base as speedometer lightning, display and indecator lights.12V

	checked secound hand part delivery without bulb original part				
E a	Bulb retainer display instruments, screw pinProd.No.78443,90Holder for bulbs with screw pin for wire connection. Can be used for nearly all IFA vehicles.Type with contact for screw connection: up tp 1,5 mmm².Useabe for bulbs 6V, 12V oder 12V 2W with Ba7S base as speedometer lightning, display and indecator lights.				
	new spare part delivery without bulb				

Combi switch for steering column second-hand		Prod.No.	105	104,55
Combi switch	for steering column left hand	Prod.No. 104		76,20
Combi switch	for steering column right hand	Prod.No. 7135		76,20
	Flasher unit 12V ( for trailer useing ) with additional terminal C2 for active light of trailer flasher	Prod.No.	69	28,24
	Fog lamp angular         Rectangular fog light as very good replacement for the original lights.         High quality made in Germany.         The sizes agree with the genuine spare parts.         technical details:         voltage: 12V oder 24V, bulb type: H3         dimensions: 160mm x 90mm         scope of delivery without bulb, inclusive mounting parts         the case of the lamp is mad of plastic, black         Can be used for Trabant, Wartburg, B1000 und Multicar.	Prod.No.	7431	32,70
C	Front rim, prime coated         Headlamp rim for Trabant 500,600, 601 und 1,1.         Mountable for R2 (Bilux) and H4 headlights.         Front rim fit to the left and to the right side         material: metal shrink boot         original spare part         two pieces will be needed	Prod.No.	53	29,90
	Glass for direction indicator lamp, front (white) Clear lense for the dircetion indicator Trabant 601. material: plastic, colourless with E-icon made in EU needed accessory: yellow Bulb 12V / 21W	Prod.No.	61	3,90
بالمراجع المراجع	Glass for flasher back up lamp Lense for rear lamp Trabant 1,1 (back up lamp). Element is mounted at the bottom at the rear light left side (clear lense). Best qualitiy original spare part. material: plastic for each car one piece will be needed original spare part	Prod.No.	76	9,92

opoolal onoio ona				
	<u>Glass for flasher stop tail lamp</u> Lense for rear lamp Trabant 1,1 (top part). Element for flasher (orange), stop trail-rear light (red).	Prod.No.	6519	14,98
	material: plastic for each car two pieces will be needed original spare part			
	Glass for with rear fog lamp ense for rear lamp Trabant 1,1 (rear fog lamp). Element is mounted at the bottom at the rear light rigt side (red lense).	Prod.No.	77	9,92
00 f	naterial: plastic or each car one piece will be needed original spare part			
	Indicator lamp complete, front orange Front indicator lamp with orange lense needed accessory: white bulb 12V / 21W	Prod.No.	65	14,60
	Indicator lamp complete, front orange, original Original spare part: front indicator lamp with orange lense needed accessory: white bulb 12V / 21W	Prod.No.	7001	21,00
	Indicator lamp complete, front white Front indicator lamp with clear lense for Trabant 601 scope of delivery:	Prod.No.	6321	13,87
A. C.	Glass for direction indicator lamp white Seal for indicator insert front Seal for indicator lamp front Indicator insert complete front made in EU			
	with clear lense needed accessory:			
	yellow Bulb 12V / 21W			
731	Interior lamp Lamp for the Trabant 601 and 1,1 interior. For the insert will be nedded: 1x tubular bulb 6V: LDM-no.: 121 1x tubular bulb 12V: LDM-no.: 135	Prod.No.	98	12,20
	original spare part delivery without bulb			

	Lamp spare kit H4 / 12V Spare kit with different bulbs fit to voltage of 12V content:	Prod.No.	7057	8,55
	1x H4-lamp 60/55W with base P43t			
A settle provide and a set of the	2x spherical lamps 21W white with base Ba15s 1x tubular lamp 21W (C21W) with base SV 8,5			
	1x tubular lamp 5W (C5W) with base SV 8,5			
	1x bulb 4W (T4W) with base BA 9s			
	1x bulb for speedometer 2W with base BA 7s			
	1x Torpedo-fuse 8A 1x Torpedo-fuse 16A			
	LED Headlamp insert	Prod.No.	8132	249,00
<b>MILLIN</b>	LED Headlight as an complete unit.	1100.110.	0102	240,00
(ALLEN)	Fit to Trabant, Trabant 1.1, Baraks B1000, Barkas B1000-1, W50, Multic	ar, MZ motorl	oikes.	
a full				
Cranto V	scope of delivery: inclusice LEDs			
	price per piece			
	electrical power: 12V			
-	g lamp - car body	Prod.No.	8033	1,84
-	clusive spring washer and nut for mounting the fog lights at the car body.			
Screw set made of	f stainless steel. odels of the DDR produced fog lamps like at the example picture is shown.			
Set is made of stai				
Set is made of stai 1x screw, 1x nut u two sets will be ne	nd 1x spring ring			
1x screw, 1x nut u two sets will be ne	nd 1x spring ring eded	Prod.No.	8032	1.80
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u>	nd 1x spring ring eded	Prod.No. amp.	8032	1,80
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of	nd 1x spring ring eded g lamp - clamp clusive spring washer and nut for mounting the fog lights at the adjustment cl f stainless steel.		8032	1,80
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of	nd 1x spring ring eded <u>g lamp - clamp</u> clusive spring washer and nut for mounting the fog lights at the adjustment cl		8032	1,80
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of	nd 1x spring ring eded g lamp - clamp clusive spring washer and nut for mounting the fog lights at the adjustment cl f stainless steel.		8032	1,80
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo	nd 1x spring ring leded g lamp - clamp clusive spring washer and nut for mounting the fog lights at the adjustment clu f stainless steel. odels of the DDR produced fog lamps like at the example picture is shown.		8032	1,80
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	nd 1x spring ring leded g lamp - clamp clusive spring washer and nut for mounting the fog lights at the adjustment clu f stainless steel. odels of the DDR produced fog lamps like at the example picture is shown.		8032	1,80
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo	nd 1x spring ring eded <u>g lamp - clamp</u> clusive spring washer and nut for mounting the fog lights at the adjustment clusive f stainless steel. odels of the DDR produced fog lamps like at the example picture is shown. inless steel nd 1x spring ring eded	amp.		
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	nd 1x spring ring eded <u>g lamp - clamp</u> clusive spring washer and nut for mounting the fog lights at the adjustment clust f stainless steel. odels of the DDR produced fog lamps like at the example picture is shown. inless steel nd 1x spring ring eded <u>Plate for mounting bolt flasher complete, front</u>		8032	
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	nd 1x spring ring eded <u>g lamp - clamp</u> clusive spring washer and nut for mounting the fog lights at the adjustment clusive f stainless steel. odels of the DDR produced fog lamps like at the example picture is shown. inless steel nd 1x spring ring eded	amp.		
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	nd 1x spring ring eded g lamp - clamp clusive spring washer and nut for mounting the fog lights at the adjustment cluster f stainless steel. odels of the DDR produced fog lamps like at the example picture is shown. inless steel nd 1x spring ring eded <u>Plate for mounting bolt flasher complete, front</u> Thread abutment for screw for mounting the front indicator lamp.	amp. Prod.No.		
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	nd 1x spring ring eded g lamp - clamp clusive spring washer and nut for mounting the fog lights at the adjustment clust f stainless steel. odels of the DDR produced fog lamps like at the example picture is shown. inless steel nd 1x spring ring eded <u>Plate for mounting bolt flasher complete, front</u> Thread abutment for screw for mounting the front indicator lamp. Delivery inclusive two sealings.	amp. Prod.No.		
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	nd 1x spring ring eded g lamp - clamp clusive spring washer and nut for mounting the fog lights at the adjustment clust f stainless steel. odels of the DDR produced fog lamps like at the example picture is shown. inless steel nd 1x spring ring eded Plate for mounting bolt flasher complete, front Thread abutment for screw for mounting the front indicator lamp. Delivery inclusive two sealings. Fit to the indicator lights left and right hand, angular type of Trabant 601 ar 2 pieces will be needed.	Prod.No. nd 1,1.	7777	1,00
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	nd 1x spring ring         eded         g lamp - clamp         clusive spring washer and nut for mounting the fog lights at the adjustment class         f stainless steel.         odels of the DDR produced fog lamps like at the example picture is shown.         inless steel         nd 1x spring ring         eded         Plate for mounting bolt flasher complete, front         Thread abutment for screw for mounting the front indicator lamp.         Delivery inclusive two sealings.         Fit to the indicator lights left and right hand, angular type of Trabant 601 ar         2 pieces will be needed.	amp. Prod.No.		1,00
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	nd 1x spring ring eded g lamp - clamp clusive spring washer and nut for mounting the fog lights at the adjustment clust f stainless steel. odels of the DDR produced fog lamps like at the example picture is shown. inless steel nd 1x spring ring eded Plate for mounting bolt flasher complete, front Thread abutment for screw for mounting the front indicator lamp. Delivery inclusive two sealings. Fit to the indicator lights left and right hand, angular type of Trabant 601 ar 2 pieces will be needed.	Prod.No. nd 1,1.	7777	1,00
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	nd 1x spring ring         eded         g lamp - clamp         clusive spring washer and nut for mounting the fog lights at the adjustment class         f stainless steel.         odels of the DDR produced fog lamps like at the example picture is shown.         inless steel         nd 1x spring ring         eded         Plate for mounting bolt flasher complete, front         Thread abutment for screw for mounting the front indicator lamp.         Delivery inclusive two sealings.         Fit to the indicator lights left and right hand, angular type of Trabant 601 ar         2 pieces will be needed.	Prod.No. nd 1,1.	7777	1,00
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	nd 1x spring ring eded g lamp - clamp clusive spring washer and nut for mounting the fog lights at the adjustment cla f stainless steel. odels of the DDR produced fog lamps like at the example picture is shown. inless steel nd 1x spring ring eded Plate for mounting bolt flasher complete, front Thread abutment for screw for mounting the front indicator lamp. Delivery inclusive two sealings. Fit to the indicator lights left and right hand, angular type of Trabant 601 ar 2 pieces will be needed. Replacement glass for RETRO rear fog lamp Red glass as spare part for our RETRO fog light material: red glass	Prod.No. nd 1,1.	7777	1,00
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	Ind 1x spring ring eded g lamp - clamp clusive spring washer and nut for mounting the fog lights at the adjustment cla f stainless steel. odels of the DDR produced fog lamps like at the example picture is shown. inless steel nd 1x spring ring eded Plate for mounting bolt flasher complete, front Thread abutment for screw for mounting the front indicator lamp. Delivery inclusive two sealings. Fit to the indicator lights left and right hand, angular type of Trabant 601 ar 2 pieces will be needed. Replacement glass for RETRO rear fog lamp Red glass as spare part for our RETRO fog light	Prod.No. nd 1,1.	7777	1,80
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	and 1x spring ring         eded         g lamp - clamp         clusive spring washer and nut for mounting the fog lights at the adjustment clift         f stainless steel.         bdels of the DDR produced fog lamps like at the example picture is shown.         inless steel         nd 1x spring ring         eded         Plate for mounting bolt flasher complete, front         Thread abutment for screw for mounting the front indicator lamp.         Delivery inclusive two sealings.         Fit to the indicator lights left and right hand, angular type of Trabant 601 ar         2 pieces will be needed.         Replacement glass for RETRO rear fog lamp         Red glass as spare part for our RETRO fog light         material: red glass         made in Germany         Replacement glass for RETRO reverse lamp	Prod.No. nd 1,1.	7777	1,00
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	nd 1x spring ring eded g lamp - clamp clusive spring washer and nut for mounting the fog lights at the adjustment clust f stainless steel. bdels of the DDR produced fog lamps like at the example picture is shown. inless steel nd 1x spring ring eded Plate for mounting bolt flasher complete, front Thread abutment for screw for mounting the front indicator lamp. Delivery inclusive two sealings. Fit to the indicator lights left and right hand, angular type of Trabant 601 ar 2 pieces will be needed. Replacement glass for RETRO rear fog lamp Red glass as spare part for our RETRO fog light material: red glass made in Germany	Prod.No. nd 1,1. Prod.No.	7777	1,00
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	and 1x spring ring         eded         g lamp - clamp         clusive spring washer and nut for mounting the fog lights at the adjustment clift         f stainless steel.         bdels of the DDR produced fog lamps like at the example picture is shown.         inless steel         nd 1x spring ring         eded         Plate for mounting bolt flasher complete, front         Thread abutment for screw for mounting the front indicator lamp.         Delivery inclusive two sealings.         Fit to the indicator lights left and right hand, angular type of Trabant 601 ar         2 pieces will be needed.         Replacement glass for RETRO rear fog lamp         Red glass as spare part for our RETRO fog light         material: red glass         made in Germany         Replacement glass for RETRO reverse lamp	Prod.No. nd 1,1. Prod.No.	7777	1,00
1x screw, 1x nut u two sets will be ne <u>Mounting bolt for</u> Hexagon screw ind Screw set made of Fit to the round mo Set is made of stat 1x screw, 1x nut u	and 1x spring ring         eded         g lamp - clamp         clusive spring washer and nut for mounting the fog lights at the adjustment clift         f stainless steel.         bdels of the DDR produced fog lamps like at the example picture is shown.         inless steel         nd 1x spring ring         eded         Plate for mounting bolt flasher complete, front         Thread abutment for screw for mounting the front indicator lamp.         Delivery inclusive two sealings.         Fit to the indicator lights left and right hand, angular type of Trabant 601 ar         2 pieces will be needed.         Replacement glass for RETRO rear fog lamp         Red glass as spare part for our RETRO fog light         material: red glass         made in Germany         Replacement glass for RETRO reverse lamp	Prod.No. nd 1,1. Prod.No.	7777	1,00



Trabant 1.1 > Spare parts > Engine



ADDINOL 4 stroke motor oil SAE 10W-40, 1 litre Prod.No. 6248 ADDINOL SEMI SYNTH SAE 10W-40 for Trabant 1.1, Wartburg 1.3 and most other motors from VAG-combine (Audi, VW, Seat, Skoda) particulate with synthetic oil no sheer minerally oil contens: 1 Litre Additional comment: Notes for used oil disposal



ADDINOL 4 stroke motor oil SAE 10W-40, 20 litreProd.No.625087,03ADDINOL SEMI SYNTH SAE 10W-40for Trabant 1.1, Wartburg 1.3 and most other motors from VAG-combine (Audi, VW, Seat, Skoda)particulate with synthetic oilno sheer minerally oilcontens: 20 Litre



ADDINOL 4 stroke motor oil SAE 10W-40, 4 litre Prod.No. 6249 ADDINOL SEMI SYNTH SAE 10W-40 for Trabant 1.1, Wartburg 1.3 and most other motors from VAG-combine (Audi, VW, Seat, Skoda) particulate with synthetic oil no sheer minerally oil contens: 4 Litre Additional comment: Notes for used oil disposal



ADDINOL FLUSHING OIL SUPER, 0,51 Prod.No. 6889 1 ADDINOL FLUSHING OIL SUPER The perfect inside cleaner for engines of Trabant 1.1, Wartburg 1.3 and most other 4-stroke engines

contens: 0,5 Litre (sufficent for appr. 5 L engine oil filling)

proper flushing guarantees complete removal of used oil and maximum cleanliness of the engine dissolves sludge and solids Power Conditioner increasing the engine output



Bleeder for crank caseProd.No.748039,50Breather mounted at the crank case down of the Trabant 1.1,Wartburg 1.3 and BarkasB1000-1withfour stroke engine.

fit also to many engines from VW (engine block 1100) one piece will be needed



Bolt for crankshaft gearProd.No.74823,95High grade special bolt for the mounting of the crankshaft gear for toothed belt. Fit to Trabant 1.1 andWartburg 1.3 and Barkas B1000-1.

one piece will be needed made in Germany



Bolt for flywheel P Special bolt for flywheel mounting. Fit to the engines of the vehicles Trabant 1.1, Wartburg 1.3 or Barkas B1000-1.

6 pieces will be needed with dry threadlocker grade: 12.9 made in Germany Prod.No. 7422 1,99

7,33

23,84

11.00

	Bolt for V-pully crankschaft Bolt with hexagon socket for the mounting of the V-pully at the crankshaf Fit to Trabant 1.1 and Wartburg 1.3 and Barkas B1000-1.	Prod.No. it gear for toothe	7484 ed belt.	1,87
	four pieces will be needed made in Germany			
	breather hose down, crankcase ventilation rubber form hose to put between breather connection of crankcase and o	Prod.No. bil separator	724	6,44
	inner diameter: 18mm outer diameter: 26mm length before bending: ca. 29cm			
	breather hose upper side, crankcase ventilation rubber form hose to put between oil separator and suction pipe	Prod.No.	725	6,44
	inner diameter: 18mm outer diameter: 26mm length before bending: ca. 14,5 cm			
	Camshaft timing gear timing gear for toothed belt camshaft. Fit to Trabant 1.1 and Wartburg 1.3	Prod.No. 3 and Barkas B	7261 1000-1.	46,77
A HARREN	made in Germany number of theeth: 44 one piece will be needed			
M	<u>Chain Oil pump</u> Chain for the support of the Oilpump fit to all oilsump of Trabant 1,1 and engine	Prod.No. d wartburg 1,3 v	7134 with four s	19,83 troke
C V	fit also to many engines from VW (engine block 1100) one piece will be needed			
ELEKTRONISCHE- SCHLBARSCHALTUNG KENN-M:: 8082.314 120 Wartburg 1.3 - Trabant 1.1	<u>controller-unit for overrun cut-off (T1.1/W1.3)</u> Electronical control unit for overrun cut-off of 4-stroke engines of Traban Discontinues the fuel supply during overrun. Works in tandem with tick-over valve	-	6489 ottle valve	81,29 e und
$\bigcap$	Cover sealing flywheel side Spezial paper seal for the metal cover od the radial sealing for one side of fit to Trabant 1.1 and Wartburg 1.3	Prod.No. of crankshaft (si	7050 ide of flyw	4,50 heel)
	made in Germany one piece will be needed			
	Cover sealing pullywheel side Spezial paper seal for the metal cover od the radial sealing for one side belt) fit to Trabant 1.1 and Wartburg 1.3	Prod.No. of crankshaft (	7051 side of too	7,50 othed
	made in Germany one piece will be needed			

6	Crankshaft gear Crankshaft gear for toothed belt. Fit to Trabant 1.1 and Wartburg 1.3 and	Prod.No. Barkas B1000	7262 -1.	49,65
* UAR	made in Germany number of theeth: 44 one piece will be needed			
	ectrical mixture preheater ectrical mixture preheater for Trabant 1.1 and Wartburg 1.3	Prod.No.	801	24,93
The block can be	ut any add-on components. e used for the vehicles Trabant 1.1, Wartburg 1.3 or Barkas B1000-1. e part, zero mark for pistons are possibe to hone.	Prod.No.	7421	800,00
-	tburg 1,3 or Trabant 1,1 I your engine to our company and we will overhaul it complete.	Prod.No.	628	2450,00
000	<b>P</b> Exhaust manifold seal Simple construction of the manifold seal. Material graphite texture paper. Splitted seal (that is one exhaust manifold seal for two cylinder) sealing between outlet side of the cylinder head and the exhaust manifold fit to Trabant 1.1, Wartburg 1.3 und B1000-1 - bouth of this motors have head scope of delivery one paar (2 pieces)	d	31 streem c	5,64 ylinder
	Exhaust manifold seal with meatl ring Better construction of the manifold seal. Material graphite texture pape each cylinder. Splitted seal (that is one exhaust manifold seal for two cylinder) made in Germany by Elring sealing between outlet side of the cylinder head and the exhaust manifold fit to Trabant 1.1, Wartburg 1.3 and Barkas B1000-1- all of this moto cylinder head	b	-	-
Fan frame	scope of delivery one paar (2 pieces)	Prod.No.	1243	21,25
	Hose for air-intake Fresh air intake rubber hose.	Prod.No.	1244	6,76
	Hose for warm air-intake Rubber hose for warm air-intake will be used to connect regulator box and nozzle of cover plate for exhau	Prod.No. st manifold	1245	9,50



Mounting screw under frame 6746 Prod.No. 1,85 Mounting bolt for the connection between underframe and front transverse member. Scope of delivery inclusive external teeth lock washer and nut.

grade: 10.9 surface: galvaniced for the Trabant 500,600,601 will be 6 pieces needed for the Trabant 1,1 will be four pieces needed



Oel filter

1102 Prod.No. 5.98 Fit to Trabant 1,I and 1,3 engine (Wartburg and Barkas B1000-1). Scope of delivery inclusive sealing ring.

made in Germany one piece will be needed



Prod.No. 7133 Oil pump 178,20 Oilpump fit to all oilsump of Trabant 1,1 and wartburg 1,3 with four stroke engine fit also to many engines from VW (engine block 1100) one piece will be needed Oilsump Prod.No. 7129 49,50 Oil sump fit to all oilsump of Trabant 1,1 and wartburg 1,3 with four stroke engine material: metal fit also to many engines from VW (engine block 1100) one piece will be needed Paper sealing for electrical mixture preheater Prod.No. 7971 3,94 Upper paper seal for the electrical mixture preheater. Fit to Trabant 1.1 and Wartburg 1.3 material: sealing paper high quality reproduction 7619 Prod.No. 35,42 Piston ring pliers Piston ring mounting and demounting tool. With this pliers the changing of the piston rings will be simple and save, because the rins are retained at the outside. working dimensions: 1-100mm surface: nickel-plated with blue plastic handles made in Germany Prod.No. 7835 135,30 Piston ring set (zero mark) One set of piston rings consitst of: 4x piston ring 75 x 1,75mm 4x piston ring 75 x 2mm 4x oil scraper ring 75 x 3mm Fit to all four strok engines Trabat 1.1, Wartburg 1.3, and Barkas B1000-1.

high quality made in Germany one set will be needed useable for the bore size: 75,000mm



Radial sealing for camshaft and crankshaft (32 x 47 x 10) with dust lip rod.No. 6340 9,94 radial sealing for camshaft and one side of crankshaft of Trabant 1.1 and Wartburg 1.3 more professional type of Art.No.629 (Radial sealing for camshaft (32 x 47 x 10)) with additional dust lip

size: 32x47x10 made in Germany



 Radial sealing for camshaft and crankshaft ( 32 x 47 x 10) with dust lip rtal NGt 341
 13,80

 radial sealing for camshaft and one side (side of belt) of crankshaft
 11,80

 fit to Trabant 1.1 and Wartburg 1.3
 made from ELRING

Best available type of Radial sealing 32 x 47 x 10 with additional dust lip, dual spin and higher working temperatur range.

inner diameter: 32 mm outer diameter: 47 mm width: 10 mm material: Viton/Polyacryl-rubber



Radial sealing for camshaft and crankshaft( 32 x 47 x 10)Prod.No.629radial sealing for camshaft of Trabant 1.1 and Wartburg 1.3The simplest and cheapest typ WITHOUT dust lip.629

size: 32x47x10 made in Germany



 radial sealing for crank shaft (side of flywheel) 85 x 105 x 11 *ELRIN@*tod.No.
 6343
 19,99

 radial sealing for one side of crankshaft (side of flywheel)

 fit to Trabant 1.1 and Wartburg 1.3

Best available type of Radial sealing 85 x 105 x 11 with:

dust lip left spin higher working temperatur range approved ELRING quality

inner diameter: 85 mm outer diameter: 105 mm width: 11 mm material: Viton/Polyacryl-rubber

#### new produced



radial sealing for crank shaft (side of flywheel) 85 x 105 x 12Prod.No.613213,04Sealing ring for Trabant 1.1 and Wartburg 1.3 engine cluch side.High quality with additional dust lip.The dust lip protect the oil stripe lip for abrasion of the cluch.Find the cluch.Find the cluch.


size: 85x105x12 made in Germany one piece will be needed 5,55

Fit to the vehicles: Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 113 theeft inside diameter: 212nm wide: 8mm made in EU       Prod.No. 7128       0.79         Image: Second Secon	$\frown$	Ring gear for starter Starter gear to mount at the 4-stroke engine fly wheel.	Prod.No.	686	29,50
Oel drain screw plug. Fit to all oilsump of Trabant 1,1 and wartburg 1,3. Produced by FEBI.         spanner size: SW19 made in Germany fit also to many engines from VW (engine block 1100) one piece will be needed         Seal for cel pan       Prod.No. 634 6,90         Yer reasonable Seal for cel sump with medium quality. Fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3. The seal between oil sump and engine block.         Material:chaded sealing paper made in EU one piece will be needed         Seal for cil pan       Prod.No. 6342 21,15         Oel orum pseal fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3. Approved quality made by ELRING. It is the seal between oil sump and engine block.         material: chaded spezial-sealing paper made in Germany one piece will be needed         Seal for water pipe       Prod.No. 7483 2,65         Paper sealing for the cooling water pipe connection to the engine block, rear side water pump. Fit ot Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 with four stroke engines.         made in Germany       Seal for cel drain screw plug. Fit to all oilsump of Trabant 1,1 and wartburg 1.3. Produced by ELRING.         dimensions: 14 x 20x 1.5 made in Germany fit also to many engines from VW (engine block 1100) one piece will be needed       Prod.No. 7485 98,10         Sealing kit engine block down Complete will be needed       Prod.No. 7485 98,10         Complete will be needed       Prod.No. 7485 98,10	$\bigcirc$	Barkas B1000-1 113 theeth inside diameter: 212mm wide: 8mm			
made in Germany fit also to many engines from VW (engine block 1100) one piece will be needed       Prod.No. 634       6,90         Very reasonable Seal for oel sump with medium quality. Fit to 4-stroke engine of Trabant 1.1 and Warburg 1.3. The seal between oil sump and engine block.       Prod.No. 634       2,10         Material:chaded sealing paper made in EU one piece will be needed       Prod.No. 6342       2,1,15         Celsump seal fit to 4-stroke engine of Trabant 1.1 and Warburg 1.3. Approved quality made by ELRING. It is the seal between oil sump and engine block.       2,65         Paper sealing for the cooling water pipe       Prod.No. 6426       0,28         Paper sealing for the cooling water pipe connection to the engine block, rear side water pump. Fit ot Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 with four stroke engines.       2,65         Made in Germany       Seal for oil from oil drain screw plug       Prod.No. 6426       0,28         Material: chaded spezial-sealing paper       made in Germany       2,65         Paper sealing for the cooling water pipe connection to the engine block, rear side water pump. Fit ot Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 with four stroke engines.       0,28         made in Germany       Generating for oel drain screw plug. Prod.No. 6426       0,28         opper seal ring for oel drain screw plug. Prod.No. 7485       98,10         dimensions: 14 x 20x 1,5 made in Germany       Prod.No. 7485       98,10         Complete kit for the					0,79
Very reasonable Seal for oel sump with medium quality. Fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3. The seal between oil sump and engine block.         Material:chaded sealing paper made in EU one piece will be needed         Seal for oil pan       Prod.No. 6342       21,15         Oelsump seal fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3.       Approved quality made by ELRING. It is the seal between oil sump and engine block.       6342       21,15         material: chaded spezial-sealing paper made in Germany one piece will be needed       Prod.No. 7483       2,65         Paper sealing for the cooling water pipe connection to the engine block, rear side water pump. Fit ot Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 with four stroke engines.       2,65         made in Germany       Prod.No. 6426       0,28         copper seal ring for oel drain screw plug       Prod.No. 6426       0,28         copper seal ring for oel drain screw plug. Fit to all oilsump of Trabant 1,1 and wartburg 1,3. Produced by ELRING.       Prod.No. 6426       0,28         copper seal ring for oel drain screw plug. Fit to all oilsump of Trabant 1,1 and wartburg 1,3. Produced by ELRING.       Prod.No. 7485       98,10         complete will be needed       Prod.No. 7485       98,10		made in Germany fit also to many engines from VW (engine block 1100)			
made in EU       one piece will be needed         Seal for oil pan       Prod.No. 6342       21,15         Oelsump seal fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3.       Approved quality made by ELRING. It is the seal between oil sump and engine block.       Imaterial: chaded spezial-sealing paper made in Germany         one piece will be needed       Seal for water pipe       Prod.No. 7483       2,65         Paper sealing for the cooling water pipe connection to the engine block, rear side water pump. Fit ot Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 with four stroke engines.       2,65         made in Germany       made in Germany       Prod.No. 6426       0,28         copper seal ring for oel drain screw plug       Prod.No. 6426       0,28         copper seal ring for oel drain screw plug. Fit to all oilsump of Trabant 1,1 and wartburg 1,3. Produced by ELRING.       Umensions: 14 x 20x 1,5         made in Germany       dimensions: 14 x 20x 1,5       made in Germany         fit also to many engines from VW (engine block 1100)       one piece will be needed       Prod.No. 7485       98,10         Complete kit for the engine block. Fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3 and Barkas B1000-1.       Prod.No. 7485       98,10	$\bigcirc$	Very reasonable Seal for oel sump with medium quality. Fit to 4-stroke			
Oelsump seal fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3.         Approved quality made by ELRING. It is the seal between oil sump and engine block.         material: chaded spezial-sealing paper         made in Germany         one piece will be needed         Seal for water pipe         Prod.No. 7483       2,65         Paper sealing for the cooling water pipe connection to the engine block, rear side water pump.         Fit ot Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 with four stroke engines.         made in Germany         made in Germany         copper seal ring for oel drain screw plug       Prod.No. 6426       0,28         copper seal ring for oel drain screw plug. Fit to all oilsump of Trabant 1,1 and wartburg 1,3. Produced by ELRING.         dimensions: 14 x 20x 1,5       made in Germany         dimensions: 14 x 20x 1,5       made in Germany         fit also to many engines from VW (engine block 1100)       one piece will be needed         Sealing kit engine block down       Prod.No. 7485       98,10         Complete kit for the engine block. Fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3 and Barkas B1000-1.       98,10		made in EU			
made in Germany one piece will be needed         Seal for water pipe       Prod.No. 7483       2,65         Paper sealing for the cooling water pipe connection to the engine block, rear side water pump. Fit ot Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 with four stroke engines.       2,65         made in Germany       made in Germany       Prod.No. 6426       0,28         copper seal ring for oel drain screw plug       Prod.No. 6426       0,28         copper seal ring for oel drain screw plug. Fit to all oilsump of Trabant 1,1 and wartburg 1,3. Produced by ELRING.       dimensions: 14 x 20x 1,5         dimensions: 14 x 20x 1,5       made in Germany       fit also to many engines from VW (engine block 1100)         one piece will be needed       Prod.No. 7485       98,10         Complete kit for the engine block. Fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3 and Barkas B1000-1.       Prod.No. 7485       98,10	$\bigcirc$	Oelsump seal fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3.		6342	21,15
Paper sealing for the cooling water pipe connection to the engine block, rear side water pump. Fit ot Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 with four stroke engines.         made in Germany         Seal ring for cel drain screw plug       Prod.No. 6426       0,28         copper seal ring for cel drain screw plug.       Fit to all oilsump of Trabant 1,1 and wartburg 1,3. Produced by ELRING.         dimensions: 14 x 20x 1,5       made in Germany         fit also to many engines from VW (engine block 1100)       one piece will be needed         Sealing kit engine block down       Prod.No. 7485       98,10         Complete kit for the engine block. Fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3 and Barkas B1000-1.		made in Germany			
Seal ring for oel drain screw plug       Prod.No.       6426       0,28         copper seal ring for oel drain screw plug. Fit to all oilsump of Trabant 1,1 and wartburg 1,3. Produced by ELRING.       dimensions: 14 x 20x 1,5         dimensions: 14 x 20x 1,5       made in Germany       fit also to many engines from VW (engine block 1100)         one piece will be needed       Prod.No.       7485       98,10         Complete kit for the engine block. Fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3 and Barkas       B1000-1.		Paper sealing for the cooling water pipe connection to the engine block, rea	r side water		2,65
copper seal ring for oel drain screw plug. Fit to all oilsump of Trabant 1,1 and wartburg 1,3. Produced by ELRING.         dimensions: 14 x 20x 1,5 made in Germany fit also to many engines from VW (engine block 1100) one piece will be needed         Sealing kit engine block down       Prod.No. 7485 98,10         Complete kit for the engine block. Fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3 and Barkas B1000-1.		made in Germany			
made in Germany         fit also to many engines from VW (engine block 1100)         one piece will be needed         Sealing kit engine block down         Complete kit for the engine block. Fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3 and Barkas         B1000-1.		copper seal ring for oel drain screw plug. Fit to all oilsump of Trabant 1,1 a			
Complete kit for the engine block. Fit to 4-stroke engine of Trabant 1.1 and Wartburg 1.3 and Barkas B1000-1.		made in Germany fit also to many engines from VW (engine block 1100)			
		Complete kit for the engine block. Fit to 4-stroke engine of Trabant 1.1 and B1000-1.			

$\bigcirc$	Sealing ring for electrical mixture preheater Special sealing ring for the electrical mixture preheater. Fit to Trabant 1.1 and Wartburg 1.3	Prod.No.	7976	9,36
	material: sealing rubber high quality reproduction			
TO.	Socked spring Sleeve spring (round) have to be pressed in the support for engine or get	Prod.No. rabox retainer.	635	38,90
0	outside diameter: 75mm length: 55mm length of the mounting bushing inside: 68mm diameter of the mounting bushing inside: 11mm Trabant 1,1 one piece will be needed for engine-gerbox support front left Wartburg 1,3 two pieces will be needed for engine support front and for g		t rear	
	toothed belt 108 / 19,1 The timing belt fir to Trabant 1,1 and Wartburg 1,3.	Prod.No.	1107	15,37
$\bigcirc$	wide: 19,1mm (3/4 inch) count of teeth: 108			
	Twin bearing Rubber spring front for engine Trabant 1,1. The bearing is screwed direct	Prod.No. t at the under fi	447 ame.	42,64
Under-frame Underframe for Tr	rabant 1,1 ete checked, sandblasted, undercoated (primed), and varnished (black).	Prod.No.	446	295,00
	<u>V-belt AVX 10 x 700</u> Alternator belt fit to Wartburg 1,3, Trabant 1,1 and Barkas B1000-1.	Prod.No.	1106	7,61
	dimensions: 10mm wide, 700mm long made in England			
Гrabant 1.1 > Sբ	oare parts > Engine > cooling system			
65	blow off valve for compensating tank, 100kPa (T1.1) Blow off valve for cooling water tank of Trabant 1,1. It will be mounted under the reservior cap.	Prod.No.	720	13,54
	pressure: 100kPa made in EU one piece will be needed			
-	closure for compensating tank (T1.1/W1.3/B1000-1) Cap with core thread for water bottle of Trabant 1.1.	Prod.No.	6645	5,38

scope of delivery without pressure valve material: plastic original spare part one piece will be needed

Contrading of the	compensating tank complete coolant bottle for Trabant 1.1, delivery without closure and valve	Prod.No.	719	35,20
	original spare part			
	compensating tank complete, universal universal useable coolant bottle. Scope of delivery complete with closure cap and integreated valve and swite Two connections for the water hoses. diamter connection down: 15mm diamter connection on top: 8mm Brillant replacement for the original spare part. Can be used for tuning and Trabant with Wartburg engine or VW engines			41,98 nple:
	Coolant GLYSANTIN® Protect Plus, frost protection agent coolant concentrate Protect Plus (G48), suitable for all popular makes of car quality engine coolant such as Glysantin® Protect Plus provides all-season: Corrosion protection Overheating protection Frost protection Neutrality to rubber and plastics Low foaming tendency High chemical stability Fit to the most coolant systems, for instance of Wartburg 353 and 1.3, Trabant 1.1 a	Prod.No. and Barkas E		13,81
	Mixable with coolant G11 from Volkswagen.			
	NOT mixable with coolant G12 from Volkswagen! Coolant hose compensating tank - engine Cooling water hose for connection between compensating tank (uppper side Fit to Trabant 1,1 with 1100 ccm four stroke engine. inside diameter: 17 mm outside diameter: 26 mm lenght: ca.38 cm one piece will be needed			11,24
	NOT mixable with coolant G12 from Volkswagen! Coolant hose compensating tank - engine Cooling water hose for connection between compensating tank (uppper side Fit to Trabant 1,1 with 1100 ccm four stroke engine. inside diameter: 17 mm outside diameter: 26 mm lenght: ca.38 cm	e) and engine n the details Prod.No.	e block.	11,24





Cooling water hose thermostat - suction pipeProd.No.8578,16Cooling water hose for connection between thermostat case and suction pipe.Fit to Trabant 1,1 with 1100 ccm four stroke engine.Fit to Trabant 1,1 with 1100 ccm four stroke engine.Fit to Trabant 1,1 with 1100 ccm four stroke engine.

inside diameter: 10 mm outside diameter: 18 mm lenght: ca.28 cm one piece will be needed



Cooling water hose suction pipe - thermostatProd.No.855Cooling water hose for connection between suction pipe and thermostat case.Fit to Trabant 1,1 with 1100 ccm four stroke engine.

inside diameter: 17 mm outside diameter: 27 mm lenght: ca.23 cm one piece will be needed



 Fan for radiator
 Prod.No.

 electrical fan for radiator Trabant 1,1. complete with installing frame for radiator.
 curency: 12V

made in Germany one piece will be needed



Form hose - engine - radiator Cooling water hose for connection between engine and radiator. Fit to Trabant 1,1 with 1100 ccm four stroke engine.


inside diameter: 31 mm outside diameter: 40 mm lenght: ca.45 cm one piece will be needed

one piece will be needed

To depicting of the spare part place (technical exploded view) please click on the details.

Form hose - heating system / thermostat housing	Prod.No.	7479	13,40
Cooling water hose for connection between thermostat terminal block and radiator for heating sy	rstem.		
Fit to Trabant 1,1 with 1100 ccm four stroke engine.			

inside diameter: 15 mm outside diameter: 25mm lenght: ca. 47cm one piece will be needed



8,59

77,77

13.85

6483

852

Prod.No.

	housing / heating system nection between thermostat terminal block and radiator for heating sys ) ccm four stroke engine.	Prod.No. stem.	7478	13,4
inside diameter: 15 mm outside diameter: 25mm lenght: ca. 51cm one piece will be needed				
Cooling	hose engine - pipe g water hose for connection between engine and indermediate pipe. Frabant 1,1 with 1100 ccm four stroke engine.	Prod.No.	854	13,1
outside lenght:	diameter: 30mm e diameter: 39mm : ca.35 cm ece will be needed			
Cooling	hose pipe - radiator g water hose for connection between indermediate pipe and radiator. Frabant 1,1 with 1100 ccm four stroke engine.	Prod.No.	853	12,5
outside lenght:	diameter: 30 mm e diameter: 39 mm : ca.32 cm ece will be needed			
Heating radiator front wa	all	Prod.No.	1248	185,0
	Hose connector 19mm, universal Universal useable plastic connection tube for coolant hoses. Best use for reparations of demaged hoses or tuning and modif Wartburg engine or VW engines. Easy to install, just push the two ends of the hoses at tube and fix it technical details:			2,5 t with
	diameter: 19mm lenght of the connection side: 32mm legth total: 75mm material: plastic, temperatur and oel restistant, whithe			
And the second se	tor cooler with aluninium ribs for the Trabant 1,1. Inclusive meatal co front part and srew fitting for the temperatur sensor.	Prod.No. ver plates fo	718 or fixing a	149,9 at the

material: aluminium, steel (galvaniced) made in EU

	Radiator hose set Trabant 1,1 Complete set oft coolant hoses to for the Wartburg 1.3 Fit to all types like Limousine, station wagon and Tramp. Scope of delivery:	Prod.No.	8117	99,48
	1x radiator hose: Di=10mm, length: 810mm 1x radiator hose: Di=15mm, length: 470mm 1x radiator hose: Di=15mm, length: 570mm 1x radiator hose: Di=15mm, length: 730mm 1x radiator form hose: Di=12mm, length: 360mm 1x radiator form hose: Di=12mm, length: 420mm 1x radiator form hose: Di=18mm, length: 240mm 1x radiator form hose: Di=18mm, length: 300mm 1x radiator form hose: Di=30mm, length: 240mm 1x radiator form hose: Di=30mm, length: 470mm 1x radiator form hose: Di=30mm, length: 480mm			
	<ul> <li>Repair set thermostat housing</li> <li>Self repair set of pipes for the thermostat case of the Trabant 1,1 and Warth Set consist of:</li> <li>2x tube with diameter 20mm</li> </ul>	Prod.No. ourg 1,3.	7452	38,52
	2x tube with diameter 16mm 1x tube with diameter 12mm			
$\bigcirc$	Rubber seal for thermostat O-ring seal for mechanical thermal switch. The seal should be changed affine heat governor. material: rubber form: round diameter: 4 mm x50 mm x 58 mm one piece will be needed	Prod.No. ter every der	722 nounting (	1,49 of the
	Seal for water pipe Paper sealing for the cooling water pipe connection to the engine block, rea Fit ot Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 with four stroke engin		7483 pump.	2,65
$\bigcirc$	made in Germany <u>Seal for water pump</u> Single part rubber seal fit to water pump.	Prod.No.	717	2,80
$\bigcirc$	Sealing ring for cooling water pipe Rubber seal for the connection between water pipe and engine block water Fit to the cooling system of the Trabant 1.1, Wartburg 1.3 and B1000-1.	Prod.No. pump.	7419	1,49



Sealing ring for Thermostat housingProd.No.74181,49Rubber seal for the connection between thermostat case and engine block.Fit to the cooling system of the Trabant 1.1, Wartburg 1.3 and B1000-1.Fit to the cooling system of the Trabant 1.1, Wartburg 1.3 and B1000-1.Fit to the cooling system of the Trabant 1.1, Wartburg 1.3 and B1000-1.Fit to the cooling system of the Trabant 1.1, Wartburg 1.3 and B1000-1.Fit to the cooling system of the Trabant 1.1, Wartburg 1.3 and B1000-1.



13	<u>Thermo switch</u> Thermostat is mounted in thermotat housing The thermo switch is a earthless closed-circuit current switch for warm runn It open if cooling water temperature is about 60°C.	Prod.No.	850 c.	27,13
	Thermo switch for radiator fan The thermo switch for radiator fan is a make contact, which is screwed direct It closes contact if temperature of coolant is about 95°C +/- 3K and it clo			14,74 about
	89°C +/- 3K.			
	Thermostat These calorstat are fit for Trabant 1.1 and Wartburg 1.3. Scope of delivery inclusive rubber sealing ring, which should be changed thermal switches.	Prod.No. at every dem		18,39 of the
	basic diameter: 54 mm valve diameter: 35 mm length closed phase: 34mm round sealing: 4x50x58 made in Germany one piece will be needed			
ð	<u>Thermostat housing</u> The thermostat case is the centrally part of cooling system. Both cooling loops are connected in the thermostat housing. Depending on the engine temperature the thermostat opens the large radiator).	Prod.No.		39,83 n the
	original spare part			
	Transmitter for temperature indication transmitter for temperature indication is screwed into thermostat housing	Prod.No.	851	8,44
	Water pump Water pump inclusive sealing ring for four cylinder 4-stroke engines of follow	Prod.No. vehicles:	716	58,60
	Trabant 1.1 Wartburg 1.3 Barkas B1000-1 fit also to many Volkswagen with the engine block called 1100er one piece will be needed			

The water pump is the turing- and the tensioner pulley for the cam belt as well.

## Trabant 1.1 > Spare parts > Engine > clutch system

0	Brake pipe spanner 10-11mm angled Special tool for mounting or demounting of screw-cap for brakelines. type: level angleded Fit to brake screws SW10 and SW11.	Prod.No.	7702	21,30
2	Brake pipe spanner 10-11mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW10 and SW11.	Prod.No.	7703	10,47
9	Brake pipe spanner 12-13mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW12 and SW13.	Prod.No.	7992	14,26
	brake-cleaner 600ml         quick-cleaner for brake and clutch parts         FCKW free         volume: 600 ml         type: AD         delivery as an single spray	Prod.No.	6252	2,93
	Brake-cleaner 660ml quick-cleaner for brake and clutch parts FCKW free volume: 660 ml typ: X-treme delivery as an single spray	Prod.No.	7898	2,64
	Brake-cleaner, one packing unit, 12x Sprayer 600ml         Complete packing unit quick-cleaner for brake and clutch parts         FCKW free         content: 12x sprayer with volume of 600 ml	Prod.No.	7033	31,80
	Bushing for Disengaging shaft ( for clutch ) T1,1         Guiding bushing for the lever shaft for the clutch of the Trabant 1.1 engine.         Mounting place: gearbox clutch void.         material: plastic         one piece will be needed         made in Europe	Prod.No.	7859	12,38



Cluch disc, full elastic T1.1 / W1.3 Prod.No. 672 85,80 Complete in Germany overhauled full elastic clutch disc (with springs). High quality friction surface. diameter: 180 mm

fit to follow vehicles (all 4-stroke): Trabant 1.1 Wartburg 1.3 For more informations to this exchange part please use the Detail button.

Clutch (+30? pledge) Prod No 671 93,60 It fit to Trabant 1.1 with 1,1 liter 4-stroke engine.

Prod.No. 6314

233,60

99.50





Clutch-set T1.1 It fit to Trabant 1.1 with 1,1 litre 4-stroke engine. contens:

clutch: Art.No.: 671 clutch disc: Art.No.: 672 release bearing: Art.No.: 680

deposit for old clutch and old clutch disc: +40,00 Euro! if old parts will be sended back the money will be transfered back, too



Disengaging shaft ( for clutch ) T1,1 Prod.No. 684 Lever shaft for the clutch of the Trabant 1.1 engine. Mounting place: gearbox clutch void. Spare part is complete with lever for the clutch cable and two arms for the clutch disenger.

steel contruction one piece will be needed made in Europe

Foot lever clutch Prod.No. 7127 22,36 Foot lever for the mecanical actuated cluch system of the Trabant 601 and 1,1. fit to Trabant 601 and Trabant 1,1 scope of delivery without Rubber lining for brake and clutch pedal-shaft one piece will be needed



Foot lever unit ( overhauled )

Prod.No. 185 59,37 Foot lever unit constist of one lever for the hydraulic actuated brake system and one lever for the mecanical actuated cluch system. The set is complete pre-installed.

fit to Trabant 601 and Trabant 1,1 scope of delivery inclusive Rubber lining for brake and clutch pedal-shaft one piece will be needed

	j
5	
/	

release spring for pedal, late model Prod.No.
release spring fit to brake pedal and clutch pedal of pedal unit
length of the spring coil: 53mm
diameter of the spring coil: 10mm
total length of the spring: ca.122mm

6643

664

Prod No

1,96

1,98

3,95

fit to Trabant 601 and Trabant 1.1 two pieces will be needed



Rivet set for clutch facing (12 pices)

Tubular rivet for cluch facing. Like the original ones made of steel. Fit to the clutch linings of:

Trabant 601 D=160mm old- (fixede) and late- (tongued) clutch disc Trabant1.1 clutch disc Wartburg 353 D=180mm clutch disc Barkas B1000 D=180mm and 200mm clutch disc Wartburg 1.3 clutch disc Barkas B1000-1 clutch disc

ideal for self repair scope of delivery 12 pieces material: steel made in Germany



Rubber lining EU for brake and clutch pedal-shaftProd.No.8013Rubber pad for the clutch and brake pedal.

material: rubber, black made in EU worse qulity two pieces will be needed



 two pieces will be needed

 Rubber lining made in Germany for brake and clutch pedal-shaft
 Prod.No.
 184
 8,57

 Rubber pad for the clutch and brake pedal.
 New reproduction made in Germany in brilliant quality.
 Prod.No.
 184
 8,57

 Fit to many IFA cars like Trabant, P70/F8, Wartburg 311, Multicar...
 Prod.No.
 184
 8,57

material: rubber, black made in Germany best quality two pieces will be needed



two pieces will be needed Slip ring disengager (4-stroke) Prod.No. 680 34,15 slip ring disengager fit for follow vehicles: Trabant 1.1: all models Wartburg 1.3: all models B1000 (2-stroke): from 03/1985 onwards B1000-1 (4-stroke): all models Spring for clutch release bearing from 6/85 Prod.No. 7328 2.49 Snap clamp for mounting the pressure bearing at the release shaft. Fir to the following car types: Wartburg 353 ab 6-1985 Limousine and Tourist Trabant 1,1 without vintage limit Kombi and Limousine Wartburg 1,3 without vintage limit Tourist and Limousine Barkas B1000 ab 3-85 with clutch D=200mm Barkas B1000-1 without vintage limit

Prod.No.

Prod.No.

Prod.No.

Prod.No.

Prod.No.

Prod.No.

1101

6127

749

6489

801

82

8,71

71,65


8.52

81,29

24,93

12,90

## Trabant 1.1 > Spare parts > Engine > carburettor



34 TLA 51/2 Wartburg 1,3 34F 1-3 Barkas 1000-1 original spare part number: 135 29 40 230 078216 Fuel hose, 6 mm Prod.No. 728 5,14 Flexible fuel hose with texture. The price is for each 1m lenght. If you order for example 3x 1m so you will get one piece with 3m length and so on. inside diameter: 6 mm

material: petrol resistant rubber made in Germany

Fue Fley If you inside

Fuel hose, 8 mmProd.No.729Flexible fuel hose with texture. The price is for each 50 cm lenght.If you order for example 3x 1m so you will get one piece with 3m length and so on.If you order for example 3x 1m so you will get one piece with 3m length and so on.If you order for example 3x 1m so you will get one piece with 3m length and so on.

inside diameter: 8 mm material: petrol resistant rubber made in Germany

<u>fuel pipe 8mm, c</u>	opper	Prod.No.	726	36,23
<u>fuel pipe-return, (</u> also usable (and m Don´t hesistate to a	uch cheaper) is our polyamide line with outer diamter of 6mm	Prod.No.	727	36,23
	intake silencer air filter box for Wartburg 1.3	Prod.No.	6432	58,20
	maybe also for the vehicles Trabant 1.1 and B1000-1 (alle with 4-stroke er	ngines)		
	original-IFA-spare part			
	Nozzle self-repair-set carburettor T1,1 Self repairset of nozzles for refresh the Trabant 1.1 carburettor. Fit to the carburettort type: 32F 1-1 Trabant 1.1	Prod.No.	7223	24,48
	Paper sealing for electrical mixture preheater Upper paper seal for the electrical mixture preheater. Fit to Trabant 1.1 and Wartburg 1.3	Prod.No.	7971	3,94
	material: sealing paper high quality reproduction			
	Petrol filter universal Gasoline filter for the universal duty. The filter will be mounted between the fuel line.	Prod.No.	7224	3,50
	connection diameter: 6 and 8mm material: petrol resistant plastic with parer filter made in Germany			
	Pin bolt for exhaust maifold	Prod.No.	7668	1,59
	rubber diffusor for cold air intake rubber diffusor tube for Air-Control-box of cold-/ warm air intake of Trabant	Prod.No. t 1.1	6665	11,40
	maybe also for the vehicles Wartburg 1.3 and B1000-1 (alle with 4-stroke e	engines)		
0	Rubber Fuel hose, 6 mm Flexible fuel hose. The price is for each 50 cm lenght. If you order for example 3x 1 meter so you will get one piece with 3m lengt	Prod.No. th and so on.	7113	4,44
	inside diameter: 6 mm outside diameter: 12mm material: petrol resistant rubber made in Germany			

6,22

0	Rubber Fuel hose, 8 mm Flexible fuel hose. The price is for each 1m lenght. If you order for example 3x 1m so you will get one piece with 3,00r	Prod.No. n length and so on.	6308	5,10
	inside diameter: 7,5 mm outside diameter: 13,5mm material: petrol resistant rubber made in Germany			
5	<u>Sealing carburettor case</u> Paper sealing as an single part	Prod.No.	7560	4,6
$\bigcirc$	Sealing ring for electrical mixture preheater Special sealing ring for the electrical mixture preheater. Fit to Trabant 1.1 and Wartburg 1.3	Prod.No.	7976	9,3
	material: sealing rubber high quality reproduction			
	Sealing set carburettor	Prod.No.	7415	28,8
	Self-repair-set carburettor Set to refresh the carburettors of the Trabant 1.1, Wartburg 1.3 und fit to the carb typs:	Prod.No. d Barkas B1000-1.	746	62,2
	32F 1-1 Trabant 1.1 34 TLA 51/2 Wartburg 1,3 34F 1-3 Barkas 1000-1			
	or membranes W1,3 / T1,1 / B1000-1 s for the carburettor type:	Prod.No.	7925	39,2
32F 1-1 Trabant 1 34 TLA 51/2 Wart 34F 1-3 Barkas 10	burg 1,3			
	Suction pipe Intake manifold with water cooling ports for the Trabant 1,1 engines. delivery without any mounting parts, seals ec.	Prod.No. and Wartburg 1,3 w	759 vith carbu	95,0 irettor
	Suction for all cylinders 1 in 4 material: aluminium made in Germany one piece will be needed			
	Switch for throttle valve	Prod.No.	6649	4,6

94		
	Alexandre and a second	

Tick-over valveProd.No.75773,42Control unit for handling the overrun cut-off at the four stroke engine.Fit to the following vehicles with the carburettor types:Fit to the following vehicles with the carburettor types:

32F 1-1 Trabant 1.1 34 TLA 51/2 Wartburg 1,3 34F 1-3 Barkas 1000-1

# Trabant 1.1 > Spare parts > Engine > cylinder head



Bolt for crankshaft gearProd.No.74823,95High grade special bolt for the mounting of the crankshaft gear for toothed belt. Fit to Trabant 1.1 and<br/>Wartburg 1.3 and Barkas B1000-1.No.74823,95

one piece will be needed made in Germany

	made in Germany			
	Bolt for cylinder head Expansion bolt can be used for Trabant 1.1, Wartburg 1.3 and Barkas cylinder motor. It differs the motor just at the displacement of piston.	Prod.No. B1000-1 with	6407 4 stroke fo	3,45 our
	if the cylinder head packing will be changed, you need new expansion bolts	s as well!		
	inclusive ring washer for true order of bolt tighten please see details 10 piecse will be needed			
	Bolt for V-pully crankschaft Bolt with hexagon socket for the mounting of the V-pully at the crankshaft g Fit to Trabant 1.1 and Wartburg 1.3 and Barkas B1000-1.	Prod.No. Jear for toothe	7484 d belt.	1,87
	four pieces will be needed made in Germany			
	Camshaft timing gear timing gear for toothed belt camshaft. Fit to Trabant 1.1 and Wartburg 1.3 a	Prod.No. and Barkas B1		46,77
A HALLER	made in Germany number of theeth: 44 one piece will be needed			
6	Crankshaft gear Crankshaft gear for toothed belt. Fit to Trabant 1.1 and Wartburg 1.3 and B	Prod.No. arkas B1000-		49,65
E UN P	made in Germany number of theeth: 44 one piece will be needed			
0000	Cylinder head packing Can be used for Trabant 1.1 and Wartburg 1.3 with 4 stroke four cylinder m It differs the motor just at the displacement of piston.	Prod.No. notor.	632	19,20
	if the cylinder head packing will be changed, you need new expansion bolts	s as well!		
	one piece will be needed			

	Cylinder head packing * ELRING * Can be used for Trabant 1.1 and Wartburg 1.3 with 4 stroke four cylinder m It differs the motor just at the displacement of piston. manufacturer: ELRING if the cylinder head packing will be changed, you need new expansion bolts one piece will be needed		6327	32,63
00000	Exhaust manifold seal Simple construction of the manifold seal. Material graphite texture paper. Splitted seal (that is one exhaust manifold seal for two cylinder)	Prod.No.	31	5,64
	sealing between outlet side of the cylinder head and the exhaust manifold fit to Trabant 1.1, Wartburg 1.3 und B1000-1 - bouth of this motors have g head scope of delivery one paar (2 pieces)	ot an cross	streem cy	linder
0000	Exhaust manifold seal with meatl ring Better construction of the manifold seal. Material graphite texture paper weach cylinder. Splitted seal (that is one exhaust manifold seal for two cylinder)	Prod.No. vith metal p	6260 ressing rir	13,85 ng for
	made in Germany by Elring sealing between outlet side of the cylinder head and the exhaust manifold fit to Trabant 1.1, Wartburg 1.3 and Barkas B1000-1- all of this motors cylinder head scope of delivery one paar (2 pieces)	have got a	n cross s	treem
	<u>Exhaust valve</u> Exhaust valve is fit to 4-stroke engines of Trabant 1.1 and Wartburg 1.3 a made by VW or Audi.	Prod.No. and many ot	6856 her car m	22,91 nodels
	Length: 99,3 mm three grooves For one 4-cylinder-engine of Trabant or Wartburg will be needed 4 pieces.			
	Hydro cam follower Hydro cam follower ist fito to 4-stroke engines of Trabant 1.1 and Wartbur and many other car models made by VW or Audi. Technical data:	Prod.No. rg 1.3 and E	6831 Barkas B1	12,73 000-1
	Outer diameter: 35 mm Height: 26 mm for one 4-cylinder-engine of Trabant or Wartburg will be needed 8 pieces			
	If you can hear rattle for a while after starting the cold engine, mostly to worned out.	he hydro ca	im followe	er are
	Inlet valve Inlet valve is fit to 4-stroke engines of Trabant 1.1 and Wartburg 1.3 and ma by VW or Audi.	Prod.No. any other ca	6855 Ir models	21,66 made
V	Length: 99,3 mm three grooves For one 4-cylinder-engine of Trabant or Wartburg will be needed 4 pieces.			

	Pin bolt for exhaust maifold	Prod.No.	7668	1,59
	Pin bolt for suction pipe	Prod.No.	7667	1,55
0	Radial sealing for camshaft and crankshaft ( 32 x 47 x 10) with or radial sealing for camshaft and one side of crankshaft of Trabant 1.1 and more professional type of Art.No.629 (Radial sealing for camshaft (32 x lip	d Wartburg 1.3	6340 additiona	9,94 I dust
	size: 32x47x10 made in Germany			
$\bigcap$	Radial sealing for camshaft and crankshaft (32 x 47 x 10) with c radial sealing for camshaft and one side (side of belt) of crankshaft fit to Trabant 1.1 and Wartburg 1.3 made from ELRING	dust lißrællæln	<u>I@</u> 341	13,80
	Best available type of Radial sealing 32 x 47 x 10 with additional dust lip temperatur range.	p, dual spin and	higher wo	orking
	inner diameter: 32 mm outer diameter: 47 mm width: 10 mm material: Viton/Polyacryl-rubber			
	Radial sealing for camshaft and crankshaft( 32 x 47 x 10) radial sealing for camshaft of Trabant 1.1 and Wartburg 1.3 The simplest and cheapest typ WITHOUT dust lip.	Prod.No.	629	5,55
	size: 32x47x10			
	made in Germany			
	Seal for valve control machanisim cover         Simple kind of Sealing.         It can be used for Trabant 1.1 and Wartburg 1.3         Made in EU	Prod.No.	633	6,93
	Seal for valve control machanisim cover Simple kind of Sealing. It can be used for Trabant 1.1 and Wartburg 1.3	Prod.No. Prod.No.	633	
	Seal for valve control machanisim cover Simple kind of Sealing. It can be used for Trabant 1.1 and Wartburg 1.3 Made in EU Seal for valve control machanisim cover *ELRING*			6,93 12,26 17,59
	Seal for valve control machanisim cover         Simple kind of Sealing.         It can be used for Trabant 1.1 and Wartburg 1.3         Made in EU         Seal for valve control machanisim cover *ELRING*         can be used for Trabant 1.1 and Wartburg 1.3         Seal set for valve control machanisim cover *ELRING*         Seal set for valve control machanisim cover *ELRING*	Prod.No.	6392	12,26

#### Set of bolts for cylinder head

Prod.No. 7360 27,99 Expansion bolt can be used for Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 with 4 stroke four cylinder motor. It differs the motor just at the displacement of piston.

if the cylinder head packing will be changed, you need new expansion bolts as well!

inclusive ring washer set consists of 10 pieces for true order of bolt tighten please see details one set will be needed

#### Spring cup seat for Valve

Prod.No. 7132 6.65 Spring cup for the inlet and the exhaust valve of the 4-stroke engines of Trabant 1.1 and Wartburg 1.3 and many other car models made by VW or Audi. Technical data:

#### for one 4-cylinder-engine of Trabant or Wartburg will be needed 8 pieces



Suction pipe Prod No. 759 95,01 Intake manifold with water cooling ports for the Trabant 1,1 and Wartburg 1,3 with carburettor engines. delivery without any mounting parts, seals ec.

Suction for all cylinders 1 in 4 material: aluminium made in Germany one piece will be needed



threaded coupling for valve control machanisim cover (oil fill in hole) Prod.No. 6217 6.10 can be used for Trabant 1.1 and Wartburg 1.3



Valve chocks (1 pair) Prod.No. 6854 2,63 Valve chock is fit to 4-stroke engines of Trabant 1.1 and Wartburg 1.3 and many other car models made by VW or Audi.

One pair of these valve chocks is fit to one valve with three grooves. For one 4-cylinder-engine of Trabant or Wartburg will be needed 16 pieces.



Valve guide Prod.No. 6853 3,89 Valve guide is fit to 4-stroke engines of Trabant 1.1 and Wartburg 1.3 and many other car models made by VW or Audi.

Technical data:

Outer diameter: 12 mm Inner diameter: 7,8 mm Length: 36,5 mm for one 4-cylinder-engine of Trabant or Wartburg will be needed 8 pieces



Valve spring inner side Prod.No. 7130 8.38 Insert spring (valve) is fit to 4-stroke engines of Trabant 1.1 and Wartburg 1.3 and many other car models made by VW or Audi. Fit to the inlet and the exhaust valves Technical data:

for one 4-cylinder-engine of Trabant or Wartburg will be needed 8 pieces



Valve spring outsideProd.No.713110,67Insert spring (valve) is fit to 4-stroke engines of Trabant 1.1 and Wartburg 1.3 and many other car modelsmade by VW or Audi.Fit to the inlet and the exhaust valvesTechnical data:Vertical data:

for one 4-cylinder-engine of Trabant or Wartburg will be needed 8 pieces



valve stem sealingProd.No.68522,95Valve stem sealing can be used for Trabant 1.1 and Wartburg 1.3 with 4 stroke four cylinder motor.2

If oil consumtion of engine is to much the wastage of valve stem sealings can be the reason. 8 pieces will be needed for one complete cylinder head (10 valves)

## Trabant 1.1 > Spare parts > Engine > ignition system



Distributor cap Prod.No. 807 11,51 Ignition distributor cap for the four stroke engine ot the Trabant 1.1, Wartburg 1.3 and Barkas B1000-1

single part one piece will be needed made by BERU Germany



Distributor rotor Prod.No. 808 6,69 Ignition finger fit to Trabant 1,1, Wartburg 1,3 and Barkas B1000-1 with 4-cylinder four stroke engine.

single part one piece will be needed made BERU Germany



<u>Electronic ignition control system ESE 4H</u> Prod.No. 799 68,03 elektronical control system for the ignition of the 4-stroke engine of the Trabant 1,1 and Wartburg 1,3

no. 8389.25



Ignition cable set, complete ignition cable set consist of: 4x ignition cable (ignition distributor -> spark plug) 1x ignition cable (ignition coil -> ignition distributor)

complete set, pre-finished



ignition distributor Complete ignition distributor for the 4 cylinder four stroke engine.

distributor rotor distributor cap under-inflation tin for use at Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 Prod.No. 821 72,35

Prod.No. 6137

Seite 280 from 443

195,20

Type of look system with mechanical anti-theft device.

The ingition look fit to Trabant Trabant 601 (later models) and Trabant 1,1.

Prod.No.

826

122,38

Ignition look (second hand)

	2

4

	Type of look system with mechanical anti-theft device. Complete unit with electric switch for ignition and starter motor. Delivery inclisive one key.			
	etween ing. coil / distributor	Prod.No.	831	11,98
Ingnition cable cy Single part of the ig	n cable to connect ignition coil with middle terminal of ignition distributor <u>vlinder 1</u> gnition cable, connection between distributor and spark plug terminal. ve plug for ignition distributor and spark plug.	Prod.No.	830	15,31
one piece will be no fit Trabant 1,1 and				
	<u>vlinder 2 and 3</u> gnition cable, connection between distributor and spark plug terminal. We plug for ignition distributor and spark plug.	Prod.No.	6771	15,31
two pieces will be r fit to Trabant 1,1 ar				
	<u>ylinder 4</u> gnition cable, connection between distributor and spark plug terminal. we plug for ignition distributor and spark plug.	Prod.No.	6772	13,83
one piece will be no fit Trabant 1,1 and				
	Recistance for ignition coil resistor for transistor ignition coil Brand new original spare part. Technical data:	Prod.No.	800	15,94
	resistor: 0,85 Ohm max. power dissipation: 15W			
Josefaller Jsolator	Spark plug 6D Extra * ISOLATOR * Spezial developed spark plug made by Isolator (original Spare part). F engine with 1100 ccm or 1300 ccm cylinder capacity of the Trabant 1,1 a B1000-1.			
	tap: D=14mm, lenght: 15mm spanner gap: 21 four pieces will be needed			
	Spark plug FM14 - 175/2 * ISOLATOR * Spark plug made by Isolator (original Spare part). Fit to the 4-cylinder 4-s or 1300 ccm cylinder capacity.	Prod.No. stroke engine	1193 with 1100	2,85 ccm
	tap: D=14mm, lenght: 15mm spanner gap: 21 four pieces will be needed			



switch unit for ignition look switchProd.No.Switch unit for ignition look switch.Electrical part of ignition look switch wich is mounted at the backside.Latest version with six blad terminals.Best quality form the original manufacture made in Germany.Fit to Trabant 601 and Trabant 1.1



 Transistor ignition coil
 Prod.No.
 833
 73,85

 Ignition coil for the Trabant 1.1, Wartburg 1.3 and Barkas B1000-1 with four stroke engine.
 833
 73,85

## Trabant 1.1 > Spare parts > fuel system




Between plugerProd.No.671332,76Crinded and hardened bolt used at between pluger. Connection between engine block and fuel pump.Fit for Trabant 1,1 and Wartburg 1,3 four stroke motors.

material: steel, annealed one piece will be needed

Float for transmitter fuel gauge	Prod.No.	7460	11,74
Plastic float for the sensor of the fuel gauge as an single part. Fit to all vehicle models: Trabant 601, Trabant 1.1, Wartburg 353, Barkas B1000-1, Multicar.	Wartburg 1.3,	Brakas B	1000,

material: fuel resistant plastic, colour: withe made in Germany one piece will be needed



Fuel hose, 6 mmProd.No.Flexible fuel hose with texture. The price is for each 1m lenght.If you order for example 3x 1m so you will get one piece with 3m length and so on.

inside diameter: 6 mm material: petrol resistant rubber made in Germany



<u>Fuel hose, 8 mm</u>

Flexible fuel hose with texture. The price is for each 50 cm lenght. If you order for example 3x 1m so you will get one piece with 3m length and so on.

inside diameter: 8 mm material: petrol resistant rubber made in Germany 12,51

825

728

729

Prod.No.

5,14

6,22

material: polyamio PA 12 HIPHL-sw soft, heat aging a outer diameter:6	according to DIN 73378 and DIN 74324	Prod.No.	7514	12,00
	es: istance through smooth inner walls, mechanical resistance against bending radius, easy installation, minimal weight, no anti-corrosive necess		kt shock	and
	<ul> <li>Fuel line 8 x 1</li> <li>Fuel line 8 x 1 mm</li> <li>material: polyamide</li> <li>PA 12 HIPHL-sw according to DIN 73378 and DIN 74324</li> <li>soft, heat aging and light stabilized</li> <li>outer diameter:8 mminner diameter:6 mmwall thickness:1 mm</li> <li>price is for one meter (max. 20 meter in one piece)</li> <li>special advantages:</li> <li>Minimal flow resistance through smooth inner walls, mechanical resists</li> <li>shock and oscilations, small bending radius, easy installation, min</li> <li>necessary.</li> </ul>	0		
material: polyamio PA 12 HIPHL-sw soft, heat aging a outer diameter:6	according to DIN 73378 and DIN 74324 nd light stabilized nminner diameter:4 mmwall thickness:1 mm eter (max. 20 meter in one piece)	Prod.No.	7513	2,85
Minimal flow res	istance through smooth inner walls, mechanical resistance against bending radius, easy installation, minimal weight, no anti-corrosive necess		kt shock	and
Fuel pipe 8 x 1 Fuel line 8 x 1 mm material: polyamic		Prod.No.	6033	3,00


Fuel line 8 x 1 mm material: polyamide PA 12 HIPHL-sw according to DIN 73378 and DIN 74324 soft, heat aging and light stabilized outer diameter:8 mminner diameter:6 mmwall thickness:1 mm price is for one meter (max. 20 meter in one piece)

#### special advantages:

Minimal flow resistance through smooth inner walls, mechanical resistance against abrasion, impackt shock and oscilations, small bending radius, easy installation, minimal weight, no anti-corrosive necessary.

<u>Fuel pump * PIRBURG *</u> machanical fuel pump complete for 4-stroke four cylinder motor Wartburg 1,3 and Trabant 1,1 fabricator: Pirburg one piece will be needed	Prod.No.	6328	87,30
<u>Fuel pump *1,1-W1,3-B1000-1*</u> Mechanical petrol pump complete to transer the petrol from the tank into the Fit for all 4 stroke models like Trabant 1.1, Wartburg 1.3 and Barkas B1000- one piece will be needed		754	38,44

one piece will be needed made in EU





Prod.No. 6203 0,75 for fuel hose with outside diameter from D=13,2mm up to 15,8mm. the wide of the clip is 8,2mm. start-diameter: 16,5mm

only one time to use



Prod.No. 1238 Hose for fuel tank petrol resistant rubber hose for the connection between fuel filling orifice and gas tank at the Trabant 1,1. The form hose is 30 degrees angled

Membrane for fuel pump ( 5 hole system )

Prod.No. 755 8,32

6671

10,89

19,76

334,00

1,30

2,85

2,11

6036

6035

9,19

l	<u>Membrane for fuel pump ( 6 hole system )</u>	Prod.No.	756	9,19
	Nozzle self-repair-set carburettor T1,1 Self repairset of nozzles for refresh the Trabant 1.1 carburettor. Fit to the carburettort type: 32F 1-1 Trabant 1.1	Prod.No.	7223	24,48
	Petrol filter universal Gasoline filter for the universal duty. The filter will be mounted between the fuel line.	Prod.No.	7224	3,50
	connection diameter: 6 and 8mm material: petrol resistant plastic with parer filter made in Germany			
	Reinforcement bushing for fuel pipe 8 x 1 reinforcement bushing for our polyamide fuel pipe 8 x 1 (Art.No.: 6032 and material: brass	Prod.No. d 6033)	6305	0,27
	It should be uesed for every connection between polyamid fuel pipe and for mor informations: see details	uel hose!		
	ent bushing for fuel pipe6 x 1 It bushing for our polyamide fuel pipe 8 x 1 (Art.No.: 7513 and 7514) ss	Prod.No.	7515	0,27
	uesed for every connection between polyamid fuel pipe and fuel hose! ions: see details			
18. CB	Ring eye D10mm with pipe bend Ring terminal ideal for doing byself to fix fuel hoses.	Prod.No.	7516	3,29
	Best use for many old- and Youngtimers to make fuel pessure pipes hoses. Can be used for banjo screws D= 10mm	or normal pe	rtol conne	ection
	Eye diameter: 10mm diameter pipe connection: 6mm pipe bend: 90 degree pipe length total: 55mm			
07	Ring eye D10mm, connection 6mm hose Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes hoses. Can be used for banjo screws D= 10mm	Prod.No. or normal pe	7537 rtol conne	2,48 ection
	Eye diameter: 10mm diameter pipe connection: 6mm			

	Ring eye D10mm, connection 8mm hose Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes or	Prod.No.	7538 rtol conne	2,48 ction
9	hoses. Can be used for banjo screws D= 10mm			
	Eye diameter: 10mm diameter pipe connection: 8mm			
	Ring eye D12mm with pipe bend Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes or hoses. Can be used for banjo screws D= 12mm	Prod.No.	7517 rtol conne	3,59 ction
	Eye diameter: 12mm diameter pipe connection: 8mm pipe bend: 90 degree pipe length total: 74mm			
Classe	Ring eye D12mm, connection 6mm hose Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes or hoses. Can be used for banjo screws D= 12mm	Prod.No.	7539 rtol conne	2,49 ction
	Eye diameter: 12mm diameter pipe connection: 6mm			
	Ring eye D12mm, connection 8mm hose Ring terminal ideal for doing byself to fix fuel hoses. Best use for many old- and Youngtimers to make fuel pessure pipes or hoses. Can be used for banjo screws D= 12mm	Prod.No.	7540 rtol conne	2,49 ction
	Eye diameter: 12mm diameter pipe connection: 8mm			
0	Rubber Fuel hose, 6 mm Flexible fuel hose. The price is for each 50 cm lenght. If you order for example 3x 1 meter so you will get one piece with 3m length	Prod.No. and so on.	7113	4,44
	inside diameter: 6 mm outside diameter: 12mm material: petrol resistant rubber made in Germany			
0	Rubber Fuel hose, 8 mm Flexible fuel hose. The price is for each 1m lenght. If you order for example 3x 1m so you will get one piece with 3,00m length a	Prod.No. and so on.	6308	5,10
	inside diameter: 7,5 mm			



_

_

<u>Sealing carburettor case</u> Paper sealing as an single part

0				
	Sealing for Transmitter for fuel gauge Rubber seal special made for the transmitter for fuel gauge of the fuel ta rubber.	Prod.No. Ink Trabant 1.1	7801 . Fuel res	13,56 istant
	colour: black one piece will be needed made in EU			
	<u>Sealing for transmitter fuel gauge</u> Rubber seal for the sensor of the fuel gauge as an single part. Fit to all vehicle models: Trabant 601, Trabant 1.1, Wartburg 353, V Barkas B1000-1, Multicar.	Prod.No. Vartburg 1.3, I	7461 Brakas B	5,50 1000,
	material: fuel resistant rubber, colour: black made in Germany one piece will be needed			
$\bigcirc$	Sealing ring for fuel pump Sealing for connection between engine block and fuel pump. Fit for Trab stroke motors.	Prod.No. ant 1,1 and Wa	7222 artburg 1,:	1,41 3 four
	material: rubber, black one piece will be needed			
	Sealing set carburettor	Prod.No.	7415	28,89
Vent hose for F Ventelation hose	uel tank, clear for the connection between petrol tank and filling pipe of the Trabant 1.1	Prod.No.	6930	4,50
price per meter scope of delivery: material: PVC made in Germany	inclusive two mounting clamps			
	Vents hose for fuel tank Petrol resistant rubber hose with texture for the connection between fue vent the fuel system.	Prod.No. I filling orifice a	7428 Ind gas ta	7,32 ank to
	price per meter inside diameter: 12mm outside diameter: 18mm Trabant 1.1, Wartburg 353 und Wartburg 1.3			

# Trabant 1.1 > Spare parts > Gearbox

6	Ball holder for preselective rod Ball holder for both ends of preselective rod (connection between gearbox a	Prod.No. nd gear cha	7038 nge rod)	2,67	
	two pieces will be needed for one preselective bar fit to Trabant1,1 and Wartburg 1,3 Part-No. (Wartburg): 53 01304 405				
	Band clamp , long Rebound strap for mounting of sleeve rubbers of universal shafts long band clamp (for example for mounting of sleeve rubber on shaft joint), f to 110mm application:	Prod.No. or diameter	6408 from 40mm	2,55 up	
	the band clamp have to bent around the sleeve rubber by hand, so that it cli in best way fixing this position by hooking into spanning the band clamp with a pincers ready	inging to the	sleeve rubl	ber	
	Band clamp set for sleeve rubber of universal shaft Rebound strap set for mounting of sleeve rubbers of universal shafts consist of:	Prod.No.	6394	3,82	
and the second se	long band clamp (for example for mounting of sleeve rubber on shaft joint), for diameter from to 110mm short band clamp to seal sleeve rubber on universal shaft, for diameter from 25mm up to 50m				
	application:				
	the band clamp have to bent around the sleeve rubber by hand, so that it cli in best way fixing this position by hooking into spanning the band clamp with a pincers ready	nging to the	sleeve rubl	ber	
at Man management	Band clamp, short Rebound strap for mounting of sleeve rubbers of universal shafts long band clamp (for example for mounting of sleeve rubber on shaft joint), f to 50mm application:	Prod.No. or diameter	6536 from 25mm	2,11 up	
	the band clamp have to bent around the sleeve rubber by hand, so that it cli in best way fixing this position by hooking into spanning the band clamp with a pincers ready	inging to the	sleeve rubl	ber	
	Bearing bush in gear change rod Plastic bearing bush fit to gearbox side end ofgear change rod	Prod.No.	7039	6,33	
	one piece will be needed for one gear change rod fit to Trabant 1,1 and Wartburg 1,3 Part-No.: 03 16129 001				

	bearing for gear shifting, complete	Prod.No.	696	38,90
	Cluch cable complete	Prod.No.	682	15,85
	Flexible shaft for speedometer Flexible shaft for speedometer fit to all Trabant 1,1 with 4-stroke motor. total lenght of the shaft: 920 mm both ends are with tetrahedral tappet: 2,6 x 2,6 mm connection screw joint: aluminium-nut one piece will be needed	Prod.No.	1051	8,66
-00002	front wall collar sleeve rubber to seal the hole of gear change rod fit to Trabant1,1 and Wartburg 1,3	Prod.No.	697	8,92
	Radial sealing D20 x 40 x 7 Shaft sealing in normal version without dust lip for cluthch-shaft gearbox side fit to the vehicles Trabant 1.1, Wartburg 1.3 and B1000 without dust lip made in Germany one piece will be needed	Prod.No. (gearbox ir	6069 nput shaft).	4,22
	Radial sealing D20 x 40 x 7 SL         Radial sealing with additional dust lip for clutch-shaft gearbox side for         Fit to:         Trabant 1.1         Wartburg 1.3         B1000 (2-stroke engine with new type of gear box) and B1000-1 (4-stroke)         made in Germany	Prod.No.	6388	4,72
	one piece needed <u>Rebound strap 4,6 X 360 mm</u> Strap for rubber sleeves.	Prod.No.	655	2,48
	material: stainless steel made in Germany 4 pieces will be needed			



Rubber grommet for tachometer shaft rubber grommet for flexible speedometer shaft fit to all variants of Trabant 601 and 1.1

Prod.No. 6734

1,77



	inner diameter: 7,5 mm for hole diameter of: 25 mm thickness: 7,5 mm one piece will be needed			
)	seeger lock ring 22 x 2 mm Snap ring for mounting of the 6-ball constant velocity drive hinge at the drive Fit to the right and left hand outer tripode universal shaft side of the Trabant number of part (spare part catalogue of Trabant 1.1): 03 30328 106		6225	0,99
	shaft spider for transmission shaft, T1,1 / W1,3 complete Complete spare part shaft spider for the Trabant 1.1 and Wartburg 1.3 drive Right and left side mountable. Teeth at the drive shaft: 22 Please note: This three finger spider can be only used for the huge type of diameter: 80mm		669 joint. Outs	52,43 side
	diameter spiderring: 30mm diameter spider: about 70mm For each universal shaft one piece will be needed made in Europe			
	<u>Sleeve rubber ( inner side ) *big joint*</u> sleeve rubber for universal shaft (gearbox side) fit to Trabant 1.1, Wartburg 1.3 and Skoda Favorit (all 4-stroke) size:	Prod.No.	662	5,70
	inner diameter gearboxside: 82 mm inner diameter universalschaft side: 19 mm length 92 mm for each universal shaft one piece will be needed			
	<u>Sleeve rubber ( outer tripode universal shaft side )</u> CV rubber sleeve for outer joint of universal shaft, constant velocity drive s vinatge: april 1984 and Trabant 1,1 (without vintage delimitation).	Prod.No. shaft for Tral	652 pant 601 fr	6,80 rom
	material: resistent rubber, black size: inner diameter hinge: 68 mm, inner diameter universal shaft: 18 mm, len made in EU one piece will be needed for each drive shaft	ngth 105 mn	ſ	
- AN	<u>Sleeve rubber-Set ( inner side ) *small joint*</u> sleeve rubber for universal shaft (gearbox side. Used for the small joint, diameter: 70mm. fit to Trabant 1.1, Wartburg 1.3 and Skoda Favorit (all 4-stroke) size:	Prod.No.	7243	15,71
	set consist of: 1x special joint grease, 2x straps, 1x rubber sleeve made in Germany inner diameter gearboxside: 69 mm inner diameter universalschaft side: 19 mm			

for each universal shaft one piece will be needed

length 95 mm

TOI	<u>Socked spring</u> Sleeve spring (round) have to be pressed in the support for engine or gerabo	Prod.No. ox retainer.	635	38,90
001	outside diameter: 75mm			
	length: 55mm			
A CONTRACTOR OF	length of the mounting bushing inside: 68mm			
	diameter of the mounting bushing inside: 11mm			
• 11	Trabant 1,1 one piece will be needed for engine-gerbox support front left har	nd		
	Wartburg 1,3 two pieces will be needed for engine support front and for gear	box support	rear	
Socked spring - e	eccentric	Prod.No.	636	42,64
	id-eccentric) have to be pressed in the engine-gearbox support	1100.110.	000	12,01
Trobert 4.4 eres si				
I rabant 1,1 one pie	ece will be needed for engine support rear			
	Socket joint set (inner joint) for transmission shaft, complete (T1.1/ complete set of socket joint for transmission shaft of Trabant 1.1 or Wartburg spare part made by GKN in Saxony/Germany set consist of:		6795	175,00
	Inner joint (sliding socket with external teeth stub shaft)			
	1x shaft spider			
	fitted rubber sleeve			
	set of band clamps (1x long and 1x short)			
	1x tube of special grease for transmission shafts			
	Universal shaft complete, short (+40,00 EURO desposit)	Prod.No.	75	249,66
S	Drive shaft complete for Trabant 1,1 left hand.	1100.110.	10	240,00
	The dive shaft is complete overhauled and pre-mountet.			
	···· · · · · · · · · · · · · · · · · ·			
100	scope of delivery: mecanical parts overhauled-changed, new sleeve rubbers one piece will be needed	, spring clip,	varnishe	ed
	Universal shaft long (140.00 EURO despesit)	Prod.No.	6520	249,66
	Universal shaft, long (+40,00 EURO desposit)	P100.N0.	6520	249,00
- Chin	Drive shaft complete for Trabant 1,1 right hand. The dive shaft is complete overhauled and pre-mountet.			
	The live shart is complete overhauled and pre-mounter.			
	scope of delivery: mecanical parts overhauled-changed, new sleeve rubbers	, spring clip,	varnishe	ed
	one piece will be needed			
Trabant 1.1 > Spa	are parts > Front axle			
	Anti roll bar	Prod.No.	949	63,80
\ /				



Ball bearing 34 x 64 x 3 7 original DKF Prod.No. 6862 25,50 Original stock of ball bearing for the Trabant 601 front axle with constant velocity drive shaft (tripode)

double row angular contact ball bearing front axle 34 x 64 x 37 2RSR manufactured by DKF (DDR) for one alxe you need 1 piece



Ball bearing, front axle 34 x 64 x 3 7 Prod.No. 991 23,57 Ball bearing, front axle 34 x 64 x 37 2RS. Fit to Trabant 601 front axle constant velocity drive shaft (tripode), Trabant 1,1 front axle and VW Golf I.

Prod.No.

Prod.No.

Prod.No.

Prod.No. 1001

942

933

6909

10,93

4,10

55.50

3,83

51,83

5,33

for one alxe you need 1 piece



Bearing holder (under frame)



Boot for outer wishbone bearing Prod.No. 936 18.02 Sealing made of best quality use for the outer wishbone bearing at the Trabant 1,1 as good replacement to the original part.

delivery as single part, without clamps material: rubber, black high quality

Cap, shock absorber, coil spring, front side



Coil spring T1-1 front axle Helical spring for the Trabant 1,1 front axle with Mc Person system.

made in Germany



Cover for wheel disc hole T1.1 Black plastic cover for the wheel hub of the Trabant 1,1

fit to front axle and rear axle original-design with IFA-trademark one piece will be needed for each wheel made in Europe

Disk wheel, overhauled 13 Zoll Prod.No.



Guide whasher for telescopic shock absorber Prod.No. 948

Hose for R13 tires Hose insert for the Trabant and Wartburg tires. Fit to 13 zoll wheels.

for tire size: 135,145,155/ 70 R13 scope of delivery with tire valve and cap Prod.No. 7416 15,35

984

•				
	Inner wishbone bearing (rubber, socket) one piece needed to complete steering knuckle	Prod.No.	340	13,17
	Penholder bottom, front axle	Prod.No.	931	25,24
0	Penholder top, front axle	Prod.No.	932	17,27
	Plastic bearing for anti roll bar( under frame ) This bearing is made of rubber. It is splitted around the leng. It constist to the Bearing holder (under frame ) and hold the Anti roll bar. The Trabant 1,1 has got two of this bearings at the under-frame.	Prod.No.	941	7,45
	puller for ball joint 18/38mm gable width: 18mm max. lenght of ball joint axle: 38mm best use for track rod joints of Trabant and Wartburg.	Prod.No.	6192	43,54
	Rubber bearing for telescopic shock absorber	Prod.No.	947	6,57
$\bigcirc$	seeger lock ring 22 x 2 mm Snap ring for mounting of the 6-ball constant velocity drive hinge at the drive Fit to the right and left hand outer tripode universal shaft side of the Trabant number of part (spare part catalogue of Trabant 1.1): 03 30328 106		6225	0,99
	Sleeve for ball joint replacement sleeve for ball joint. Fit to Trabant601, Trabant 1,1 and Wartbu	Prod.No. rg 353 and	938 1,3.	2,60
	It is only recommendable if ball joint is without any slackness			



Steering knuckle left hand complete overhouled Prod.No. 908 73,85 Wheel bearing housing for the front axle of the Trabant 1,1 left (driver side)

scope of delivery without add-on components



Prod.No. Steering knuckle right hand complete overhouled 909 73,85 Wheel bearing housing for the front axle of the Trabant 1,1 right (codriver side)

scope of delivery without add-on components



	summer tyre 145/80 R13 PNEUMANT summer tyre fit for all types of Trabant	Prod.No.	6510	46,80
	tyre with good values in economy, safety and comfort the pressure for the Trabant tyres type 145 R13 and 5.20-13			
	Trabant 601 Limousine front axle: 20,31 psi Trabant 601 Limousine rear axle: 20,31 psi - 23,20 psi Trabant 601 Universal front axle: 20,31 psi Trabant 601 Universal rear axle: 20,31 psi - 24,67 psi			
	Telescopic shock absorber Buffer for the Trabant 1,1 front axle, with Mc Person system.	Prod.No.	946	98,61
Y	scope of delivery: one piece of shock absorber, without anny mounting parts made in Germany	, without coi	l spring	
	Wheel bearing set FAG, front axle 34 x 64 x 3 7 Wheel bearing 34 x 64 x 37 2RS made by FAG in Germany.	Prod.No.	6322	45,50
J	The ball bearing fits to Trabant 601 front axle with universal driven shaft new Trabant 1.1 front axle. {L[inclusive hub axle nut][for each front alxe one piece will be needed]	v type (tripod	de) and als	o to
-	Wheel hub, final drive Hub for Trabant 1,1 front axle. bolt circle: 4x100mm	Prod.No.	982	76,38

	winter tyre 145/80 R13 PNEUMANT winter tyre fit for all types of Trabant made by the original manufacturer	Prod.No.	6511	49,80
	tyre with good values in economy, safety and comfort			
	the pressure for the Trabant tyres type M+S (winter tyre) Trabant 601 Limousine front axle: 23,21 psi Trabant 601 Limousine rear axle: 23,21 psi - 26,11 psi Trabant 601 Universal front axle: 23,21 psi			
	Trabant 601 Universal rear axle:       23,21 psi - 27,56 psi         Wishbone bearing for anti roll bar         Conical bushing for the front wishbone to connect the anti roll bar.         Fit to Trabant 1.1, all models         Two pieces will be needed for each steering knuckle         Four pieces will be needed total.	Prod.No.	939	9,23
•0	<ul> <li>Wishbone, left / right hand, compete</li> <li>Wishbone for the front axle of Trabant 1.1</li> <li>Mounting place right or left hand.</li> <li>Delivery inclusive outside ball joint and inner bearing(car frame side).</li> <li>delivery without 2x Wishbone bearing for anti roll bar</li> </ul>	Prod.No.	901	111,84
Trabant 1.1 >	Spare parts > Front axle > Steering			
	Clutch element for track rod	Prod.No.	968	5,77
0	Collar - shaped ring, steering column, new version Rubber bearing for the steering column. The ring will be mounted at the bearing shells (LDM-no.: 1057) made in Germany, original spare part.	Prod.No. e cross holde	7303 r and fixe	5,98 es the
	1 piece will be needed Fit to all Trabant types material: rubber			
	Guide cap- set, steering column Upper bearing part for the Trabant steering column. The price is for one set (inclusive 3 pieces). Fit to Trabant 500, 600, 601 and Trabant 1.1 Slide bearing for Collar - shaped rind, steering column	Prod.No.	1057	5,98
	material: plastic original spare part one set will be needed			
	Lock plate for steering column assembley lock plate for the nut of steering-gear arm	Prod.No.	953	0,91
	inner diameter: 14,4 mm outer diameter: 36,0 mm thickness of shett metall: 0,8 mm surface: electrogalvanized and with oliv drap color			

Look plate for track rod



	Nut for track rod M14 x 1,5 left	Prod.No.	967	2,06
$\bigcirc$	Trak rod nut for mounting at the connection between track rod - clutch eleme Fit to all Trabant types: 500,600,601 und 1.1	ent for track	rod.	
	strength class: 10.9 surface: blank thread M14x1,5 left turn for each car two pieces will be needed made in Germany			
(	<u>Nut for track rod M14, right tap</u> Trak rod nut for mounting at the connection between clutch element for track Fit to all Trabant types: 500,600,601 und 1.1	Prod.No. k rod and bal	966 I joint.	1,54
	strength class: 10.9 surface: galvanized thread M14x1,5 right for each car two pieces will be needed made in Germany			
	Parallel grooved pin The grooved dowel pin is the connection between the steering wheel - stee	Prod.No. ring wheel a	6569 dapter ar	1,34 nd the
	steering column. Be careful: do not use the grooved pins twice!			
	•			
	Be careful: do not use the grooved pins twice! size: 8 x 32mm fit to all Trabant	Prod.No.	951	180,31
	Be careful: do not use the grooved pins twice! size: 8 x 32mm fit to all Trabant one piece will be needed Steering column assembley complete New steering gear fit for Trabant 1.1	Prod.No.	951	180,31
Steering column new steering gear	Be careful: do not use the grooved pins twice! size: 8 x 32mm fit to all Trabant one piece will be needed Steering column assembley complete New steering gear fit for Trabant 1.1 Fit to all types: Limousine, station wagon and Tramp without steering track rods inclusive leaver new production assembley complete, overhauled (+40? deposit)	Prod.No. Prod.No.	951	180,31
new steering gear without steering tra	Be careful: do not use the grooved pins twice! size: 8 x 32mm fit to all Trabant one piece will be needed Steering column assembley complete New steering gear fit for Trabant 1.1 Fit to all types: Limousine, station wagon and Tramp without steering track rods inclusive leaver new production assembley complete, overhauled (+40? deposit) fit for Trabant 1.1			

Track rod, complete	Prod.No.	959	48,36
Track rod with ball joint at the outher side and elastomer joint at the inner side.			
Delivery pre-installed inclusive connection element, nut right- / left tap and locking plates.			

fit to Trabant 1,1 ball joint made in Eu two pieces will be needed

# Trabant 1.1 > Spare parts > Front axle > wheel nuts

	Cover for wheel disc hole T1.1 Black plastic cover for the wheel hub of the Trabant 1,1	Prod.No.	1001	3,83
	fit to front axle and rear axle original-design with IFA-trademark one piece will be needed for each wheel made in Europe			
	Plastic cap for wheel nut Cap for wheel nuts and wheel bolts with a spanner gap of 19 mm. Type with additional collar and hemisphere.	Prod.No.	1085	0,45
	single part PVC, black for each car 16 pieces will be needed			
	Plastic cap for wheel nut plastic cup for wheel nuts for all wheel nuts and wheel bolts with a spanner gap of 19mm	Prod.No.	6438	0,95
	Material: plastic, black same shape like original plastic cup for wheel nuts of Trabant 601 for each wheel, 4 pieces will be needed			
	Plastic cap for wheel nut, chrom effect (set of 16 pieces) plastic cup for wheel nuts for all wheel nuts and wheel bolts with a spanner gap of 19mm	Prod.No.	6430	9,44
	set of sixteen pieces made of chromed plastic made in EU			
	Plastic cap set for wheel nut, black cheapest type of plastic cap for all wheel nuts with a spanner gap of 19mm	Prod.No.	6366	5,31
Y	material: made of black plastic set consist of 20 pieces			
	The grip of the plastic cups on the wheel nuts is not the best. Additionall r instance: adhesive lubricant, Art.No. 6255 or better universal housing s 6258).			



Plastic cap set for wheel nut, chrome Prod.No. 6367 5,64 cheapest type of plastic cap for all wheel nuts with a spanner gap of 19mm

made of chromed plastic set consist of 20 pieces

The grip of the plastic cups on the wheel nuts is not the best. Additionall means should be used (for instance: adhesive lubricant, Art.No. 6255 or better universal housing seal, demountable, Art.No. 6258).



Wheel nut AM 12 x 1,5 cone collar Prod.No. 6338 1,25 cink-coated wheel nut with cone collar for Trabant, Wartburg and all other vehicles with same bolts

thread: M12 x 1,5 spanner gap: SW 19 mm replacement for original wheel nut with high quality



Wheel nut AM 12 x 1,5 cone collar Prod No. 6339 2,15 cink-coated wheel nut with bigger cone collar for Trabant, Wartburg and all other vehicles with same bolts extended hexagon

thread: M12 x 1,5 spanner gap: SW 19 mm



Wheel nut AM 12 x 1,5 cone collar, covered Prod.No. 7297 2.10 Cink-coated wheel nut with bigger cone collar. The nut end is closed an cover the bolt against dirt and water. Usefull for Trabant, Wartburg and all other vehicles with same bolts extended hexagon

thread: M12 x 1.5 spanner gap: SW 19 mm

Wheel nut AM 12 x 1,5 x 13

Prod.No. 975 0.73

Wheel nut set AM 12 x 1,5 cone collar, covered

Prod No 7499 26,99

One set of cink-coated wheel nut with bigger cone collar. The nut end is closed an cover the bolt against dirt and water. Usefull for Trabant, Wartburg and all other vehicles with same bolts. Extended hexagon.

One kit consist of 16 pieces.

thread: M12 x 1,5 spanner gap: SW 19 mm



Wheel nut set, AM 12 x 1,5 cone collar Prod.No. 7498 14,99 One set of cink-coated wheel nut with cone collar for Trabant, Wartburg and all other vehicles with same bolts. Kit consists of 16 pieces.

thread: M12 x 1,5 spanner gap: SW 19 mm replacement for original wheel nut with high quality

Wheel nut set, AM 12 x 1,5 cone collarProd.No.750026,99One set of cink-coated wheel nut with bigger cone collar for Trabant, Wartburg and all other vehicles with same<br/>bolts.Extended hexagon.One kit consist of 16 pieces.

thread: M12 x 1,5 spanner gap: SW 19 mm

## Trabant 1.1 > Spare parts > Rear axle

Bearing for transverse and trailer armProd.No.102534,67



Bushing Bearing half for the Trabant rear axle Prod.No. 1022 12,11



Coil spring, rear side LimousineProd.No.663038,20Trabant helical spring for the rear axle from vintage august 1988 ownwards with Mc-Pherson system.New German production with the exect size and spring constant like as original.38,20

wire diameter: 11 mm coil number: 8,5 demounted length: 317 mm middle coil diameter: 98 mm made in Germany



 Coil spring, rear side Universal
 Prod.No.
 6631
 40,70

 Trabant station wagon helical spring for the rear axle from vintage 8-88 ownwards with Mc-Pherson
 System.

New German production with the exect size and spring constant like as original.

wire diameter: 12 mm coil number: 8,5 demounted length: 286 mm middle coil diameter: 98 mm made in Germany



<u>Cover for wheel disc hole T1.1</u> Black plastic cover for the wheel hub of the Trabant 1,1

fit to front axle and rear axle original-design with IFA-trademark one piece will be needed for each wheel made in Europe Prod.No. 1001 3,83

Disk wheel, ove	rhauled 13 Zoll	Prod.No.	984	51,83
$\bigcirc$	<u>Grooved ball bearing, rear axle</u> Single side covered ball bearing for the rear axle of the Trabant 1.1 Two pieces needed for each wheel of rear axle	Prod.No.	1002	15,02
6	Holder for shocks coil spring, left hand Bottom shock absorber socket for coil spring suspension rear axle. The U-profile is mounted with two bolts on top of the rear axle assembly, le This part is original manufactured fit to:	Prod.No. eft hand (drive	6362 r side).	9,50
	Trabant 601 from yaer april 1988 Trabant 1,1 all models one piece will be needed			
19	<u>Holder for shocks coil spring, right hand</u> Bottom shock absorber socket for coil spring suspension rear axle. The U-profile is mounted with two bolts on top of the rear axle assembly, ri This part is original manufactured fit to:	Prod.No. ight hand (cod	6361 Iriver side	9,50 ).
	Trabant 601 from yaer april 1988 Trabant 1,1 all models one piece will be needed			
Hose for R13 t Hose insert for the Fit to 13 zoll whee	Trabant 1,1 all models one piece will be needed res Trabant and Wartburg tires.	Prod.No.	7416	15,35
Hose insert for the Fit to 13 zoll whee for tire size: 135,1	Trabant 1,1 all models one piece will be needed res Trabant and Wartburg tires. Is.	Prod.No.	7416	15,35
Hose insert for the Fit to 13 zoll whee for tire size: 135,1	Trabant 1,1 all models one piece will be needed res Trabant and Wartburg tires. Is. 45,155/ 70 R13	Prod.No.	1003	15,35 7,19
Hose insert for the Fit to 13 zoll whee for tire size: 135,1	Trabant 1,1 all models one piece will be needed res Trabant and Wartburg tires. Is. 45,155/ 70 R13 with tire valve and cap <u>Nut for rear axle</u> Round nut to fix and secure the rear axle of the Trabant 1,1	Prod.No.	1003	
Hose insert for the Fit to 13 zoll whee for tire size: 135,1	Trabant 1,1 all models one piece will be needed res Trabant and Wartburg tires. Is. 45,155/ 70 R13 with tire valve and cap <u>Nut for rear axle</u> Round nut to fix and secure the rear axle of the Trabant 1,1 The nut have to pressed in the groove of the rear axel after the mounting v surface: galvaniced turning moment: 157 Nm - 196 Nm	Prod.No.	1003	7,19
Hose insert for the Fit to 13 zoll whee for tire size: 135,1	Trabant 1,1 all models one piece will be needed res Trabant and Wartburg tires. Is. 45,155/ 70 R13 with tire valve and cap Nut for rear axle Round nut to fix and secure the rear axle of the Trabant 1,1 The nut have to pressed in the groove of the rear axel after the mounting v surface: galvaniced turning moment: 157 Nm - 196 Nm for each rear wheel one piece will be needed	Prod.No. with the correc	1003 t torque.	
Hose insert for the Fit to 13 zoll whee for tire size: 135,1	Trabant 1,1 all models one piece will be needed         res         Trabant and Wartburg tires. Is.         45,155/ 70 R13 with tire valve and cap         Mut for rear axle Round nut to fix and secure the rear axle of the Trabant 1,1 The nut have to pressed in the groove of the rear axel after the mounting v surface: galvaniced turning moment: 157 Nm - 196 Nm for each rear wheel one piece will be needed         Penholder bottom, rear axle         Radial seal, rear axle 48x62x8	Prod.No. with the correct Prod.No.	1003 t torque. 1014	7,15

for each wheel side you will need 1 piece

Rear axle assembly, left hand

	and a second
6	

high quality

 Radial seal, rear axle 48x62x8 with dust lip
 Prod.No.
 6118

 radial seal 48x62x8 with dust lip for sealing of:

 cylindrical and conical rear axle of Trabant 500, 600 and 601

 cylindrical rear axle of Trabant 1.1

 outer hinge shaft for front axle of Trabant 500, 600 und 601 (built up to April 1984)

Rear axle wishbone Trabant 1,1 left hand. The meatal frame is complete new produced. The brake anchor plate and the wheel bearing case is overhauled and pre mounted. Fit for all Trabant 1.1 models (coil spring rear axle) Please note: Delivery only in exchange.

Scope of delivery inclusive brake base plate without add-on components like stub axle, wheel bearings, brake shoes, shock absorber holder ec. one piece will be needed

#### For more informations to this exchange part please use the Detail button.

with additional dust lip to protect the sealing lip for the brake dust



	Rear axle assembly, right hand	Prod.No.	6353	385,02
	Rear axle wishbone Trabant 1,1 left hand. The meatal frame is complete new	v produced.		
	The brake anchor plate and the wheel bearing case is overhauled and pre m	ounted.		
•	Fit for all Trabant 1.1 models (coil spring rear axle).			
,	Please note: Delivery only in exchange.			

Scope of delivery inclusive brake base plate without add-on components like stub axle, wheel bearings, brake shoes, shock absorber holder ec. one piece will be needed

## For more informations to this exchange part please use the Detail button.



Rubber-ring for rear axle, originalProd.No.10219,50Elastomer bearing will be mounted form top and from below at the rear axles.For each wishbone four pieces will be needed.The rubberbearing fit to all Trabant 500,600,601 and 1,1 rear axle right and left hand.State of the state of

original spare part for each car 8 pieces will be needed



Special washer for nut of rear axle (T1.1)Prod.No.6898Level washer between rear axle king pin and the brake drum (inner side).It only fits to Trabant 1.1. German reproduction made from stainless steel.It only fits to Trabant 1.1. German reproduction made from stainless steel.

inner diameter: ca. 26,3 mm (nominal diamter: 26 mm) outer diameter: ca. 40,0 mm thickness: 2 mm material: stainless steel surface: straight



<u>Stub axle, rear axle</u> Cylindrical stub axle for the Trabant 1,1. Inclusive cruve Prod.No. 1000 25,98

3,32

7,95

385.02

Prod.No.

6352



washer for nut of rear axle (T1.1) outer washer to mount below the round nut of rear axle only fit to Trabant 1.1 dimensions: Prod.No. 6663 0,98

Prod.No. 1124

4,21

inner diameter: ca. 26,3 mm (nominal diamter: 26 mm) outer diameter: ca. 39,4 mm thickness: 5 mm surface: galvanized

## Trabant 1.1 > Spare parts > Panes and sealing rubbers

Double jet for windscreen washer



Cap for water vessel for windscreen washer systemProd.No.73574,75Plastic cap with mounting sprap for the water bottle of the windscreen washer system.The plug close up the refilling hole.To use at many reservoir bottles with electrical or mechanical pump.fit to follow washer systems:



Simpe and universal kind of double jet. Can be used for mechanial or electrical windscreen washer pumps. Delivery inclusive sealing and mounting nut. Fit to washer hoses: PVC Intake line for windscreen washer (ID=4mm) PVC Intake line for windscreen washer (ID=5mm) Made in Europe

Trabant 601, Trabant 1.1, Wartburg 1.3, Wartburg 353, Multicar, W50 and so on



Double jet for windscreen washer, originalProd.No.72984,50Jet for windscreen cleaning. Can be used for mechanical and electrical wash pump.made in Germanycolour: black



Electrical pump for windscreen washerProd.No.112816,50The pump for windshield washer is a complete component. Mounted at all Wartbrug with tank for fresh<br/>waterfrom vintage march 1985.

original spare part supply voltage 12V electrical connection over two flat plugs: 6,3 x 0,8 one piece will be needed



Intake line for windscreen washer (ID=4mm) Prod.No. 1127 Plastic hose for windscreen cleaning system with the inside diameter of 4 mm.

Price for each meter If you want more as one meter please just order more pieces made in Germany 1,93

	<u>vindscreen washer (ID=5mm)</u>	Prod.No.	6883	1,9
Plastic hose for w	vindscreen cleaning system with the inside diameter of 5 mm.			
Price for each me If you want more made in Germany	as one meter please just order more pieces			
E	Metal holder for water bottle Metal retainer for the windscreen water bottles 1,5 liter of the Trabant, I the Wartburg models.	Prod.No. Muticar, B1000	7442 and 2,5 li	3,5 ter of
	original spare part material: steel, surface galvaniced one piece will be needed			
and the second second	Non-return valve for windscreen washer Check valve for the manual Trabant windscreen washer.	Prod.No.	1112	3,2
	pane for crank operated window, right/ left side	Prod.No.	866	67,2
pane for rear si	de window, openable, right / left side	Prod.No.	865	55,0
	<u>Plastic cap for wiper arm</u> Sealing cap (single part) for the mounting place of the wiper arm. Fit to CZ models Trabant, Wartburg and B1000. Can be used for screw joints spanner gap SW 13.	Prod.No.	7440	0,1
	material: plastic, black original spare part two pieces will be needed for models of Limousine station wagons will need three of this spare part			
	Retainer for windscreen washer, original Metal holder for jet for windscreen cleaning. Can be used for mechanica Fit to all Single or double washer jets made in GDR. steel metal, spring steel, surface blank	Prod.No. I and electrical	7443 wash pum	2,1 p.
	Rubber for window lifter rail Section rubber for the left or right window lifter rail to fix the door window	Prod.No.	6867	11,0
	for Trabant 601 and Trabant 1.1 material: rubber, black one piece will be needed for each openable window			
	Rubber-section for door pane Sealing rubber for the front door to the door pane. The rubber section i frame.	Prod.No. s mounted dire	879 ct into the	3,4 door
and the second sec	fit to all Trabant 601 und Trabant 1,1 length: 800 mm			

length: 800 mm for each door 2 pieces will be needed

The profiled rubbe	for rear pane (side) Station Wagon, grey e side rear windows (font pane) of the Trabant 601 station wagon (called Univer r is an new production.	Prod.No. rsal).	7408	23,53
for each car two pi high quality made colour: grey length: 2,80 meter				
Pane sealing of the	for rear pane (side), grey e side rear windows (font pane) of the Trabant 601 and Trabant 1.1. r is an new production.	Prod.No.	7411	15,45
for each car two pi high quality made colour: grey length: 1,90 meter				
Pane sealing of the	for rear window, tailgate Station Wagon, grey e rear window hatchback of the Trabant 601 station wagon (called Universal) er is an new production.	Prod.No.	7410	23,53
for each car one p high quality made colour: grey length: 2,80 meter				
	Rubber-section for windscreen for filler, black Sealing rubber for windscreen Trabant 601 and Trabant 1.1 Fit to the models Limousine and Universal (station wagon). The rubber section has got an groove for the filler. Please note: the filler is not included !	Prod.No.	7350	41,25
	colour: black made in Germany length: 3,00 Meter one piece will be needed			
	Sealing for pump windscreen washer - bottle Rubber sealing for the pump for windshield washer at the fresh water bottle 1,3 with tank for fresh water and Wartburg 353 from vintage march 1985.	Prod.No. e. Mounted a	7579 at all Wart	3,45 tbrug
	material: rubber, black one piece will be needed			
			7444	2,45

	Vaselinespray 400m	Prod.No.	7747	7,78
Vacine stern				
	<ul> <li>Window lifter rail, left side</li> <li>Window regulator rail for Trabant 601 and Trabant 1.1 door pane.</li> </ul>	Prod.No.	480	15,60
	mounting place left hand (driver side) surface: sheet metal (no corrosion protection)			
	Window lifter rail, left side Window regulator rail for Trabant 601 and Trabant 1.1 door pane.	Prod.No.	6791	17,40
	mounting place left hand (driver side) surface: sheet metal surface: lectrogalvanized			
	<ul> <li>Window lifter rail, right side</li> <li>Window regulator rail for Trabant 601 and Trabant 1.1 door pane.</li> </ul>	Prod.No.	481	15,66
	mounting place right hand (codriver side) surface: sheet metal (no corrosion protection)			
	Window lifter rail, right side, zinc coated Window regulator rail for Trabant 601 and Trabant 1.1 door pane.	Prod.No.	6792	17,40
	mounting place right hand (codriver side) surface: sheet metal surface: lectrogalvanized			
Window lifter, rig window lifter for th	<u>ght</u> e Trabant 601 an 1,1 codriver side.	Prod.No.	7120	32,07
Window lifter, rig window lifter for th	<u>ght</u> e Trabant 601 an 1,1 driver side.	Prod.No.	7121	32,07
Wiper linkage complete wiper lin new production, m	kage fit to Trabant 1.1 nade in EU	Prod.No.	6650	52,78
	Yoke for electrical pump Retainer for the pump for windshield washer. Fit to all Wartbrug with tank for fresh waterfrom vintage march 1985.	Prod.No.	7454	3,50
	original spare part			

one piece will be needed

# Trabant 1.1 > Spare parts > Body

	<u>Alu Spray 400ml</u> Spray on the basis of special mixture of resins and aluminium pigments. Aluminium-zinc doubleprotection. Best resistance to high temperatures. Excellent for use at exhaust systems and for car body works.	Prod.No.	7493	13,29
	contens: 400ml product is free of FCKW heat resistance up to approx 800 °C			
	Bitumen/plastic plates, foil-laminated Self-adhesive absorbing plates for sheet metal parts (car doors, compute	Prod.No. er cases or som	6891 ething els	46,22 se).
	with aluminium foil-laminated colour: silver content: 6x pltes with 500 x 250mm thickness: about 2mm weight per unit of area: 3,7 kg/m ²			
	Boot lid (Limousine)           fit to car body variant limousine of Trabant 601 and Trabant 1.1	Prod.No.	511	27,84
0	Boot lid lock Limousine, original Genuine part tailgate lock for the Limousine of the Trabant 601 and 1.1 w delivery inclusive lock and two keys inclusive sealing plate inklusive mounting holder one piece will be needed NOS, original spare part	Prod.No. vitjout vintage li	7396 mit.	48,20
	Boot lid lock, complete tailgate lock for Trabant 601 and 1.1 complete with lock and keys made in EU	Prod.No.	6294	9,99
	Boot lid look catch, Limousine The plasitc look catch will be mounted at the outer lower part of boot of the The plastic part will hold the arrester hook and secure if the tailgate is close Fit ot all tailgates of the T601 and T1,1.		1181 Limousir	2,65 ne.
	material: PVC original spare part one piece will be needed			
	Grille assembly center part. This part is an repair-profile for weling in to haed lamp holders front right and left hand.	Prod.No. the car body be	439 etween th	14,99 e two
	matreial: profiled sheet steel new produciton fit to all Trabant 601 and Trabant 1,1 one piece will be needed			

	Clamping piece for rubber section	Prod.No.	518	3,5
Cover for instrum	nent panel	Prod.No.	1053	15,6
	Electrical pump for windscreen washer The pump for windshield washer is a complete component. Mounted at all W waterfrom vintage march 1985.	Prod.No. Vartbrug witl	1128 h tank for	16,5 fresh
	original spare part supply voltage 12V electrical connection over two flat plugs: 6,3 x 0,8 one piece will be needed			
	eyebolt for for grille assembly Wing screw for mounting the grille assembly, fit to Trabant 601 and 1,1.	Prod.No.	81	1,0
	delivery without rubber ring original spare part two pieces will be needed			
$\bigcirc$	Front rim, prime coated Headlamp rim for Trabant 500,600, 601 und 1,1. Mountable for R2 (Bilux) and H4 headlights.	Prod.No.	53	29,9
	Front rim fit to the left and to the right side material: metal shrink boot original spare part			
wall it is the connect	ember is welded across in front of the car. It is the girder for the engine-geart ction to the side member left or right hand. The six holes for the underframe a complete with two car-jack points (pipe D= 30mm, d= 25mm, L= 76mm)			165,0 e side
coated with transport made in Germany one piece will be no				
Grille assembly, nach Verfügbarkeit		Prod.No.	440	180,5
	Grinding fleece - pad, rot Fleece to buff surfaces form coatings and cleaning of aluminium, brass ec. Can be used for working by hand.	Prod.No.	7889	1,0
	Price per pice Pice size: 100x10mm and 20cm long Rauheit: verv fine: 320			

Rauheit: very fine: 320



Hinge rear door, left side Prod.No. 8,50 512 Tailgate hinge complete component, aluminium. Made in Hungary, the qualtiy does not compare to the original ones (worse) Trabant Universal driver side one piece will be needed Hinge rear door, right side Prod.No. 513 8,50 Tailgate hinge complete component, aluminium. Made in Hungary, the qualtiy does not compare to the original ones (worse) Trabant Universal codriver side one piece will be needed Inner rear view mirror Prod.No. 1171 17,50 Panorama mirror for the Tranant indoor. The spare part is original made in Germany. lenght: 24,5 cm wide: 7 cm delivery without plastic feet for mounting at the roof frame Prod.No. 1052 85,00 Instrument panel Instrument panel Prod.No. 6107 188.54 used part demounted from Trabant 1.1 with components (tachometer, switches) Intake line for windscreen washer (ID=4mm) Prod.No. 1127 1.93 Plastic hose for windscreen cleaning system with the inside diameter of 4 mm. Mate in Gernary Price for each meter If you want more as one meter please just order more pieces made in Germany 6883 Intake line for windscreen washer (ID=5mm) Prod.No. 1,93 Plastic hose for windscreen cleaning system with the inside diameter of 5 mm. Price for each meter If you want more as one meter please just order more pieces made in Germany Interior lamp Prod.No. 98 12,20 Lamp for the Trabant 601 and 1,1 interior. For the insert will be nedded: 1x tubular bulb 6V: LDM-no.: 121 1x tubular bulb 12V: LDM-no.: 135 original spare part delivery without bulb Lock unit for Rear door ( station wagen ) Prod.No. 6136 15.20 This lock will be mounted at the Trabant Universal inside of rear door. It is applied by the door hinge.

> original spare part one piece will be needed



Lower side part left side Prod.No. 460 25,50 Lower side part from the doorway left hand. This part is an repair-profile for weling in to the car body on top of the side member.

matreial: profiled sheet steel fit to all Trabant 601 and Trabant 1,1 one piece will be needed

Lower side part protectorProd.No.462Lower side part protector is fitted under the doors.

Fit to all Trabantz 601 from year: November 1984 (limousine), and from year January 1985 (station wagon)

material: plastic colour: black original made in Germany 2 pieces will be needed

2 pieces will be needed			
Lower side part right side Lower side part from the doorway right hand. This part is an repair-profile for on top of the side member.	Prod.No. or weling in t	461 to the car	25,50 body
matreial: profiled sheet steel fit to all Trabant 601 and Trabant 1,1 one piece will be needed			
Mounting screw under frame Mounting bolt for the connection between underframe and front transverse r Scope of delivery inclusive external teeth lock washer and nut.	Prod.No. nember.	6746	1,85
grade: 10.9 surface: galvaniced for the Trabant 500,600,601 will be 6 pieces needed for the Trabant 1,1 will be four pieces needed			
Mudflaps set rear           Rubber dirttraps four monting at the back side of the Trabant wheel           S-trademark.	Prod.No. case. Type	1230 with star	10,62 mped
delivery inclusive 2x mounting metal strips set consist of two pieces dimension: 20 x 20 cm, thickness: 5 mm material: rubber, black one set will be needed			
Mudgard screw, original diameterStainless steel screw slotted for mounting the plasic wings at the car body.Best peplacement for the original one without corrosion.Fit to all Trabant 601 and 1,1 all models also Kübel and Tramp.	Prod.No.	7720	0,09
material: A2 type: tapping screw, original diameter			
Outer lower part of boot ( Limousine ) please ask for availability!	Prod.No.	505	86,34
Outer lower part of luggage boot (station-wagen) please ask for availability!	Prod.No.	504	86,34

7,71

	Plug for body	Prod.No.	7705	2,49
	Small plg for holes diameter 5mm. Can be used for the car body.			
	material: rubber, black total length: 27mm made in Germany			
PVC-section for	cover moulding, complete for one car, 7 meter, BLACK	Prod.No.	541	14,61
Rear door ( station Rear door for the T	on wagen ) Frabant Universal. Scope of delivery: single part, without additional mounting	Prod.No. parts.	510	115,55
band new original surface: basic colo				
Sealing for the boo The rubber will be	n <mark>g for boot lid look</mark> ot look of the Trabant type Limousine. mounted behind the aluminium look. of the T601 and T1,1.	Prod.No.	1180	2,89
material: Gummi, b original spare part one piece will be n				
	<ul> <li>release spring for pedal, late model</li> <li>release spring fit to brake pedal and clutch pedal of pedal unit</li> <li>length of the spring coil: 53mm</li> <li>diameter of the spring coil: 10mm</li> <li>total length of the spring: ca.122mm</li> </ul>	Prod.No.	6643	1,96
	fit to Trabant 601 and Trabant 1.1 two pieces will be needed			
	Rubber for eyebolt for for grille assembly Rubber washer for the wing screw for mounting the grille assembly, fit to T	Prod.No. rabant 601 ar	7279 nd 1,1.	0,20
0	two pieces will be needed			
	Rubber lining made in Germany for brake and clutch pedal-shaft Rubber pad for the clutch and brake pedal. New reproduction made in Germany in brilliant quality. Fit to many IFA cars like Trabant, P70/F8, Wartburg 311, Multicar	Prod.No.	184	8,57
	material: rubber, black made in Germany best quality two pieces will be needed			
0	Rubber membrane plug for holes with diameter of 15mm Membrane plug made of black rubber to shut round holes in car bodys (s variable cable grommet seal for some wires (also with plugs)	Prod.No. such as servi	6796 ce holes)	0,90 or as
	fit to hole diameter of 15 mm inner diameter of membrane (max. usable diameter): 9 mm outer diameter (total): 20 mm			



Rubber membrane plug for holes with diameter of 18,5mmProd.No.68950,97Membrane plug made of black rubber to shut round holes in car bodys (such as service holes) or as<br/>variable cable grommet seal for some wires (also with plugs)0,97

fit to hole diameter of 18,5 mm (0,728") inner diameter of membrane (max. usable diameter): 11 mm (0,433") outer diameter (total): 23 mm (0,906")



Rubber membrane plug for holes with diameter of 20,5mmProd.No.67971,05Membrane plug made of black rubber (Polychloropren) to shut round holes in car bodys (such as<br/>service holes) or as variable cable grommet seal for some wires (also with plugs)1,05

fit to hole diameter of 20,5 mm inner diameter of membrane (max. usable diameter): 13,5 mm outer diameter (total): 25 mm thickness: 7 mm

# Rubber membrane plug for holes with diameter of 25mmProd.No.76251,27Membrane plug made of black rubber (Polychloropren) to shut round holes in car bodys (such as service holes) or as<br/>variable cable grommet seal for some wires (also with plugs)1,27

fit to hole diameter of 25 mm inner diameter of membrane (max. usable diameter): 18,5 mm outer diameter (total): 30,5 mm thickness: 7 mm



Rubber membrane plug for holes with diameter of 28mmProd.No.67981,57Membrane plug made of black rubber to shut round holes in car bodys (such as service holes) or as<br/>variable cable grommet seal for some wires (also with plugs)1,57

fit to hole diameter of 28 mm inner diameter of membrane (max. usable diameter): 21 mm outer diameter (total): 35 mm



Rubber membrane plug for holes with diameter of 32mmProd.No.76132,23Membrane plug made of black rubber to shut round holes in car bodys (such as service holes) or as<br/>variable cable grommet seal for some wires (also with plugs)2,23

fit to hole diameter of 32 mm inner diameter of membrane (max. usable diameter): 25 mm outer diameter (total): 39 mm thicknes of the menbrane: 1mm total thickness: 9mm



Rubber membrane plug for holes with diameter of 37mmProd.No.67991,75Membrane plug made of black rubber to shut round holes in car bodys (such as service holes) or as<br/>variable cable grommet seal for some wires (also with plugs)1,75

fit to hole diameter of 37 mm inner diameter of membrane (max. usable diameter): 29 mm outer diameter (total): 44 mm



Rubber membrane plug for holes with diameter of 47mmProd.No.68002,98Membrane plug made of black rubber to shut round holes in car bodys (such as service holes) or as<br/>variable cable grommet seal for some wires (also with plugs)8

fit to hole diameter of 47 mm inner diameter of membrane (max. usable diameter): 36 mm outer diameter (total): 54 mm thicknes of the menbrane: 1mm total thickness: 10mm



Rubber plug for side member, flat Prod.No. 6929 0.82 Plug for round holes in car bodys with a diameter of 22 mm (0,87 inch) and with wall thickness up to 2,4 mm (0,095 inch).four pieces needed for each Trabant

Material: PVC Colour: black

Rubber section for boot lid

This type of plug is a little bit more difficile to mount and demount than the snap-in plug. This plug has a height of about 3 mm in the centre and leveling off to the border. So it has a very smooth lookout.

Prod.No.

Prod No.

Prod.No. 7717

516

517

16.12

19,79

0,49



material: A2 head design: round-head tapping screw six pieces will be needed delivery inclusive washer ans nut



Sealing for pump windscreen washer - bottle Prod.No. 7579 3.45 Rubber sealing for the pump for windshield washer at the fresh water bottle. Mounted at all Wartbrug 1,3 with tank for fresh water and Wartburg 353 from vintage march 1985.

material: rubber, black one piece will be needed



Side member, left side Prod.No. 450 38,50 Side member left hand. This part is an repair-profile for weling in to the car body between the left outer half of rear wheel house and the Front transverse member.


matreial: profiled sheet steel original IFA-spare part fit to all Trabant 601 and Trabant 1,1 one piece will be needed



Side member, right side

Prod.No. 451 38,50 Side member right hand. This part is an repair-profile for weling in to the car body between the right outer half of rear wheel house and the Front transverse member.

matreial: profiled sheet steel original IFA-spare part fit to all Trabant 601 and Trabant 1,1 one piece will be needed



corrosion protection at salt dust like DIN 50021: 500 hours without rost Dust dry after 2 hours, dry after 4-5 hours temperature from -25° C bis 80° C wax based product

<u>Underbody protection wax 500ml, Spray</u> Protecton wax for the underside and wheel cases for many vehicles.	Prod.No.	8088	7,69
To spray the wax no special tools will be needed.			
Recommended amount 300g/qm, source function 1,5qm.			
Best use for body work, vehicle manufacturing and road maintenance.			
The wax protect the cars against mechanical and chemical stress like rock chips, gritting s	salt, water a	nd so on.	And
corrosion will be bewared.			
contens: 500ml			
corrosion protection at salt dust like DIN 50021: 500 hours without rost			
Dust dry after 2 hours, dry after 4-5 hours			
temperature from -25° C bis 80° C			
wax based product			
colour: brown			



## Yoke for electrical pump

Retainer for the pump for windshield washer. Fit to all Wartbrug with tank for fresh waterfrom vintage march 1985. Prod.No. 7454 3,50

original spare part one piece will be needed

## Trabant 1.1 > Spare parts > Body > mud guards



Bitumen/plastic plates, foil-laminatedProd.No.689146,22Self-adhesive absorbing plates for sheet metal parts (car doors, computer cases or something else).

with aluminium foil-laminated colour: silver content: 6x pltes with 500 x 250mm thickness: about 2mm weight per unit of area: 3,7 kg/m²

Cover for wheel fr nach Verfügbarkeit	r <mark>ame, stainless steel, polished</mark> lieferbar !	Prod.No.	550	151,54
	Front mudguard, left side Plastic plating for mounting front left hand (driver side). Fit for all Trabant 60 The mudguards are new produced made from fibre reinforced composite.	Prod.No. 1 and 1,1.	430	89,96
	material: GFK (glass fibre plastic) hergestellt in Deutschland			
R	Front mudguard, right side Plastic plating for mounting front left hand (co-driver side). Fit for all Trabant The mudguards are new produced made from fibre reinforced composite. material: GFK (glass fibre plastic) hergestellt in Deutschland	Prod.No. 601 and 1,1	431	89,96
Distanti	Mudgard screw, original diameter Stainless steel screw slotted for mounting the plasic wings at the car body. Best peplacement for the original one without corrosion. Fit to all Trabant 601 and 1,1 all models also Kübel and Tramp.	Prod.No.	7720	0,09
	material: A2 type: tapping screw, original diameter			

PVC-section for cover moulding, complete for one car, 7 meter, BLUEProd.No. 543 14,61 PVC-section for cover moulding, complete for one car, 7 meter, GREEN Prod.No. 545 14,61 PVC-section for cover moulding, complete for one car, 7 meter, GREProd.No. 542 14,61 PVC-section for cover moulding, complete for one car, 7 meter, RED Prod.No. 544 14,61 Prod.No. 530 72,45 Rear mudguard, left side Plastic plating for mounting rear left hand (driver side). Fit for all Trabant 601 and 1,1. The mudguards are new produced made from fibre reinforced composite.

hergestellt in Deutschland Rear mudguard, right side Prod.No. 532 79,44

# Trabant 1.1 > Spare parts > Body > wheel house

material: GFK (glass fibre plastic)

E	<u>Mudflaps set rear</u> Rubber dirttraps four monting at the back side of the Trabant wheel S-trademark.	Prod.No. case. Type v	1230 vith stam	10,62 ped
	delivery inclusive 2x mounting metal strips set consist of two pieces dimension: 20 x 20 cm, thickness: 5 mm material: rubber, black one set will be needed			
	outer half of front wheel house on left side please ask for availability!	Prod.No.	414	38,79
	outer half of front wheel house on right side please ask for availability!	Prod.No.	415	38,79
Outer half of rear please ask for avail	wheel house, left side ability!	Prod.No.	523	38,79
Outer half of rear please ask for avail	wheel house, right side ability!	Prod.No.	524	38,79



Outer quater of front wheel house left sideProd.No.41826,77Outside part to repair the Trabant wheelhouse front left side.Mostly this other sheet metal direct behind the wings is complete rosty and have to be removed. The outer quater covers the most of the damages.The part have to be welded in.

fit to Trabant 601 und Trabant 1.1



Outer quater of front wheel house, right sideProd.No.41926,77Outside part to repair the Trabant wheelhouse front right side.Mostly this other sheet metal direct behind the wings is complete rosty and have to be removed. The outer quater covers the most of the damages.The part have to be welded in.The outer quater covers the most of the damages.The part have to be welded in.

#### fit to Trabant 601 und Trabant 1.1



Outer quater of rear wheel house, left sideProd.No.52526,77Outside part to repair the Trabant wheelhouse rear left side.Mostly this other sheet metal direct behind the wings is complete rosty and have to be removed. Theouter quater covers the most of the damages.The part have to be welded in.

fit to Trabant 601 und Trabant 1.1 good reproduction made in EU



Outer quater of rear wheel house, right sideProd.No.52626,77Outside part to repair the Trabant wheelhouse rear right side.Mostly this other sheet metal direct behind the wings is complete rosty and have to be removed. The outer quater covers the most of the damages.The part have to be welded in.The part have to be welded in.

fit to Trabant 601 und Trabant 1.1


# Trabant 1.1 > Spare parts > Body > side doors

Air deflector, long	<u>a, anthrazit ( one paar )</u>	Prod.No.	1145	72,11
	Bitumen/plastic plates, foil-laminated Self-adhesive absorbing plates for sheet metal parts (car doors, computer c	Prod.No. ases or som	6891 ething else	46,22 e).
	with aluminium foil-laminated colour: silver content: 6x pltes with 500 x 250mm thickness: about 2mm weight per unit of area: 3,7 kg/m ²			
	Bowden cable for inner door handle, new type Stiff steel wire cable as connection between the inner door handle and the of Inclusive plastic cover. Fit to Trabant 601 and trabant 1,1 feft snd right hand for model inner door door handle new type right from vintage July 1988.		6724 type left, in	2,50 nner
	length: ca. 67,5cm diameter wire: 1,5mm inclusive loop for look original spare part			

Clamping sleeve for door-hinge

Prod.No. 482 1,83







External door skin, left side Prod.No. 468 38,50 Outher door body for the drivers door side (left hand) The door skin will be fixed at the left door frame with a special kind of body-adhesion.

Prod.No.

469

38,50

matrial: plastic original IFA-spare part fit to all Trabant 601 and Trabant 1,1 only shipping if available! one piece will be needed

External door skin, right side



frame with a special kind of body-adhesion. matrial: plastic original IFA-spare part fit to all Trabant 601 and Trabant 1,1 only shipping if available! one piece will be needed Hinge for door right side, below (one paar) Prod.No. 486 28,90 Hinge-set for the below side of the codrivers door. Consitst of two hinge pieces. Genuine spare part. Scope of delivery without mounting bits and without clamming. please ask for availability! Inner door handle, left side ( new type ) Prod.No. 1142 6.66 apply lever with bracket fit to door driver side to put in the bowden cable for door-opener fit to Trabant 601 from June 1988 onwards fit to all types of Trabant 1.1 (4-stroke) lever made of black plastic with bracket made of aluminium cast

Outher door body for the co-drivers door side (right hand) The door skin will be fixed at the right door



	new prodused			
	Inner door handle, right side ( new type ) apply lever with bracket	Prod.No.	1143	6,66
	fit to door co-driver side to put in the bowden cable for door-opener fit to Trabant 601 from June 1988 onwards fit to all types of Trabant 1.1 (4-stroke) lever made of black plastic with bracket made of aluminium cast new prodused			
$\bigcirc$	LDM-Design outer rear view mirror, left chromed Design rear view mirrors for drivers side (left door) arm is made of zinc die casting (chromed) mounting in the same way like original rear view mirrors	Prod.No.	6337	68,20
	These outer rear view mirrors was elaborate handmade by LDM-tuning no series producktion!			
	LDM-Design outer rear view mirror, right chromed Design rear view mirrors for co-drivers side (right door) arm is made of zinc die casting (chromed) mounting in the same way like original rear view mirrors	Prod.No.	7063	68,20
	These outer rear view mirrors was elaborate handmade by LDM-tuning			

no series producktion!

metal part of do only shipping if av		Prod.No.	465	82,0
mezal part of door right side only shipping if available!		Prod.No.	466	82,04
	<u>Mounting scrw for door hinge</u> Bolt for mounting the door hinges at the Trabant A-frame. Fit to doors driver and codrivers side. Screw is equal to to the original ones with one slot. Made of stainless steel.	Prod.No.	8029	0,8
	material: stainless steel (VA) 10 pieces will be needed			
2	Outer door handle, left side, PVC black, complete with look and key Door handle made of plasic for Trabant. Fit to the drivers side and to the Universal (station wagon).		490 of the Tra	31,6 abant
	colour: black scope of delivery complete with lock and key high quality and identical dimensions made by the original equipment manu	facturer		
	Outer door handle, right side, PVC black Plastic door handle for the codriver side. Delivery with mechanical parts.	Prod.No.	491	24,5
	high quality and identical dimensions made by the original equipment manu material: PVC, black one piece will be needed	facturer		
	<u>Outer rear view mirror, left</u> outer rear view for left door (driver side) low quality bad adjustment of mirror glass	Prod.No.	1168	22,3
	Outer rear view mirror, right outer rear view for rigth door (co-driver side) low quality bad adjustment of mirror glass	Prod.No.	1169	22,3
Plastic snapper The snaper catch It fit to all Trabant	can be mounted inside the drivers and codrivers door.	Prod.No.	7210	2,5
original spare part scope of delivery two pieces will be	without spring			
	Rubber for window lifter rail Section rubber for the left or right window lifter rail to fix the door window	Prod.No.	6867	11,C
at a				



Rubber lining for outer door handle (new), one pair, black Prod.No. 4,33 492 fit to the latest version of the door handle (PVC)

scope of delivery: one set for one door handle colour: black material: plastic Trabant 1,1, Trabant 601, Wartburg 353 and 1,3 Barkas B1000- B1000-1

#### Rubber lining for outer door handle old type, black One pair, fit to the aluminium version of the door handle.

scope of delivery: one set for one door handle colour: black material: plastic

Trabant 601, Wartburg 353, Bakas B1000



Rubber lining for outer door handle old type, grey One pair, fit to the aluminium version of the door handle.

scope of delivery: one set for one door handle colour: grey material: plastic Trabant 601, Wartburg 353, Bakas B1000



Spare key, copy from your original Prod.No. 1340 15,50 The original key have to be send to our company in advance. Not for all key types possible.



Spare key, copy is made from yor key number Prod.No. 1341 15,50 Production of an spare key for door, ignition or fuel cap looks and so on... You have to tell us your key number per email, fax or letter. Keys for the vehicles: Trabant, Wartburg, W50, Barkas LO, LD Multicar usw.

delivery time about one to two weeks all Trabant keys possible

Spring clip for interior lining



Prod.No. 1160 0,34

6824

9,50

9,50

Prod.No.

Prod.No. 6825

Spring for plastic snapper door catch The spring can be mounted inside the drivers and codrivers door. It fit to all Trabant 601 and 1,1.

Prod.No. 7211 1,00

original spare part two pieces will be needed

BIA	Tuning rear-view mirror, black Universal tuning mirror with arodynamic shape	Prod.No.	6777	24,50
<b>A</b> IV <b>C</b>	fit to left and right hand mounting delivery complete pree mounted with mirror glas material: ABS plastic black bracket and antrazit mirror case good locking mirror with acceptable quality and low price two different mounting panel and mounting screws are included one or two pieces will be needed			
	<ul> <li><u>Window lifter rail, left side</u></li> <li>Window regulator rail for Trabant 601 and Trabant 1.1 door pane.</li> </ul>	Prod.No.	480	15,66
	mounting place left hand (driver side) surface: sheet metal (no corrosion protection)			
	Window lifter rail, left side Window regulator rail for Trabant 601 and Trabant 1.1 door pane.	Prod.No.	6791	17,40
	mounting place left hand (driver side) surface: sheet metal surface: lectrogalvanized			
	<ul> <li><u>Window lifter rail, right side</u></li> <li>Window regulator rail for Trabant 601 and Trabant 1.1 door pane.</li> </ul>	Prod.No.	481	15,66
	mounting place right hand (codriver side) surface: sheet metal (no corrosion protection)			
	Window lifter rail, right side, zinc coated Window regulator rail for Trabant 601 and Trabant 1.1 door pane.	Prod.No.	6792	17,40
	mounting place right hand (codriver side) surface: sheet metal surface: lectrogalvanized			
Trabant 1.1 > S	Spare parts > Body > bumper bar			
Front bumper new made of gla with simple shee	ess fibre reinforced plastic (GRP) et metall holder	Prod.No.	538	177,25
	Rear bumper rear bumper new made of grey coloured glasfibre reinforced plastic (GRP) with simple sheet metal holder (see picture below)	Prod.No.	539	177,25
1	Rear bumper holder right side Bumber holder, one side fitted at bumber (inside) with bolts two M6 and at the outer lower part of boot right side (2x M6). Trabant 601 from vintage: march 1980	Prod.No. the other side h	547 ave to be	9,45 e fitted
	Material: metal plate original IFA spare part			

one piece will be needed

# Trabant 1.1 > Spare parts > Body > Engine bonnet



<u>Aluminium joint for engine bonnet, complete</u> only this part in aluminium (see picture)

Prod.No. 403 4,89

Bonnet prop Trabant 601 bonnet prop. Delivery without mounting pins.		402	8,50
Button pad	Prod.No.	404	0,49
Dolphin pile for engine bonnet self-adhesive sound absorbing mat for engine bonnet	Prod.No.	6751	74,88
with polyurethane surface coating colour: grey content: 2x mat with 500 x 1000mm (=1qm)			
Engine bonnet, complete Hood made of sheet metal.	Prod.No.	401	365,73
second hand			
Engine bonnet, complete ( PVC )	Prod.No.	397	365,73
Iock for engine bonnet complete look for the Trabant 601 and Trabant 1,1 engine bonnet.	Prod.No.	395	15,60
original spare part			
Lower front part complete ( PVC ) made of sheet plastic	Prod.No.	396	122,98
made of sheet metall second hand	Prod.No.	399	162,50
Steel bolt for Aluminium joint for engine bonnet Pin for connection between adjusting bolt engine bonnet and alu joint for engine bonnet.	Prod.No.	6841	0,74

two pieces will be needed

# Trabant 1.1 > Spare parts > Accessories



Bulb retainer display instrumentsProd.No.78432,50Holder for bulbs as an checked secound hand part. Can be used for nearly all IFA vehicles.Type with contact pin for wire plug: 6,3x0,8 (standart)Useabe for bulbs 6V, 12V oder 12V 2W with Ba7S base as speedometer lightning, display and indecator lights.12V

checked secound hand part delivery without bulb original part



Bulb retainer display instruments, screw pinProd.No.78443,90Holder for bulbs with screw pin for wire connection. Can be used for nearly all IFA vehicles.Type with contact for screw connection: up tp 1,5 mmm².Useabe for bulbs 6V, 12V oder 12V 2W with Ba7S base as speedometer lightning, display and indecator lights.

	new spare part delivery without bulb			
	Cap for water vessel for windscreen washer system Plastic cap with mounting sprap for the water bottle of the windscree The plug close up the refilling hole. To use at many reservoir bottles with electrical or mechanical pump fit to follow washer systems: Trabant 601, Trabant 1.1, Wartburg 1.3, Wartburg 353, Multicar, W5			4,75
	<u>car jack</u>	Prod.No.	6350	20,00
7~_	original car jack for wheel changing on the way not used and like a new one incl. transport bag a must for every Trabant which is reproduced in facsimile			
$\bigcirc$	Chrome cover set for rim-bad	Prod.No.	1088	69,99
	<u>Clip for trademark</u> Mounting Clip for letterings.	Prod.No.	1258	0,19
	Material: PVC price for each piece made in Europe			
1	Inner rear view mirror Panorama mirror for the Tranant indoor. The spare part is original made in Germany.	Prod.No.	1171	17,50
	lenght: 24,5 cm wide: 7 cm delivery without plastic feet for mounting at the roof frame			
731	Interior lamp Lamp for the Trabant 601 and 1,1 interior. For the insert will be nedded: 1x tubular bulb 6V: LDM-no.: 121 1x tubular bulb 12V: LDM-no.: 135	Prod.No.	98	12,20
	original spare part delivery without bulb			



Metal holder for water bottle Prod.No. 7442 3,50 Metal retainer for the windscreen water bottles 1,5 liter of the Trabant, Muticar, B1000 and 2,5 liter of the Wartburg models.

original spare part material: steel, surface galvaniced one piece will be needed



	one piece will be needed			
- konstant 	Number plate holder with printed trademark black/blue	Prod.No.	1301	9,10
	Number plate holder with printed trademark black/orange	Prod.No.	1302	9,10
- LA JA - L	Number plate holder with printed trademark black/white	Prod.No.	1303	9,10
Number plate ho	older with printed trademark white/blue	Prod.No.	1300	9,10
	Plastic cap for wiper arm Sealing cap (single part) for the mounting place of the wiper arm. Fit to CZ models Trabant, Wartburg and B1000. Can be used for screw joints spanner gap SW 13.	Prod.No.	7440	0,10
	material: plastic, black original spare part two pieces will be needed for models of Limousine station wagons will need three of this spare part			
	Replacement glass for RETRO rear fog lamp Red glass as spare part for our RETRO fog light	Prod.No.	7136	19,99
	material: red glass made in Germany			
	Replacement glass for RETRO reverse lamp Red glass as spare part for our RETRO reverse indication lamp	Prod.No.	7137	8,93
	material: clear (white) glass made in Germany			
	Retro back up lamp for rear bumper Chromed back up light for the mounting on top of the bumber. The lamp made of high end fabrication and the design fit brilliant to histo	Prod.No.	6876	77,71
4	colour: chromium-plated casing, clear glass size: 11 x 5.5 cm			

size: 11 x 5,5 cm delivery without bulb made in Germany

Special offers end c	urrent prices: <b>http://www.idm-tuning.de</b> Document draw on 07.06.2016.			
	Retro licence plate lights Chromed reversing registration plate light. Mounting with two M6 nuts. The lamp made of high end fabrication and the design fit brilliant to historical	Prod.No.	7989	12,8
	colour: chromium-plated casing, clear lense size: L=82mm x B=29mm x H=27mm bolt distance: 45mm delivery without bulb made in Europe			
	Retro rear fog lamp for rear bumper Chromed reversing fog light for the mounting on top of the bumber. The lamp made of high end fabrication and the design fit brilliant to historical	Prod.No.	6877	93,2
T	colour: chromium-plated casing, red glass size: 11 x 5,5 cm delivery without bulb made in Germany			
	<u>Spare key, copy from your original</u> The original key have to be send to our company in advance. Not for all key types possible.	Prod.No.	1340	15,5
2	Spare key, copy is made from yor key number Production of an spare key for door, ignition or fuel cap looks and so on You have to tell us your key number per email, fax or letter. Keys for the vehicles: Trabant, Wartburg, W50, Barkas LO, LD Multicar usw.	Prod.No.	1341	15,5
	delivery time about one to two weeks all Trabant keys possible			
Spare Part Catal	ogue for Trabant 1,1, germ./ english	Prod.No.	1331	20,0
40 60 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	<u>Speedometer with trip meter</u> Round speedometer for the cars Wartburg 1.3, Wartburg 353, Trabant 1.1, E type:	Prod.No. 3arkas B100	7092 00 and B10	24,9 00-1.
	Speedscale up to 150km/h inclusive trip meter power 12V scope of delivery inclusive bulbs front rim : black			

mounting diameter: 100mm genuine spare part Zak No: 3.0230/47 12,87

93,28

15,50

15,50

20,00

Splint-pin set, 555 pices

Splint-pin set, complete with clear plastic box. Consist of 555 differnt splint diameters and sizes. Electrogalvanized, DIN 94. scope of dlivery:

Prod.No. 7739 14,83

1,6 x 32 (150 pieces) 2,4 x 25 (150 pieces) 2,4 x 38 (100 pieces) 3,2 x 32 (75 pieces) 3,2 x 50 (50 pieces) 4,0 x 64 (30 pieces)



#### Splint-pin set, complete with metal box

Prod.No. 1342 72,35 Splint-pin set, complete with metal box. Consist of 1150 differnt splint diameters and sizes. Electrogalvanized, DIN 94. scope of dlivery:

1,6 x 32 (100 pieces) 2 x 22 (100 pieces) 2 x 32 (100 pieces) 2 x 40 (100 pieces) 3,2 x 20 (100 pieces) 3,2 x 32 (100 pieces) 3,2 x 40 (100 pieces) 4 x 32 (100 pieces) 4 x 40 (100 pieces) 4 x 50 (100 pieces) 5 x 40 (50 pieces) 5 x 50 (50 pieces)



Standing trademark * S * for engine bonnet

Prod.No. 1253 10,83

Plastic trademark as replacement for the original engine bonnet plastic S. The mounting can be by clue or screw connection.

material: plastic, black delivery without mounting parts made in EU



Standing trademark * S * for engine bonnet, stainless steel, polished, collapsible No. 1254 52,08 Stainless steel trademark as replacement for the original engine bonnet plastic S.

Mounting by means of a bolt. The mark is kept by an spring, so it can be moved to the front and back side.

material: VA, polished delivery inclusive mounting parts made in EU



T-Shirt *LDM-Tuning*, white white T-Shirt made of 100% cotton

printed lettering on front- and back-side

size: M



Trademark * de luxe * chromium plated Rear lettering for the Trabant with the letters in original written script. Prod.No. 7073 4,90

6425

11,99

Prod.No.

de luxe material: plastic with chromium plated surface 3 fitted pins for mounting delivery with plugs

	Trademark * S * for engine bonnet, PVC, black Trabant tradmark at the engine bonnet.	Prod.No.	1251	2,69
	S-symbol material: plastic, black 2 fitted pins for mounting made in Europe			
	Trademark * S * for engine bonnet, PVC, chromium-plated Trabant tradmark at the engine bonnet.	Prod.No.	7075	5,38
0	S-symbol material: plastic with chromium plated surface 2 fitted pins for mounting made in Europe			
3	Trademark * S * for engine bonnet, stainless steel, polished High quality trademark made of stainless steel as replacement for the ori- engine bonnet. Mounted with two tap bolts.	Prod.No. ginal plastic	1252 one. Fit 1	27,73 to the
	S-symbol material: VA, mirrorfinish made in EU			
	Universal boot kit Bellows for many exertions at automobiles, trailers, caravans and ships size:	Prod.No.	7010	14,99
	length:19cm diameter:10mm / 30mm length:23cm diameter: 35mm / 35mm length:15cm diameter:30mm / 42mm length:13cm diameter:41mm / 48mm length:12cm diameter:41mm / 55mm different length and diameter combinable			
	length of the bellow pice: 95mm			
	Spare parts > Accessories > badget			
	Badge, trademark * Trabant S * badge with lettering *Trabant* and trademark for Sachsenring *S*	Prod.No.	1281	5,72

with protection cap for needlepoint diameter S-trademark 8,5 mm wide (length) of the Trabant lettering: 34 x 5 mm

## Trabant 1.1 > Spare parts > Accessories > Carpet set



L

Carpet set, front and rear carpet with printed trademark * Trabant *, bRred.No. 6210 39,39 only for Trabant 1.1

 Carpet set, front and rear carpet with printed trademark * Trabant *, green
 Prod.

 only for Trabant 1.1
 lettering colour: green

Prod.No. 6213 39,39



Carpet set, front and rear carpet with printed trademark * Trabant *, rethrod.No. 6212 39,39 only for Trabant 1.1 lettering colour: red



Carpet set, front and rear carpet with printed trademark * Trabant *, sil@eod.No. 6209 39,39 only for Trabant 1.1

Carpet set, only for Traba	front and rear carpet with printed trademark * Trabant *, yellow ant 1.1	Prod.No.	6211	39,39
Trabant 1.1 :	> Spare parts > Accessories > key fob, key figure			
	Key holder with clutch- and handbrake levers key holder with small silver clutch- and handbrake levers	Prod.No.	6154	5,99
0	material: aluminium length of levers: 5cm			
	Key holder with crank-shaft, blue key holder with silver crank-shaft and conrod material: aluminium colour: blue	Prod.No.	6149	5,99
X	Key holder with crank-shaft, red key holder with silver crank-shaft and conrod material: aluminium colour: red	Prod.No.	6148	5,99
and and	Key holder with crank-shaft, silver key holder with silver crank-shaft and conrod	Prod.No.	6147	5,99
	material: aluminium colour: silver length of crank shaft: 4,5cm			
and the second	Key holder with LED spark plug, red key holder with red spark plug	Prod.No.	6153	7,45
	material: aluminium with red LED instead the electrode length of spark plug: 5cm			
A STATE	Key holder with LED spark plug, yellow key holder with red spark plug	Prod.No.	6152	7,45
	www.material: aluminium with red LED instead the electrode length of spark plug: 5cm			

pecial offers end (	current prices: http://www.ldm-tuning.de Document draw on 07.06.2	016.		
an Ort	Key holder with open-end wrench key fob with a small adjustable open-end wrench (0-10mm)	Prod.No.	6143	5,99
	Key holder with smiley-piston, blue key holder with conrod and piston smiley on piston top	Prod.No.	6146	5,99
s .	material: aluminium colour: blue length (piston + conrod together): 4cm			
A MARKED	Key holder with smiley-piston, red key holder with conrod and piston smiley on piston top	Prod.No.	6145	5,99
9 C	material: aluminium colour: red length (piston + conrod together): 4cm			
No cont	Key holder with smiley-piston, yellow key holder with conrod and piston smiley on piston top	Prod.No.	6144	5,99
	material: aluminium colour: yellow length (piston + conrod together): 4cm			
Mr. O.	Key holder with suspension strut, red key holder with suspension strut red spiral spring	Prod.No.	6151	5,99
P	Key holder with suspension strut, yellow key holder with suspension strut yellow spiral spring	Prod.No.	6150	5,99
rabant 1.1 > Sp	pare parts > Accessories > letterings			
1-	lettering * 1,1 *	Prod.No.	1260	2,42

 Iettering * 1,1 * chromium-plated
 Prod.No.
 7077
 4,55

 Image: Prod.No.
 Prod.No.
 7077
 6,90

Virabant	lettering * IFA - TABANT * Lettering *IFA Trabant* for rear side of Trabant 1.1	Prod.No.	7076	4,90
	material: PVC plastic with chromium plated surface delivery inclusive mounting plugs			
Inabant	lettering * Trabant * Rear lettering for the Trabant with the letters in original written script.	Prod.No.	1255	2,56
	Trabant material: plastic, black 3 fitted pins for mounting delivery without plugs original spare part			

# Trabant 1.1 > Spare parts > Accessories > valve caps

	valve cap skull - one pair silver skull with red eyes	Prod.No.	6164	5,79
Cont.	scope of delivery: 2 pieces height: 2cm inclusive mounting brass bushing			
P	valve cap, hexagon with ball, blue material: anodized aluminium {L[scope of delivery: 2 pieces][heigth : 1,5 cm][colour : blue price for 1 pair (2 pieces)	Prod.No.	6166	4,79
	valve cap, hexagon with ball, red material: anodized aluminium	Prod.No.	6165	4,79
	scope of delivery: 2 pieces heigth : 1,5 cm colour : red			
Contraction of the second seco	valve cap, hexagon with ball, silver material: anodized aluminium {L[scope of delivery: 2 pieces][heigth : 1,5 cm][colour : silver price for 1 pair (2 pieces)	Prod.No.	6167	4,79
	valve cap, hexagon, blue material: anodized aluminium colour : blue with two silver stripes heigth : 1,7 cm	Prod.No.	6172	4,79
	price for 1 pair (2 pieces)			

	valve cap, hexagon, red material: anodized aluminium colour : red with two silver stripes heigth : 1,7 cm	Prod.No.	6171	4,7
T	price for 1 pair (2 pieces)			
	valve cap, hexagon, silver	Prod.No.	6173	4,7
	material: anodized aluminium			
	colour : silver			
	heigth : 1,7 cm			
	price for 1 pair (2 pieces)			
	valve cap, piston, blue	Prod.No.	6169	4,7
	valve cap looks like a piston			
	material: anodized aluminium			
-	colour : blue with two silver stripes heigth : 1,4 cm			
9				
	price for 1 pair (2 pieces)			
	valve cap, piston, red	Prod.No.	6168	4,7
	valve cap looks like a piston			
	material: anodized aluminium			
	colour : red with two silver stripes			
0	heigth : 1,4 cm			
	price for 1 pair (2 pieces)			
	valve cap, piston, silver	Prod.No.	6170	4,7
	valve cap looks like a piston			
	material: anodized aluminium			
	colour : silver heigth : 1,4 cm			
P				
	price for 1 pair (2 pieces)			
	•			
bant $1.1 > 1$	Funing parts			
	f original subframe for mounting a 5-speed gear from VW the subframe has to shipped to us.	Prod.No.	6131	1221,4
nipping with ne	eded universal shafts for the 5-speed gear			
	rs set 12 parts	Prod.No.	7890	28,
an be used for	ers for adjusting your carburettor nozzles for your induvidual engine setup. Best upgrades and for tuning. Ideal for Young- and Oldtimer.	use for braas	nozzles.	
an be used for et consist of:		use for braas	nozzles.	

1 piece of holder

2.10	T-Shirt *LDM-Tuning*, white white T-Shirt made of 100% cotton	Prod.No.	6425	11,99
	printed lettering on front- and back-side			
	size: M			
ANA(	Tuning rear-view mirror, black Universal tuning mirror with arodynamic shape	Prod.No.	6777	24,50
DIVE	fit to left and right hand mounting delivery complete pree mounted with mirror glas material: ABS plastic black bracket and antrazit mirror case good locking mirror with acceptable quality and low price two different mounting panel and mounting screws are included one or two pieces will be needed			
	wheel bolt 40mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 40mm consist the length of thread and the length of knurling.	Prod.No.	7200	3,30
	legth: 40mm thread: M12 x 1,5 thread length: 28mm knurling diameter: 14,5mm knurling length: 7,6mm			
- and the second second	wheel bolt 50mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 50mm consist the length of thread and the length of knurling.	Prod.No.	6450	3,42
- 9	legth: 50mm thread: M12 x 1,5 thread length: 38mm knurling diameter: 14,5mm knurling length: 7,6mm			
E	<ul> <li>wheel bolt 60mm</li> <li>universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers</li> <li>Please note:</li> <li>The length of 60mm consist the length of thread and the length of knurling.</li> </ul>	Prod.No.	7201	3,96
	legth: 60mm thread: M12 x 1,5 thread length: 48mm knurling diameter: 14,5mm knurling length: 7,5mm			
	wheel bolt 80mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 80mm consist the length of thread and the length of knurling.	Prod.No.	7203	5,89
	legth: 80mm thread: M12 x 1,5 thread length: 68mm knurling diameter: 14,5mm knurling length: 7,5mm			

# Trabant 1.1 > Tuning parts > Brakes

	Brake drum with modificated bolt circle Brake drum for Trabant 1,1. Bolt circle 4x 100 mm the track distance of 1255 mm will be unchanged	Prod.No.	6030	69,98
	Brake pipe spanner 10-11mm angled Special tool for mounting or demounting of screw-cap for brakelines. type: level angleded Fit to brake screws SW10 and SW11.	Prod.No.	7702	21,30
2	Brake pipe spanner 10-11mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW10 and SW11.	Prod.No.	7703	10,47
2	Brake pipe spanner 12-13mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW12 and SW13.	Prod.No.	7992	14,26
	brake-cleaner 600ml         quick-cleaner for brake and clutch parts         FCKW free         volume: 600 ml         type: AD         delivery as an single spray	Prod.No.	6252	2,93
ETREME	Brake-cleaner 660ml quick-cleaner for brake and clutch parts	Prod.No.	7898	2,64
Second Second	FCKW free volume: 660 ml typ: X-treme delivery as an single spray			
	Brake-cleaner, one packing unit, 12x Sprayer 600ml         Complete packing unit quick-cleaner for brake and clutch parts         FCKW free         content: 12x sprayer with volume of 600 ml	Prod.No.	7033	31,80



Modification set rear axle 4x100mm Prod.No. 6662 149,00 Complete upgrading set for the Trabant 1,1 rear axle with bolt circle 4 x 100 mm. The set consist of:

2x brake drum inklusive 8 x fitted wheel bolts, length 50 mm 2x washer 2x round nuts

the track distance of 1255 mm will be unchanged

#### Trabant 1.1 > Tuning parts > Steering wheel



 Parallel grooved pin
 Prod.No.
 6569
 1,34

 The grooved dowel pin is the connection between the steering wheel - steering wheel adapter and the steering column.
 adapter and the steering wheel - steering wheel adapter and the steering column.

size: 8 x 32mm fit to all Trabant one piece will be needed



Tuning steering wheel steering wheel without ABE

typ: 13 Lesmo handle: PU, colour black handle bowl: plastic, black spokes black diamether: 320mm

Tuning steering wheel steering wheel without ABE

typ: 13 Lesmo handle: PU, colour black handle bowl: plastic, colour silver spokes silver diamether: 320mm



Tuning steering wheel, Alcantara 320mm Very nice and high quality steering wheel without ABE.

Surface: suede leather with cross stitch (red)

typ: Serie raid Alcantara handle: anthrazit inclusice thumb support spokes black diamether: 320mm

144,50

Prod.No. 6982

Prod.No. 7347 144,50

Prod.No. 7660 184,25



<u>Tuning steering wheel, Alcantara 340mm</u> Very nice and high quality steering wheel without ABE. Surface: suede leather with cross stitch (red) Prod.No. 7661 184,25

typ: Serie raid Alcantara handle: anthrazit inclusice thumb support spokes black diamether: 340mm

### Trabant 1.1 > Tuning parts > wheel spacer



wheel spacer 17mm 4x98Prod.No. 725656,70made from aluminium-magnesium-alloyfor one axlethickness: 17mm for each disc (34mm for axle)

with centring collar

### Trabant 1.1 > Tuning parts > Electrical system



	protection cap for toggle switch, color: black with carbon-look	Prod.No.	6005	10,92
	protection cap made of plastic with carbon-look surface black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length of ideal for safety-related applications like ignition or approval, nitrous oxide in switching off and lock the toggle switch, if cap will put down for most toggle switches		m or simila	r
	protection cap for toggle switch, color: blue metallic	Prod.No.	6004	10,92
6	protection cap made of (metallic glaze) blue plastic black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length of r ideal for safety-related applications like ignition or approval, nitrous oxide inj switching off and lock the toggle switch, if cap will put down for most toggle switches		or similar	
	protection cap for toggle switch, color: red	Prod.No.	6002	14,45
	protection cap made of red plastic black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length of ideal for safety-related applications like ignition or approval, nitrous oxide in switching off and lock the toggle switch, if cap will put down for most toggle switches		m or simila	r
	protection cap for toggle switch, color: transparent blue	Prod.No.	6007	10,45
0	protection cap made of blue transparent plastic black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length of r ideal for safety-related applications like ignition or approval, nitrous oxide inj		or similar	

switching off and lock the toggle switch, if cap will put down

Special offers	s end current prices: http://www.ldm-tuning.de Document draw on 07.06.20	16.		
2	protection cap for toggle switch, color: transparent green	Prod.No.	6008	10,45
J	protection cap made of green transparent plastic black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length ideal for safety-related applications like ignition or approval, nitrous oxide switching off and lock the toggle switch, if cap will put down for most toggle switches		ı or simila	r
	protection cap for toggle switch, color: transparent red	Prod.No.	6006	10,45
	protection cap made of red transparent plastic black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length ideal for safety-related applications like ignition or approval, nitrous oxide switching off and lock the toggle switch, if cap will put down for most toggle switches		ı or similar	r
	protection cap for toggle switch, color: transparent yellow	Prod.No.	6009	10,45
	protection cap made of yellow transparent plastic black metall ground plate fit for all toggle switches with mounting thread of 12mm and lever length of ideal for safety-related applications like ignition or approval, nitrous oxide switching off and lock the toggle switch, if cap will put down for most toggle switches		or similar	
P	Relais 12V 30A (changeover contact) Additional relais for operating supply 12V DC with changeover con ampere.	Prod.No. tact. The maxim	6890 um currer	5,50 nt 30
	5 x blade terminal connection pins (6 x 0,8mm 1x changeover contact (can be used as changeover-, make- or break of Max. continuous current with 12V DC: 40A (make contact no.87)/ 30A plastic case dimensions: 28 x 28 x 25 mm (without mounting lug)		.87a)	
	toggle switch with protection cap toggle switch with mechanical unblocking (protection cap)	Prod.No.	6001	17,95
	double-pole change over switch max. current: 15A red protection cap, failsafe inhibiting of switching by mistake (ideal for ignition or approval, nitrous oxide injection-system or similar) Automatical switching off by folding back the protection cap	safety-related a	oplications	3 like
	toggle switch, illuminated unipolar toggle switch for using inside a car The lever was made of transparent plastic. It can be illuminated by a bulb illumination will be changed dependig on position of lever.	Prod.No.	6003 n. The col	6,50 or of
	Separate connectors for the internal bulb so it can be switched on in tandem wi	ith the car lights.		

# Trabant 1.1 > Tuning parts > exhaust system



displacement pipe for Pre silencer -stainless steel- tuningProd.No.6105102,00pipe diameter 60mmOnly to use with the stainless steel rear exhhaust muffler (nr. 6058), not with the original rear exhhaustmuffler.It is not possible to use the original bifurcated pipe.It is not possible to use the original bifurcated pipe.It is not possible to use the original bifurcated pipe.

Prod.No.

6475

89,90



heat protection ribbon ribbon made of heat resistant fabric to lag hot exhaust pipes to protect flanking parts

100% stainless steel, made in Germany, 3 years warranty

width: 50 mm length: 15 m

100% stainless steel, made in Germany, 3 years warranty




Rear Muffler with pipes -stainless steel- tuning 60mm pipe diameter Prod.No. 6058 278,56 pipe diameter 60mm Only to use with the stainless steel front exhhaust muffler (nr. 6057), not with the original rear exhhaust muffler

100% stainless steel, made in Germany, 3 years warranty

### Trabant 1.1 > Tuning parts > harness belts

· · · ·	atic harness belt, black, left side int automatic harness belt (asm autocontrol® II)	Prod.No.	6267	199,90	
colour of webbin colour of letterin for left seat	-	its of Trabant			
	atic harness belt, black, right side int automatic harness belt (asm autocontrol® II)	Prod.No.	6268	199,90	
shoulder and lap belts: 50 mm (2?) wide webbing colour of webbings: black colour of letterings: yellow for rigth seat asm autocontrol® II can not started up to Rallye 3 asm® (static)!incl. drawing for mounting points of Trabant					
Â	<u>3-point automatic harness belt, blue, left side</u> SSCHROTH 3-point automatic harness belt (asm autocontrol® II) shoulder and lap belts: 50 mm (2?) wide webbing	Prod.No.	6269	199,90	
🚽 👼	colour of webbings: blue				

colour of letterings: black for left seat asm autocontrol® II can not started up to Rallye 3 asm® (static)!incl. drawing for mounting points of Trabant



colour of webbings: yellow colour of letterings: black for left seat asm autocontrol® II can not started up to Rallye 3 asm® (static)!incl. drawing for mounting points of Trabant

3-point automatic harness belt, yellow, right side SCHROTH 3-point automatic harness belt (asm autocontrol® II) Prod.No. 6276 199,90

6261

129,10

Prod.No.

Prod.No.

6265

129,10

shoulder and lap belts: 50 mm (2?) wide webbing colour of webbings: yellow colour of letterings: black for right seat asm autocontrol® II can not started up to Rallye 3 asm® (static)!incl. drawing for mounting points of Trabant

3-point static harness belt, black, left side SCHROTH shoulder and lap belts with single push-button buckle for connection and release

color: black colour of lettering: yellow belts wide: 50 mm (2")

incl. drawing for mounting points of Trabant



3-point static harness belt, black, right side Prod.No. 6262 129,10 SCHROTH shoulder and lap belts with single push-button buckle for connection and release

belt color: black lettering colour: yellow belts wide: 50 mm (2")

#### incl. drawing for mounting points of Trabant



3-point static harness belt, blue, left side Prod.No. 6263 129.10 SCHROTH shoulder and lap belts with single push-button buckle for connection and release

belt color: blue lettering colour: black belts wide: 50 mm (2")

incl. drawing for mounting points of Trabant



3-point static harness belt, blue, right side Prod.No. 6264 129,10 SCHROTH shoulder and lap belts with single push-button buckle for connection and release

belt color: blue lettering colour: black belts wide: 50 mm (2")

incl. drawing for mounting points of Trabant



incl. drawing for mounting points of Trabant



incl. drawing for mounting points of Trabant

### Trabant 1.1 > Tuning parts > valve caps



valve cap skull - one pair silver skull with red eyes

scope of delivery: 2 pieces height: 2cm inclusive mounting brass bushing



valve cap, hexagon with ball, blue material: anodized aluminium {L[scope of delivery: 2 pieces][heigth : 1,5 cm][colour : blue price for 1 pair (2 pieces)

Prod.No. 6166 4,79

Prod.No. 6164

Prod.No. 6266

129,10

5,79

4,79

4.79

Prod.No. 6165

Prod.No. 6167

	1
ADIE	
aller.	н
	U

valve cap, hexagon with ball, red material: anodized aluminium

scope of delivery: 2 pieces heigth: 1,5 cm colour : red

valve cap, hexagon with ball, silver material: anodized aluminium {L[scope of delivery: 2 pieces][heigth : 1,5 cm][colour : silver price for 1 pair (2 pieces)

> Prod.No. 6172 4,79



valve cap, hexagon, blue material: anodized aluminium colour : blue with two silver stripes heigth : 1,7 cm

price for 1 pair (2 pieces)

	valve cap, hexagon, red material: anodized aluminium colour : red with two silver stripes heigth : 1,7 cm price for 1 pair (2 pieces)	Prod.No.	6171	4,79
P	<u>valve cap, hexagon, silver</u> material: anodized aluminium colour : silver heigth : 1,7 cm price for 1 pair (2 pieces)	Prod.No.	6173	4,79
	valve cap. piston, blue valve cap looks like a piston material: anodized aluminium colour : blue with two silver stripes heigth : 1,4 cm price for 1 pair (2 pieces)	Prod.No.	6169	4,79
	<u>valve cap, piston, red</u> valve cap looks like a piston material: anodized aluminium colour : red with two silver stripes heigth : 1,4 cm price for 1 pair (2 pieces)	Prod.No.	6168	4,79
	<u>valve cap, piston, silver</u> valve cap looks like a piston material: anodized aluminium colour : silver heigth : 1,4 cm price for 1 pair (2 pieces)	Prod.No.	6170	4,79
Trabant 1.1 >	Tuning parts > Roll bar			

roll-bar with cross strut, aluminium tube, main bar reinforced Prod.No. 6602 roll bar with reinforsed main bar, struts to the rear wheel houses and cross strut

material: aluminium tube main bar: 45 X 3 mm struts: 40 X 3 mm surface: Please chose your wanted tube surface below!

No shipping possible.

roll-bar with cross strut, cromo tube, main bar reinforcedProd.No.6600roll bar with reinforsed main bar, struts to the rear wheel houses and cross strutBecause of using a better material (chrome-moly steel) tubes with thinner wall thickness can be taken.6600

material: chrome-moly tube main bar: 45 X 1,5 mm struts: 41,3 X 1,5 mm

No shipping possible!



No shipping possible!

roll-bar with diagonal strut, steel tube, main bar reinforcedProd.No.6585342,00roll bar with reinforsed main bar, struts to the rear wheel houses and diagonal strutStrutStrutStrut

material: steel tube, St.52 main bar: steel tube, 45 X 2,5 mm struts: steel tube 40 X 2 mm

No shipping possible!

A- and B-bar

### Trabant 1.1 > Tuning parts > roll cage

#### Trabant 1.1 > Tuning parts > roll cage > in front of dashboard

A and B bar as an single part to make your own roll-cage. material: steel tube St.52 main bars: steel tube 45 X 2,5 mmm surface: not varnished (sheer metall) Also for other car types/models of Automobile availeble! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible! roll-cage with cross strut, aluminium Prod.No. 6090 849,00 roll-cage with reinforced main bars, struts to the rear wheel houses and cross strut material: aluminium tube AIMg3 main bars: aluminium tube 45 X 3 mmm all other struts: aluminium tube 40 X 3 mm A-main bar in front of dashboard cross strut surface: sheer aluminium, matt (tarnished) Also for other car types/models of Automobile availeble! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask!

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!

roll-cage with cross strut, aluminium, polishedProd.No.6088roll-cage with reinforced main bars, struts to the rear wheel houses and cross strutProd.No.6088

material: aluminium tube AIMg3 main bars: aluminium tube 45 X 3 mm all other struts: aluminium tube 40 X 3 mm A-main bar in front of dashboard cross strut surface: polished aluminium

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!

1180,83

Prod.No. 7148



roll-cage with cross strut, cromo tube, main bar reinforced, black varnies bed to. 6609 1003,00 roll-cage with reinforced main bars, struts to the rear wheel houses and cross strut. Because of using a better material (chrome-moly steel), tubes with thinner wall thickness can be taken.

material: chrome-moly steel tube (CroMo4) main bars: chrome-moly tube 45 X 1,5 mmm all other struts: chrome-moly tube 41,3 X 1,5 mm A-main bar in front of dashboard cross strut surface: varnished with colour: black (for an additional charge a different colour is available)

Also for other car types/models of Automobile availeble! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask!

No shipping possible!



roll-cage with cross strut, cromo tube, main bar reinforced, not varnis **Read**.No. 6608 968,00 roll-cage with reinforced main bars, struts to the rear wheel houses and cross strut. Because of using a better material (chrome-moly steel), tubes with thinner wall thickness can be taken.

material: chrome-moly steel tube (CroMo4) main bars: chrome-moly tube 45 X 1,5 mmm all other struts: chrome-moly tube 41,3 X 1,5 mm A-main bar in front of dashboard cross strut surface: not varnished (sheer metall)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!

Prod No.

6604

741,00



roll-cage with cross strut, steel tube

roll-cage with struts to the rear wheel houses and cross strut

material: steel tube St.52 main bars: steel tube 40 X 2 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard cross strut surface: not varnished (sheer metall)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!

roll-cage with cross strut, steel tube, black roll-cage with struts to the rear wheel houses and cross strut Prod.No. 6089 774,00

material: steel tube St.52 main bars: steel tube 40 X 2 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard cross strut surface: varnished with colour: black (for an additional charge a different colour is available)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!



<u>roll-cage with cross strut, steel tube, main bar reinforced, black</u> Prod.No. 6085 774,00 roll-cage with reinforced main bars, struts to the rear wheel houses and cross strut

material: steel tube St.52 main bars: steel tube 45 X 2,5 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard cross strut surface: varnished with colour: black (for an additional charge a different colour is available)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!



roll-cage with cross strut, steel tube, main bar reinforced Prod.No. 6083 741,00 roll-cage with reinforced main bars, struts to the rear wheel houses and cross strut

material: steel tube St.52 main bars: steel tube 45 X 2,5 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard cross strut surface: not varnished (sheer metall)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!

roll-cage with diagonal strut, aluminium

roll-cage with reinforced main bars, struts to the rear wheel houses and diagonal strut

Prod.No. 6086 775,00

material: aluminium tube AIMg3 main bars: aluminium tube 45 X 3 mmm all other struts: steel tube 40 X 3 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: sheer aluminium, matt (tarnished)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!

#### roll-cage with diagonal strut, aluminium, polished

roll-cage with reinforced main bars, struts to the rear wheel houses and diagonal strut

Prod.No. 6087 1015,00

material: aluminium tube AIMg3 main bars: aluminium tube 45 X 3 mmm all other struts: tube 40 X 3 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: polished aluminium

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!



roll-cage with diagonal strut, cromo tube, main bar reinforced, black varnisked 6607 903,00 roll-cage with reinforced main bars, struts to the rear wheel houses and diagonal strut. Because of using a better material (chrome-moly steel), tubes with thinner wall thickness can be taken.

material: chrome-moly steel tube (CroMo4) main bars: chrome-moly tube 45 X 1,5 mmm all other struts: chrome-moly tube 41,3 X 1,5 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: varnished with colour: black (for an additional charge a different colour is available)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!



<u>roll-cage with diagonal strut, cromo tube, main bar reinforced, not varRishledb</u>. 6606 875,00 roll-cage with reinforced main bars, struts to the rear wheel houses and diagonal strut.

Because of using a better material (chrome-moly steel), tubes with thinner wall thickness can be taken.

material: chrome-moly steel tube (CroMo4) main bars: chrome-moly tube 45 X 1,5 mmm all other struts: chrome-moly tube 41,3 X 1,5 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: not varnished (sheer metall)

Also for other car types/models of Automobile availeble! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask!

No shipping possible!



roll-cage with diagonal strut, steel tube, black colourProd.No.6092roll-cage with struts to the rear wheel houses and diagonal strutProd.No.6092

material: steel tube St.52 main bars: steel tube 40 X 2 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right

surface: varnished with colour: black (for an additional charge a different colour is available)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!



<u>roll-cage with diagonal strut, steel tube, main bar reinforced</u> Prod.No. 6082 663,00 roll-cage with reinforced main bars, struts to the rear wheel houses and diagonal strut

material: steel tube St.52 main bars: steel tube 45 X 2,5 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: not varnished (sheer metall)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask!

No shipping possible!



<u>roll-cage with diagonal strut, steel tube, main bar reinforced, black</u> Prod.No. 6084 691,00 roll-cage with reinforced main bars, struts to the rear wheel houses and diagonal strut

material: steel tube St.52 main bars: steel tube 45 X 2,5 mmm all other struts: steel tube 40 X 2 mm A-main bar in front of dashboard diagonal strut (vom upper left to lower right surface: varnished with colour: black (for an additional charge a different colour is available)

Also for other car types/models of Automobile available! (z.B. Audi, BMW, Ford, Opel und VW) Don't hesistate to ask! No shipping possible!

### Trabant 1.1 > Tuning parts > tuning suspension



Coil spring T1-1 front axle 120mm shorterProd.No.701167,40Modification helical spring for the Trabant 1,1 front axle with Mc Person system.The spring is 120mm less cuted. The car will be 70mm - 75mm more down. Only in connection with<br/>tuning-telescopic shock absorber, shorter, 6cm67,40

made in Germany



Coil spring T1-1 front axle 80mm shorterProd.No.691067,40Modification helical spring for the Trabant 1,1 front axle with Mc Person system.The spring is 80mm less cuted. The car will be 30mm - 35mm more down. Only in connection with<br/>tuning-telescopic shock absorber, shorter, 4cm67,40

made in Germany



Tuning coil spring 40 mm lower, rear axle, limousine Helical spring for the Trabant 601 rear axle, Limousine. The spring is 2 coils shorter.

made in Germany car is about 40 mm lower surface: black or red powder coated price for each, two pieces will be needed



Tuning coil spring 40 mm lower, rear axle, station wagon Helical spring for the Trabant 601 rear axle, Universal. The spring is 2 coils shorter.

made in Germany car is about 40 mm lower surface: black or red powder coated price for each, two pieces will be needed

#### Tuning suspension kit 60 / 60

Kit for suiting the Trabant 1,1 at the front and rear axle. The suspension is more tight adjusted in connection with the springs the car will be 60mm as low as original one.

2 pieces of tuning shock absorber60mm front axle

2 pieces ofLowering springs 60mm front axle

2 pieces of Tuning shock absorber 60mm rear axle

2 pieces of Tuning coil spring 60mm rear axle

made in Germany one kit will be needed



#### Tuning suspension kit 40 / 40

Kit for suiting the Trabant 1,1 at the front and rear axle. The suspension is more tight adjusted in connection with the springs the car will be 40mm as low as original one.


2 pieces of tuning shock absorber 40mm front axle

2 pieces ofLowering springs 40mm front axle

2 pieces of tuning shock absorber 40mm rear axle

2 pieces of tuning coil spring 40mm rear axle

made in Germany one kit will be needed



made in Germany two pieces will be needed



Prod.No. tuning-telescopic shock absorber, shorter, 6cm 6784 119,50 This tuning shock absorber is 60 mm shorter than the original part an more tautly.

made in Germany two pieces will be needed Prod.No. 7013 48,00

Prod.No. 7028 599,00

7027

6061

560,00

112,00

Prod.No.

Prod.No.

Prod.No. 7012

#### Trailer



<u>7-pin connector for trailer (incl. wiring to your selected cable)</u> Prod.No. 6873 12,30 This article contains the 7-pin connector for trailer use and the wiring to one end of selected cable you have to order separately (PVC-vehicle-cabel or rubber cabel).

delivery as plastic plug

wiring table included

2 pieces will be needed

<u>7-pin connector for trailer (incl. wiring to your selected cable)</u> This article contains the 7-pin connector for trailer use and the wiring to one end of selected cable you have to order separately (PVC-vehicle-cabel or rubber cabel).

delivery as Aluminium plug

wiring table included

winning table inforce				
	<u>7-pin connector, metal for trailer</u> Plug made of aluminium for self repair of the connection wire. Fit to all trailer sockets with 7-pins.	Prod.No.	7896	5,38
600	With screwed terminals and cord grip Housing made Aluminium			
	<u>7-pin connector, plastic for trailer</u> Plug made of plastic for self repair of the connection wire. Fit to all trailer sockets with 7-pins.	Prod.No.	6874	4,95
	With screwed terminals and cord grip Housing made of black plastic (ABS)			
	adapter plug for trailer To connect the trailer plug with seven contacts to socket of towing vehicle	Prod.No. e with 13 conta	6756 acts	11,90
	Mini-adapter with integrated terminal assignment inside the cap (see details) easy installation			
	Bearing bushing 14 / 27mm for axle HP300/400/450 Rubber-metal bushing for the axle of the DDR trailer typs HP300, HP350 Fit to the trailers with the small 8?-rims. Please check the details before order, two differnt bushings are able to fit		7893 P450.	4,77
	ength inner sleeve: 53mm length outer sleeve: 50mm outer diameter: 27,2mm inner diameter: 14mm			



Bearing bushing 16 / 32mm for axle HP300/400/450 Prod.No. 7894 19,06 Rubber-metal bushing for the axle of the DDR trailer typs HP300, HP350, HP400 and HP450. Fit to the trailers with the small 8?-rims. Please check the details before order, two differnt bushings are able to fit.

ength inner sleeve: 54 mm length outer sleeve: 50 mm



length outer sleeve: 50 mm outer diameter: 32,2 mm inner diameter: 16 mm 2 pieces will be needed			
blind rivet for toggle retainer for shirr Rivet for the mouning of the toggle holder for shirr of trailer tarpaulin For use on trailers with sheet metal side walls.	Prod.No.	7370	0,15
material: aluminium rivet diameter: 6 mm length: 20 mm for each retainer one piece will be needed			
Bulbs spare kit R2 / 6V Spare kit with different bulbs fit to voltage of 12V content:	Prod.No.	7145	14,68
1x R2-lamp 45/40W with base P45t 1x spherical lamps 18W white with base Ba15s 1x tubular lamp 18W (C21W) with base SV 8,5 1x tubular lamp 5W (C5W) with base SV 8,5 1x bulb 4W (T4W) with base BA 9s 1x bulb for speedometer 0,6W with base BA 7s 1x spherical lamps 21W white with base Ba15s 1x spherical lamps 5W white with base Ba15s 1x Torpedo-fuse 8A 1x Torpedo-fuse 16A			
Cap for trailer hitch, black Protection cap for ball of trailer hitch (towbar) of car fit to ball diameter of 50 mm	Prod.No.	7329	2,50
protection cap made from black plastic Overall height: 67 mm			
Cap for trailer hitch, chromed Protection cap for ball of trailer hitch (towbar) of car	Prod.No.	6872	7,42



fit to ball diameter of 50 mm protection cap made from plastic with chromium plated surface Overall height: 67 mm



Cap for trailer hitch, chromed metall Protection cap for ball of trailer hitch (towbar) of car

fit to ball diameter of 50 mm protection cap made from chromium plated metall with plastic clamping Overall height: 80 mm

8,87

Prod.No. 7330



Coil spring for trailer HP500, 650Prod.No.766939,95Coil spring for wheel suspension of the charges trailer HP500.01 and HP650.01Prod.No.766939,95

Type: middle whorl diameter: 89mm wire diameter: 11mm total length: 165mm ammount of whorls: 6 made in Germany 2 pieces will be needed

#### Cotterpin for wheel nut HP300-450

Pin to secure the castle nut of the axle at the DDR trailers types: HP300, HP350, HP400 und HP450.

Pin for Wheel nut Two pieces will be needed



<u>coupling joint for trailer with round towing bar ( $\emptyset$ =60mm) Prod.No. 7326 69,57 Coupling joint for trailers made in GDR and a round towing bar with 60mm diameter of towing bar.</u>

name: Rockinger KK92 B mounting through two bolts M12 bolt distance: 54 mm max. load on the coupling joint: 120 kg for trailer with max. axle load of 1600 kg total length: 23cm made in Germany 1 piece will be needed



<u>coupling joint for trailer with round towing bar (Ø=70mm)</u> Prod.No. 7331 69,57 Coupling joint for trailers made in GDR and a round towing bar with 70mm diameter of towing bar.

name: Rockinger KK92 B mounting through two bolts M12 bolt distance: 54 mm max. load on the coupling joint: 120 kg for trailer with max. axle load of 1600 kg total length: 23cm made in Germany 1 piece will be needed



<u>coupling joint for trailer with square towing bar ( $\emptyset$ =70mm)</u> Prod.No. 7332 69,57 Coupling joint for trailers made in GDR and a square towing bar with 60mmx60mm or made of two U-beam (like most HP300/HP350/HP400/HP450).

name: Rockinger KK92 F mounting through two bolts M12 bolt distance: 54 mm max. load on the coupling joint: 120 kg for trailer with max. axle load of 1600 kg total length: 23cm made in Germany 1 piece will be needed



elastic band (yard goods) D=8mm elastic band

length: 1 m diameter: circa 8 mm colour: black Prod.No. 6763 1,70


Prod.No. 8102

	elastic band with hooks, 100 cm elastic band with metall hook at each end	Prod.No.	6760	1,80
	length: 100 cm for fast fixation of blankets or tarpaulins or light load			
$\bigcap$	elastic band with hooks, 150 cm elastic band with metall hook at each end	Prod.No.	6761	3,55
	D length: 150 cm colour: black for fast fixation of blankets or tarpaulins or light load			
	vith hooks, 200 cm th metall hook at each end	Prod.No.	6762	4,48
length: 200 cm colour: black for fast fixation	(2 m) of blankets or tarpaulins or light load			
	elastic band with hooks, 30 cm elastic band with metall hook at each end	Prod.No.	6757	5,30
	<ul> <li>length: 30 cm</li> <li>for fast fixation of blankets or tarpaulins or light load</li> </ul>			
	elastic band with hooks, 60 cm elastic band with metall hook at each end	Prod.No.	6758	1,45
	length: 60 cm for fast fixation of blankets or tarpaulins or light load			
	elastic band with hooks, 80 cm elastic band with metall hook at each end	Prod.No.	6759	1,67
	length: 80 cm for fast fixation of blankets or tarpaulins or light load			
	or trailer HP 500 iler HP 500 with sheet metall side walls	Prod.No.	6732	122,00
for other trailer	70cm x 110cm colours available with same dimendions, too ailer types and forms of tarpaulin (e.g. tent roof form) possible (we nee	d a drawing or design)	Please a	isk for

also for other trailer types and forms of tarpaulin (e.g. tent roof form) possible (we need a drawing or design) Please ask for that!

made of high-grade truck tarpaulin

have the distinction of glossier surface of tarpaulin through additional finish and with a better self-cleaning effect





Lamp for number plate semicircular right/leftProd.No.73649,87Beautyful lamp for number plate lighting from right or left side of number plateFit to all closed body variants of Barkas B1000 (bus, transporter, ambulance) and many<br/>campers and trailers

scope of delivery without bulbs 5W hole distance for mounting: 72 mm (not 75 mm two pieces will be needed for each vehicle

108	Lamp spare kit H4 / 12V Spare kit with different bulbs fit to voltage of 12V content:	Prod.No.	7057	8,55
	1x H4-lamp 60/55W with base P43t 2x spherical lamps 21W white with base Ba15s 1x tubular lamp 21W (C21W) with base SV 8,5 1x tubular lamp 5W (C5W) with base SV 8,5 1x bulb 4W (T4W) with base BA 9s 1x bulb for speedometer 2W with base BA 7s 1x Torpedo-fuse 8A 1x Torpedo-fuse 16A			
	Lamp spare kit R2 / 12V Spare kit with different bulbs fit to voltage of 12V content:	Prod.No.	6623	14,68
	1x R2-lamp 45/40W with base P45t 2x spherical lamps 21W white with base Ba15s 1x tubular lamp 21W (C21W) with base SV 8,5 1x tubular lamp 5W (C5W) with base SV 8,5 1x bulb 4W (T4W) with base BA 9s 1x bulb for speedometer 2W with base BA 7s 1x Torpedo-fuse 8A 1x Torpedo-fuse 16A			
000	large hook for elastic band large hook to use together with elastic string	Prod.No.	7318	1,67
	fit to many trucks and trailers (W50/L60, ROBUR, Barkas B1000 and many made of galvanised sheet metal (thickness = 3mm) with two mounting holes (diameter = 6,4 mm / well spacing = 45 mm) wide total: 65 mm hook wide: 16 mm	more)		
	Mounting bolt for rubber spring HP300/400/450 Locknut for mounting the elastomer springs of the DDR trailer typs HP300, HP350, HP400 and HP450. Fit to the trailers with the small 8?-rims.	Prod.No.	7891	1,78
	security nut two pieces will be needed			
	PVC cable 7 x 1,5 qmm (AWG16)	Prod.No.	6871	4,33



rubber cable 7 x 1,5 gmm (AWG16) Solid rubber cable with seven single wires. Prod.No. 6870 5,88



Rubber sleeve cushion for shock absorber Prod.No. 8028 8.70 The bushing is pressed in to the eye of the shock absorber diameter size 30mm. Fit to Trabant 500,600,601 leaf spring shocks or Wartburg 311/312/353, DDR trailers shocks and so on...

1x length inner sleeve: 32 mm 1x rubber made in Germany 2 or 4 pieces will be needed



Rubber spring HP300/400/450, 100mm Prod.No. 7892 15,80 The DDR trailer typs HP300, HP350, HP400 and HP450 has in place of coil or leaf springs two elastomer springs. Fit to the trailers with the small 8?-rims.

material: rubber, black size: 61x100mm two pieces will be needed



Rubber spring HP300/400/450, 60mm Prod.No. 8080 15.80 The DDR trailer typs HP300, HP350, HP400 and HP450 has in place of coil or leaf springs two elastomer springs. Fit to the trailers with the small 8?-rims.

material: rubber. black size: 61x60mm two pieces will be needed

Screw for toggle retainer for shirr

Screw for the mouning of the toggle holder for shirr of trailer tarpaulin For use on trailers with sheet metal side walls.

material: stainless steel type: tapping screw thread: use for timber for each retainer one piece will be needed

Sealing for wheel bearing trailer 32x52x7

Sealing ring for the wheel bearings for DDR trailers HP350 / HP400. Metal-rubber-ring with additional dust lip.

Prod.No. 7945 6,40

Prod.No. 7371

0,49

Outside diameter: 52mm Inside diameter: 32mm wide: 7mm typ: WAS

Sealing fo	r wheel bearing trailer 35x47x7	Prod.No.	7947	6,5
Sealing ring	for the wheel bearings for DDR trailers HP300 with wheel bearing type: 6204. er-ring with additional dust lip.			- , -
Outside dia	meter: 47mm			
	eter: 35mm			
wide: 7mm				
typ: WAS				
Sealing ring	r wheel bearing trailer 48x62x8 for the wheel bearings DDR trailers with Trabant rear axle or self made trailers. er-ring with additional dust lip.	Prod.No.	7946	7,9
	meter: 62mm eter: 48mm			
	sheet-metal eyelet for elastic band	Prod.No.	6794	0,4
	sheet-metal eyelet to connect two ends of elastic band	1100.110.	0754	0,-
	length: 8 mm			
	inner diameter (oval): 8 x 13 mm			
	with electrogalvanized survace			
	one piece			
	<u>Shock absorber for Camper *Dübender Ei* (A1-70-150/15)</u> Telescopic shock absorber for wheel suspension of the small camper ca Egg, made in GDR)	Prod.No. Iled *Dübener	7035 Ei* (Duel	35,9 bener
	MEN .			
	Type: A1-70-150/15			
	scope of delivery inclusive bushing			
	mounting eye on both ends (inner diameter: 10mm)			
	short length: 186 mm (between center of mounting eyes)			
	extended length: 262 mm (between center of mounting eyes)			
	made in Germany 2 pieces will be needed			
•	Shock absorber for camper Apolda	Prod.No.	8053	49,7
ľ	Telescopic shock absorber for wheel suspension of the Apolda camper (made The older type of shock absorber was marked with A2-150-140/50. It w producing time into the actually pull level of 160.	e in GDR)		
	Type: A2-150-160/50			
8	made in Germany			
	2 pieces will be needed			
	Shock absorber for overrun brake of trailer HP500 (E10-201-120) High-pressure pneumatic shock absorber for the overrun brake of the GDR)		7036 ⊃500 (ma	63,0 ide in
	Type: E10-201-120/35			
	scope of delivery inclusive bushing			
	inner diameter of upper mounting eye: 10 mm			
	inner diameter of upper mounting eye: 16 mm			
	Length of outer core barrel: 30 cm			
	extended length: 52,5 cm (between center of mounting eyes)			
	made in Germany			



Shock absorber for trailer HP500 Prod.No. 7115 49,73 Telescopic shock absorber for wheel suspension of the charges trailer HP 500.01/01

Type: A2-150-80/50 made in Germany 2 pieces will be needed

### Shock absorber for trailer HP650

Telescopic shock absorber for wheel suspension of the charges trailer HP 650

Type: B2-140-65/35 made in Germany 2 pieces will be needed

#### Shock absorber for trailer, torsion bar

Telescopic shock absorber for wheel suspension of the charges trailer HP 500.01/01 The older type of shock absorber was marked with A2-150-140/50. It was already changed at the producing time into the actually pull level of 160.

Type: A2-150-160/50 made in Germany 2 pieces will be needed

### Side light angular

Front side light with plastic case. Mounting can be easily by two screws holes diameter: 5mm. Hole distance: 30mm. Bulb (tubular lamp 5W)will be needed (not included of the delivery) Good alternative for IFA vehicles, trailers and campers.

high quality size bas plate: 62 x 62mm size: 42 mm lense: clear (withe light)



Side light round Front side light with plastic case. Mounting can be easily by two screws holes diameter: 5mm. Hole distance: 46mm. Bulb (tubular lamp 5W) will be needed (not included of the delivery) Good alternative for IFA vehicles, trailers and campers.

high quality diameter: 80mm size: 41 mm lense: clear (withe light)



#### Side light round, metal housing

Front side light with firm metal case. Mounting can be easily by the center bolt M6. Bulb (tubular lamp 5W)will be needed (not included of the delivery) Good alternative for IFA vehicles, trailers and campers.

high quality diameter: 67mm size: 57 mm lense: clear (withe light) Prod.No. 9,08 7367

Prod No 7543

Prod.No. 7116

39,50

49,73

Prod.No. 7366 7,75

Prod.No. 7365 12,15

Side light round, original design Front side light as good reproduction of the original lights. Mounting can be easily by two bolts M5 like the original one. Hole distance: 58mm. Bulb (tubular lamp 5W)will be needed (not included of the delivery) Best replacment for the original one. Fit to many IFA vehicles, trailers and campers.	Prod.No.	7868	9,19
 made in EU diameter: 81mm size: 41 mm lense: clear (withe light)			
small hook to use together with elastic string	Prod.No.	7319	1,00
 fit to many trucks and trailers/camper made of galvanised sheet metal (thickness = 2,5 mm) with two mounting holes (diameter = 5,2 mm / well spacing = 20 mm) wide total = hook wide: 13 mm high total: 53 mm			
Snap hook metal hook for the universal useing. with electrogalvanized survace	Prod.No.	7337	1,45
 length: 55mm			
nree chamber rearlight, round (new type) model of the 3 chamber rearlight.	Prod.No.	7206	10,36
tarpaulin for trailer HP 3xx/ HP4xx tarpaulin for trailer HP 300 and HP 400 with wooden side walls	Prod.No.	1315	92,71
length x wide: 140cm x 105cm many different colours available for other trailer with same dimendions, too also for other trailer types (HP300, HP400) and forms of tarpaulin (e.g. ter need a drawing or design) Please ask for that! made of high-grade truck tarpaulin have the distinction of glossier surface of tarpaulin through additional self-cleaning effect			
tent roof tarpaulin for trailer HP 500 tarpaulin with tent roof form fit to trailer HP 500 with sheet metall side walls	Prod.No.	6733	185,90
length x wide: 170cm x 110cm many different colours available for other trailer with same dimendions, too also for other trailer types possible (we need a drawing or design) Please as made of high-grade truck tarpaulin have the distinction of glossier surface of tarpaulin through additional		with a	better



Three chamber rearlight, round (new type) Prod No. 7184 New type of round model of the 3 chamber rearlight. Replacement part for genuine part which undeliverable (NOT exactly the same dimensions!). Complete component with carrier for bulbs. Structre: top 21W stop light, below 5W rear light, midle 21W flashing light. Fit to many IFA-vehicles.

made in Austria outer diameter: 140 mm highness: 89 mm scope of delivery: without bulbs



Three chamber rearlight, round (new type), with number plate light Prod.No. 7205 18.84 New type of round model of the 3 chamber rearlight. Replacement part for genuine part which undeliverable (NOT exactly the same dimensions!). Complete component with carrier for bulbs. Structre: top 21W stop light, below 5W taillight, midle 21W flashing light and light for number plate at the bottom. Fit to many IFA-vehicles.

made in Austria outer diameter: 140 mm highness: 89 mm with two mounting bolts M6 scope of delivery: without bulbs



Prod.No. Three chamber rearlight, round right or left hand

6493 29,13

7071

15.36

18,44



Round model of the 3 chamber rearlight. Complete component with carrier for bulbs. Structre: top 21W stop light, below 5W rear light, midle 21W flashing light. Fit to many IFA-vehicles.

made in Germany diameter glas: 135 mm diameter base body: 143mm highness: 75 mm scope of delivery without bulbs



#### Three chamber rearlight, angularly, left hand

Prod.No. Angulary model of the 3 chamber rearlight for left hand mounting. Complete component with carrier for bulbs

Structre: left 21W flashing light, middle 5W rear light, right 21W stop light. Fit to many IFA-vehicles (for instance: Wartburg Trans, Trabant Kübel) and trailes.

made in Germany dimension: 83mm x 210 mm highness: 60 mm hole with rubber sealing for cable gland on lower back side left scope of delivery without bulbs



#### Prod.No. Three chamber rearlight, angularly, right hand 6492 15,36 Angulary model of the 3 chamber rearlight. Complete component with carrier for bulbs. Structre: right 21W flashing light, middle 5W rear light, left 21W stop light. Fit to many IFA-vehicles (for instance: Wartburg Trans, Trabant Kübel) and trailes.

made in Germany dimension: 83mm x 210 mm highness: 60 mm hole with rubber sealing for cable gland on lower back side left scope of delivery without bulbs



	Seite 361 from443			powered by 2c
	Outside diameter: 47mm Inside diameter: 20mm wide: 14mm typ: without cover DIN 625 bearing clearance: C2 made in Germany			
	Wheel bearing 6204 C2 Wheel bearing for DDR trailers type HP300. One row grooved ball bearing 6204 C2.	Prod.No.	7941	12,38
	fit to many trucks and trailers (W50/L60, ROBUR, Barkas B1000 and many r made of galvanised sheet metal with two mounting holes (diameter: 5mm / well spacing: 34mm	more)		
18	Iength of the bellow pice: 95mm         W50 hook for elastic band         special hook to use together with elastic string	Prod.No.	7317	1,83
	length:19cm diameter:10mm / 30mm length:23cm diameter: 35mm / 35mm length:15cm diameter:30mm / 42mm length:13cm diameter:41mm / 48mm length:12cm diameter:41mm / 55mm different length and diameter combinable			
	Universal boot kit Bellows for many exertions at automobiles, trailers, caravans and ships size:	Prod.No.	7010	14,99
Q	made in Germany			
	<u>Tyre 4.00-8 for trailer wheel (HP3xx/HP4xx)</u> Tyre for the small 8?-rims of trailer typs HP300, HP350, HP400 and HP450	Prod.No.	7246	49,50
	made in Germany			
	<u>Tube for wheel (trailer HP3xx/HP4xx)</u> Tube for small 8?-rims of trailer typs HP300, HP350, HP400 and HP450	Prod.No.	7245	12,85
	length: 70 mm bore diameter (9 mm with electrogalvanized survace			
	Tube end piece for elastic band D=8mm Metal tube with eye to mount elastic band with snap hooks	Prod.No.	7334	1,60
	length: 58 mm bore diameter (7,5 mm with electrogalvanized survace			
	Tube end piece for elastic band D=6mm Metal tube with eye to mount elastic band with snap hooks	Prod.No.	7335	1,60

	Wheel bearing 6205 C2 Wheel bearing for DDR trailers typs: HP350 and HP400 / 450. One row grooved ball bearing 6205 C2.	Prod.No.	7942	11,33
	Outside diameter: 52mm Inside diameter: 25mm wide: 15mm typ: without cover DIN 625 bearing clearance: C2 made in Germany			
$\bigcirc$	Wheel bearing 6206 C2 Wheel bearing for DDR trailers with Trabant rear axle or self made trailers. One row grooved ball bearing 6206 C2. Outside diameter: 62mm	Prod.No.	7937	9,84
	Inside diameter: 30mm wide: 16mm typ: without cover DIN 625 bearing clearance: C2 made in Germany			
	Wheel bearing 6304 C2 Wheel bearing for DDR trailers typs: HP350 and HP400 / 450. One row grooved ball bearing 6304 C2.	Prod.No.	7944	15,7
	Outside diameter: 52mm Inside diameter: 20mm wide: 15mm typ: without cover DIN 625 bearing clearance: C2 made in Germany			
One set of wheel b HP300, HP350, HI	et for HP300-450 bearings and selaing rings for DDR trailers types:	Prod.No.	8101	59,20
2x:Ball bearing 62 2x:Ball bering 630 2x:Radial sealing r made in Germany one set will be nee	4 C2 ring for wheel bearing 32x52x7			
Wheel nut HP30 Castle nut fot mou	0-450 nting and fixing the wheel hub of the axle at the DDR trailers types: HP300, H	Prod.No. P350, HP400	8103 ) und HP4	3,5 450.
delivery as an sing Two pieces will be				

# Trailer > Bastei-camper

	maybe also fit to other types of trailer/ camper (for technical specification	is see below)		
$\bigcirc$	length ca. 50 cm type of thread: M10x1 1x female thread 1x male thread			
	Brake shoe complete, with lining 50mm, single part brake shoe complete, with lining wide: 50mm for brake drums with inner diameter of 230 mm.	Prod.No.	3073	12,8
	fit to Wartburg 353 with brake drum at the front axle, to old version of r shoe wide of 50mm	ear axle and tra	ailer with I	orake
	for one wheel side 2 pieces will be needed			
	Brake shoe set, rear axle, 50mm One set of brake shoes complete, 2x long lining, 2x short lining. wide: 50mm for brake drums with inner diameter of 230 mm. Fit for trailers and caravans Bastei, Intercamp / Oase.	Prod.No.	6977	45,7
	contents: 2x brake shoe with short brake pad 2x brake shoe with long brake pad 2x rivet for brake lever One set will be needed			
Brake tube 1430n Brake line made of Complete pre moun		Prod.No.	7417	12,3
diameter: 4,75mm lenght: 143 cm made in Germany				
Brake tube 600m Brake line made of Complete pre moun	—	Prod.No.	6942	8,3
diameter: 4,75mm lenght: 600mm made in Germany				
	Gaiter for accumulating mechanisms trailer and camper Rubber boot for the drawbar of the trailers and campers made in GDR. The bellow protect the mechanic of the accumulating mechanisms again	Prod.No. st dust and spa	7363 sh water.	7,0
	diameter of the hole 1: 60mm length of the clamp mounting place next to hole 1: 35mm diameter of the hole 1: 70mm length of the clamp mounting place next to hole 1: 20mm			

	<ul> <li><u>Handbrake cable, Bastei</u></li> <li>handbrake cable for for the camper Bastei.</li> <li>Both cables are symmetric and have the same length</li> </ul>	Prod.No.	7427	10,20
	the complete lenght is 160 cm 2 pieces will be needed			
	Lamp for number plate right/left New lamp for number plate lighting from right or left side of number plate Fit to all closed body variants of Barkas B1000 (bus, transporter, ambula trailers	Prod.No. ance) and man	7346 ny campera	9,87 s and
	scope of delivery without bulbs (10W Ba15s) hole distance for mounting: 72 mm (not 75 mm9 two pieces will be needed for each vehicle			
$\bigcirc$	outer wheel bearing (Bastei/Intercamp/Oase) Outer tapered roller bearing for wheel bearing of camper Bastei and Cam	Prod.No. aper Intercamp	6988 / Oase	9,12
	outer wheel bearing (Bastei/Intercamp/Oase) Inner tapered roller bearing for wheel bearing of camper Bastei and Cam For one wheel you will need one piece of that bearing (two pieces for hold		6989 Oase	9,64
	Shock absorber for overrun brake of Bastei (A1-70-150/15) Telescopic shock absorber for the overrun brake of the camper type Bast	Prod.No. tei (made in GE	7034 DR)	35,90
	<ul> <li>Type: A1-70-150/15</li> <li>scope of delivery inclusive bushing</li> <li>mounting eye on both ends (inner diameter: 10mm)</li> <li>short length: 186 mm (between center of mounting eyes)</li> <li>extended length: 262 mm (between center of mounting eyes)</li> <li>made in Germany</li> <li>piece will be needed</li> </ul>			
Mounting can b Hole distance: Bulb (tubular la	ular with plastic case. be easily by two screws holes diameter: 5mm.	Prod.No.	7367	9,08
high quality size bas plate: size: 42mm lense: clear (w				



Tank for brake fluid 1 circle Prod.No. 191 9,50 Reservoir for brake fluid for Trabant 601 with single-circle brake master cylinder, up to vintage: april 1980 and many trailer and camper with hydraulical brake system

scope of delivery: inclusive cap one piece will be needed



Telescopic shock absorber

Prod.No. 6944 52,50 Shock absorber VK350 + 351 for the camper types Bastei, Intercamp/Oase and Qek Junior + Aero (made in GDR). Buffer Type: A2-150-160/50

Prod.No. 7010

14,99

scope of delivery inclusive bushing mounting eye on both ends made in Germany 2 pieces will be needed



Universal boot kit Bellows for many exertions at automobiles, trailers, caravans and ships ... size:

length:19cm diameter:10mm / 30mm length:23cm diameter: 35mm / 35mm length:15cm diameter:30mm / 42mm length:13cm diameter:41mm / 48mm length:12cm diameter:41mm / 55mm different length and diameter combinable length of the bellow pice: 95mm



Weel-brake cylinder, Prod.No. 6729 47.01 Wheel brake cylinder with piston-diameter: 25,35 mm for the hydraulic wheel brake system of the DDR camper typ: Bastei.

one piece will be needed for each wheel side



wheel bolt 50mm Prod.No. 6450 3,42 universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 50mm consist the length of thread and the length of knurling.

legth: 50mm thread: M12 x 1,5 thread length: 38mm knurling diameter: 14,5mm knurling length: 7,6mm



Wheel brake cylinder, rear axle, original, D=25,35mm Prod.No. 7316 35,39 Complete in Germany overhauled rear wheel brake cylinder with ring sleeves, brak-piston D=25,35mm. Mark: IFA BHL

fit to brake shoes with the wide of 50mm scope of delivery: inclusive ring sleeves, dust caps and bleeder screw)(break piston diameter: 25,35 mm two pieces will be needed

For more informations to this exchange part please use the Detail button.


	Bleeder screw cap	Prod.No.	215	0,3
	fit to all offered bleeder screws			
	Protect the bleeder screw hole from dust and water.			
	material: rubber			
	made in Germany			
	Bleeder screw, rear - brake suddle front Bleeder screw for rear wheel brake cylinder Rear wheel-brake cylinder p wheel-brake cylinder piston = 15,87mm Trabant 601, Trabant 1.1 and QEM The bleeder screw fit also to Brake suddle left hand and Brake suddle ri Wartburg 1,3. 3 pieces will be needed for each brake suddle.	K-caravans.		
	thread: M8 X 1,25			
0	Brake drum ( single part ), slotted The brake drum fit to the front and to the rear axle of Trabant 500, 600 and Also useable for QEK-camper	Prod.No. I 601 (all 2-sti	304 roke typs).	39,1
	circle of wheel bolts: 4 x 160 mm diameter: 200 mm made in EU one piecewill be needed for each wheel			
P	Brake drum set, slotted The brake drum kit consist of two slotted brake drums. Fit to the front and to the rear axle of Trabant 500, 600 and 601 (all 2-strok Also useable for QEK-camper	Prod.No. e typs).	7621	69,0
	circle of wheel bolts: 4 x 160 mm diameter: 200 mm made in EU one set will be needed for each axle			
9	Brake hose retainer, original style sacer spring for connection between flexible brake hose and brake pipe	Prod.No.	240	1,4
	surface bronzing one piece for each screw joint will be needed			
	Gaiter for accumulating mechanisms trailer and camper Rubber boot for the drawbar of the trailers and campers made in GDR. The bellow protect the mechanic of the accumulating mechanisms against	Prod.No. dust and spa	7363 sh water.	7,0
	diameter of the hole 1: 60mm length of the clamp mounting place next to hole 1: 35mm diameter of the hole 1: 70mm length of the clamp mounting place next to hole 1: 20mm length total: 170mm			

made in Germany one piece will be needed



Lamp for number plate right/left Prod.No. 7346 9,87 New lamp for number plate lighting from right or left side of number plate Fit to all closed body variants of Barkas B1000 (bus, transporter, ambulance) and many campers and trailers

scope of delivery without bulbs (10W Ba15s) hole distance for mounting: 72 mm (not 75 mm9 two pieces will be needed for each vehicle



	1.1.1		
E	10-		1
		In	1
		(And	

shaft seal 35 x 62 x 7 with dust lip shaft seal 35 x 62 x 7 with additional dust lip Prod.No. 6396 6,52

6978

9,95

Prod.No.

for ball bearings (wheel bearing) of camptourist/Klappfix trailer and Qek campers only with mechanical overrun brake

Not fit to these trailer/camper if hydraulical brake system built in

protects the sealing lips better from brake dust



shaft seal 40 x 62 x 10 with dust lip shaft seal 40 x 62 x 10 with additional dust lip

for ball bearings (wheel bearing) of camptourist/Klappfix trailer and Qek campers only with hydraulical overrun brake

Not fit to these trailer/camper if mechanical brake system is built in.

protects the sealing lips better from brake dust



Shock absorber for overrun brake of fold tent camper *Camptourist* (#100+201-2/10/55) 63,00 High-pressure pneumatic shock absorber for the overrun brake of the fold tent trailer type Camptourist (made in GDR)

Type: E10-201-210/55 scope of delivery inclusive bushing inner diameter of upper mounting eye: 10 mm inner diameter of upper mounting eye: 16 mm Length of outer core barrel: 30 cm extended length: 52,5 cm (between center of mounting eyes) made in Germany 1 piece will be needed

Side light angular Front side light with plastic case. Mounting can be easily by two screws holes diameter: 5mm. Hole distance: 30mm. Bulb (tubular lamp 5W)will be needed (not included of the delivery) Good alternative for IFA vehicles, trailers and campers.

Prod.No. 7367 9.08

Prod.No. 7366


high quality size bas plate: 62 x 62mm size: 42 mm lense: clear (withe light)



Side light round

Front side light with plastic case. Mounting can be easily by two screws holes diameter: 5mm. Hole distance: 46mm. Bulb (tubular lamp 5W)will be needed (not included of the delivery) Good alternative for IFA vehicles, trailers and campers.

high quality diameter: 80mm size: 41 mm lense: clear (withe light) 7.75



	Upper release spring ( long ) spring for brake shoes front and rear axle	Prod.No.	314	2,90
	length: 132 mm diameter: 10 mm galvaniced made in EU 2 pieces for each front wheel brake side 1 piece for each rear wheel brake side			
B Annual State	wheel bolt 40mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 40mm consist the length of thread and the length of knurling.	Prod.No.	7200	3,30
	legth: 40mm thread: M12 x 1,5 thread length: 28mm knurling diameter: 14,5mm knurling length: 7,6mm			
-	wheel bolt 50mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 50mm consist the length of thread and the length of knurling.	Prod.No.	6450	3,42
	legth: 50mm thread: M12 x 1,5 thread length: 38mm knurling diameter: 14,5mm knurling length: 7,6mm			
1 C	wheel bolt 60mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 60mm consist the length of thread and the length of knurling.	Prod.No.	7201	3,96
	legth: 60mm thread: M12 x 1,5 thread length: 48mm knurling diameter: 14,5mm knurling length: 7,5mm			
	wheel bolt 80mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 80mm consist the length of thread and the length of knurling.	Prod.No.	7203	5,89
	legth: 80mm thread: M12 x 1,5 thread length: 68mm knurling diameter: 14,5mm knurling length: 7,5mm			

# Trailer > Intercamp / Oase

-	· · ·			
	Brake drum 50mm Drum fit to the wheel brake of the camper *Intercamp* The brake shoewidth is 50mm	Prod.No.	6967	42,95
	bolt circle 4 x 160mm inside diameter: 230mm made in EU for each car 2 pieces will be needed			
	Brake shoe 50mm Brake shoe complete, with lining	Prod.No.	6968	12,88
	brake drums with inner diameter of 230 mm wide: 50mm tatal 4 pieces will be needed for brake drum in connection with wheel brake cylinder			
Clip for protection snap ring for moun	n <u>bellows</u> ting the protection bellows at the brake master cylinder.	Prod.No.	8066	1,70
	Disk wheel, overhauled 4J x 13 Zoll Steel rim for Trabant 601 complete overhauled and prime coated.	Prod.No.	986	69,33
Y	new or used rim sandblasted primed			
	pitch circle 4 x 160 rim wide: 4J rim diameter: 13 Zoll center disc wheel ET 35			
	Disk wheel, overhauled 4J x 13 Zoll (silver) Steel rim for Trabant 601 complete overhauled and silver varnished.	Prod.No.	6403	95,33
	new or used rim sandblasted primed			
	silver varnished with 2-K varnish pitch circle 4 x 160 rim wide: 4J rim diameter: 13 Zoll center disc wheel ET 35			
	Gaiter for accumulating mechanisms trailer and camper Rubber boot for the drawbar of the trailers and campers made in GDR. The bellow protect the mechanic of the accumulating mechanisms against	Prod.No. dust and spa	7363 sh water.	7,08
	diameter of the hole 1: 60mm length of the clamp mounting place next to hole 1: 35mm diameter of the hole 1: 70mm length of the clamp mounting place next to hole 1: 20mm length total: 170mm			
	made in Germany			

one piece will be needed



Lamp for number plate right/left Prod.No. 7346 9,87 New lamp for number plate lighting from right or left side of number plate Fit to all closed body variants of Barkas B1000 (bus, transporter, ambulance) and many campers and trailers

scope of delivery without bulbs (10W Ba15s) hole distance for mounting: 72 mm (not 75 mm9 two pieces will be needed for each vehicle



Lamp for number plate semicircular right/left Prod.No. 7364 9,87 Beautyful lamp for number plate lighting from right or left side of number plate Fit to all closed body variants of Barkas B1000 (bus, transporter, ambulance) and many campers and trailers

scope of delivery without bulbs 5W hole distance for mounting: 72 mm (not 75 mm two pieces will be needed for each vehicle



<u>Master brake cylinder - one circle, complete</u> Used in braked version of camper with hydraulical brake system (QEK Junior/Aero, Bastei, Intercamp/Oase)

new produced, made in EU one piece will be needed to use this master break cylinder one reservoir for brake fluid will be needed



Master brake cylinder - one circle, originalProd.No.719062,00Used in braked version of camper with hydraulical brake system (QEK Junior/Aero, Bastei,<br/>Intercamp/Oase)Intercamp/Oase)

overhauled spare part delivery without reservior for brake fluid and mounting equipment one piece will be needed Please note, we can only exchange you this spare part if you ship 1x used master brake cylinder with the type number TGL BH7 to our company in advance! to use this master break cylinder one reservoir for brake fluid will be needed



 Profile for external door-duct
 Prod.No.
 6412

 Profile for external door-duct weather strip.
 Image: Comparison of the strip of the

Fit for camper "Intercamp"

Protection bellows for pressure bar input brake master cylinder Prod.No.



Ring sleeve, for wheel brake cylinder, completeProd.No.Ring sleeve, for wheel brake cylinder.Fit to camper Bastei and Intercamp/OaseComlete set for one wheel brake cylinder (incl. 2 pieces)


fit to brake cylinder diameter 25,35mm One set will be needed for each wheel side 41,13

3,95

6,83

6947

6943



size: 42 mm lense: clear (withe light)

	1	-	
13		Tirat.	1
	E.		

Side light round Front side light with plastic case. Mounting can be easily by two screws holes diameter: 5mm. Hole distance: 46mm. Bulb (tubular lamp 5W)will be needed (not included of the delivery) Good alternative for IFA vehicles, trailers and campers.

high quality diameter: 80mm size: 41 mm lense: clear (withe light)



 clear (withe light)
 Side light round, metal housing
 Prod.No. 7365
 12,15

 Front side light with firm metal case.
 Mounting can be easily by the center bolt M6.
 Bulb (tubular lamp 5W)will be needed (not included of the delivery)
 Good alternative for IFA vehicles, trailers and campers.
 high quality

Prod.No.

Prod.No. 7868

7366

7,75

9,19

14,25

diameter: 67mm size: 57 mm lense: clear (withe light)



5120. 07 11111
lense: clear (withe light)
Side light round, original design
Front side light as good reproduction of the original lights.
Mounting can be easily by two bolts M5 like the original one.
Hole distance: 58mm.
Bulb (tubular lamp 5W)will be needed (not included of the delivery)
Best replacment for the original one.
Fit to many IFA vehicles, trailers and campers.

made in EU diameter: 81mm size: 41 mm lense: clear (withe light)



 Sleeve set single brake master cylinder, original, trailer
 Prod.No.
 7285

 Complete repair set for the 1-circle brake master cylinder.
 Prod.No.
 7285

 The sleeves was mounted up to vinatge april 1980 at Trabant 601.
 Prod.No.
 7285

material: rubber made in Germany one set will be needed



<u>Sleeve set single brake master cylinder, trailers</u> Prod.No. 6946 10,45 Complete repair set for the original 1-circle brake master cylinder (not fit to our new manufactured master breake cylinder).

material: rubber made in EU one set will be needed

	Sleeve set, for wheel brake cylinder, Germany	Prod.No.	8051	14,73
00	Original ring sleeve set for rear wheel brake cylinder type: CZ5. Fit to the camper Intercamp and Bastei.			
	fit to brake cylinder diameter 25,35mm Comlete set for one wheel brake cylinder: 2x cap sleeve, 2x dust cap all rubber seals ar made in Germany material: break fluid resistant rubber One set will be needed for each wheel side rear			
	Spring set brake shoe Complete spring kit fit to camper Bastei and Intercamp / Oase wide: 50 mm contents: 2x release spring short 2x release spring long	Prod.No.	7740	12,24
	Tank for brake fluid 1 circle Reservoir for brake fluid for Trabant 601 with single-circle brake master cylinde and many trailer and camper with hydraulical brake system	Prod.No. er, up to vint	191 age: april	9,50 1980
T	scope of delivery: inclusive cap one piece will be needed			
	<ul> <li><u>Telescopic shock absorber</u></li> <li>Shock absorber VK350 + 351for the camper types Bastei,Intercamp/Oa (made in GDR).</li> <li>Buffer Type: A2-150-160/50</li> </ul>	Prod.No. se and Qek	6944 Junior +	52,50 Aero
•	scope of delivery inclusive bushing mounting eye on both ends made in Germany 2 pieces will be needed			
	Universal boot kit Bellows for many exertions at automobiles, trailers, caravans and ships size:	Prod.No.	7010	14,99
	length:19cm diameter:10mm / 30mm length:23cm diameter: 35mm / 35mm length:15cm diameter:30mm / 42mm length:13cm diameter:41mm / 48mm length:12cm diameter:41mm / 55mm different length and diameter combinable length of the bellow pice: 95mm			
Ó	Weel-brake cylinder overhauled, M10x1 Complete in Germany overhauled rear wheel brake cylinder with D=25,35mm. Mark: IFA BHL Wheel brake cylinder for hydraulic brake system of trailer if brake shoe is 50 mm and inner diameter of brake drum is 230 mm	Prod.No. cap sleeve	8017 es, brak-p	35,39 biston
	piston-diameter: 25,35 mm connection thread for brake hose/ brake line: M10x1			
	one piece will be needed for each wheel side			



Weel-brake cylinder, M10x1 Wheel brake cylinder for hydraulic brake system of trailer if brake shoe is 50 mm and inner diameter of brake drum is 230 mm

piston-diameter: 25,35 mm connection thread for brake hose/ brake line: M10x1



## one piece will be needed for each wheel side

wheel bolt 40mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 40mm consist the length of thread and the length of knurling.

legth: 40mm thread: M12 x 1,5 thread length: 28mm knurling diameter: 14,5mm knurling length: 7,6mm



#### wheel bolt 50mm Prod.No. universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 50mm consist the length of thread and the length of knurling.

legth: 50mm thread: M12 x 1,5 thread length: 38mm knurling diameter: 14,5mm knurling length: 7,6mm



wheel bolt 60mm Prod.No. universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 60mm consist the length of thread and the length of knurling.

legth: 60mm thread: M12 x 1,5 thread length: 48mm knurling diameter: 14,5mm knurling length: 7,5mm



wheel bolt 80mm universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note:

Prod.No. 7203 5.89

Prod.No.

Prod.No.

6730

7200

6450

7201

47,01

3,30

3,42

3,96

The length of 80mm consist the length of thread and the length of knurling.

legth: 80mm thread: M12 x 1,5 thread length: 68mm knurling diameter: 14,5mm knurling length: 7,5mm

# Trailer > Qek-camper



Coil spring Qek Junior / Aero Spring for the Qek caravan axle. Fit to the models Junior and Aero.

made in Germany two pieces will be needed



Disk wheel, overhauled 4J x 13 Zoll Steel rim for Trabant 601 complete overhauled and prime coated. 6773

986

56,33

69,33

Prod.No.

Prod.No.

new or used rim sandblasted primed pitch circle 4 x 160 rim wide: 4J rim diameter: 13 Zoll center disc wheel ET 35



## Disk wheel, overhauled 4J x 13 Zoll (silver)

Steel rim for Trabant 601 complete overhauled and silver varnished.

Prod.No.

Prod.No. 6403 95,33

7346

9,87

new or used rim sandblasted primed silver varnished with 2-K varnish pitch circle 4 x 160 rim wide: 4J rim diameter: 13 Zoll center disc wheel ET 35



# Lamp for number plate right/left

New lamp for number plate lighting from right or left side of number plate Fit to all closed body variants of Barkas B1000 (bus, transporter, ambulance) and many campers and trailers

scope of delivery without bulbs (10W Ba15s) hole distance for mounting: 72 mm (not 75 mm9 two pieces will be needed for each vehicle



Lamp for number plate semicircular right/left Prod.No. 7364 9.87 Beautyful lamp for number plate lighting from right or left side of number plate Fit to all closed body variants of Barkas B1000 (bus, transporter, ambulance) and many campers and trailers

scope of delivery without bulbs 5W hole distance for mounting: 72 mm (not 75 mm two pieces will be needed for each vehicle

## Sealing rubber set

Profile rubber for all pans of the camper Qek Junior. Set consitst of rubber (black) and filler (black)

Prod.No. 134,33 7353

made in Germany one set will be needed

#### Side light angular

Front side light with plastic case. Mounting can be easily by two screws holes diameter: 5mm. Hole distance: 30mm. Bulb (tubular lamp 5W)will be needed (not included of the delivery) Good alternative for IFA vehicles, trailers and campers.

high quality size bas plate: 62 x 62mm size: 42 mm lense: clear (withe light)



<u>Side light round</u> Front side light with plastic case. Mounting can be easily by two screws holes diameter: 5mm. Hole distance: 46mm. Bulb (tubular lamp 5W)will be needed (not included of the delivery) Good alternative for IFA vehicles, trailers and campers.

high quality diameter: 80mm size: 41 mm lense: clear (withe light)



 Side light round, metal housing
 Prod.No.
 7365

 Front side light with firm metal case.
 Mounting can be easily by the center bolt M6.
 Prod.No.
 7365

 Bulb (tubular lamp 5W)will be needed (not included of the delivery)
 Good alternative for IFA vehicles, trailers and campers.
 Prod.No.
 7365

high quality diameter: 67mm size: 57mm lense: clear (withe light)

Side light round, original design Front side light as good reproduction of the original lights. Mounting can be easily by two bolts M5 like the original one. Hole distance: 58mm. Bulb (tubular lamp 5W)will be needed (not included of the delivery) Best replacment for the original one. Fit to many IFA vehicles, trailers and campers.

made in EU diameter: 81mm size: 41 mm lense: clear (withe light)



<u>Universal boot kit</u> Bellows for many exertions at automobiles, trailers, caravans and ships ... size:

length:19cm diameter:10mm / 30mm length:23cm diameter: 35mm / 35mm length:15cm diameter:30mm / 42mm length:13cm diameter:41mm / 48mm length:12cm diameter:41mm / 55mm different length and diameter combinable length of the bellow pice: 95mm Prod.No. 7366 7,75

7868

7010

Prod.No.

Prod.No.

12,15

9.19

14,99



wheel bolt 40mm Prod.No. 7200 universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 40mm consist the length of thread and the length of knurling.

legth: 40mm thread: M12 x 1,5 thread length: 28mm knurling diameter: 14,5mm knurling length: 7,6mm



#### wheel bolt 50mm

Prod.No. universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 50mm consist the length of thread and the length of knurling.

universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers

The length of 60mm consist the length of thread and the length of knurling.

legth: 50mm thread: M12 x 1,5 thread length: 38mm knurling diameter: 14,5mm knurling length: 7,6mm

wheel bolt 60mm

Please note:



# legth: 60mm thread: M12 x 1,5 thread length: 48mm knurling diameter: 14,5mm knurling length: 7,5mm



wheel bolt 80mm Prod.No. universel wheel bolt fit to Wartburg, Trabant and DDR trailers and campers Please note: The length of 80mm consist the length of thread and the length of knurling.

legth: 80mm thread: M12 x 1,5 thread length: 68mm knurling diameter: 14,5mm knurling length: 7,5mm

## Trailer > Qek-camper > brake system



1,98 Bleeder screw, rear - brake suddle front Prod.No. 214 Bleeder screw for rear wheel brake cylinder Rear wheel-brake cylinder piston = 19,05mm and Rear wheel-brake cylinder piston = 15,87mm Trabant 601, Trabant 1.1 and QEK-caravans. The bleeder screw fit also to Brake suddle left hand and Brake suddle right hand Wartburg 353 and Wartburg 1,3. 3 pieces will be needed for each brake suddle.

thread: M8 X 1,25

3,30

3,42

3,96

5.89

6450

7201

7203

Prod.No.



Brake drum (single part), slotted Prod.No. 304 39,19 The brake drum fit to the front and to the rear axle of Trabant 500, 600 and 601 (all 2-stroke typs). Also useable for QEK-camper

circle of wheel bolts: 4 x 160 mm diameter: 200 mm made in EU one piecewill be needed for each wheel



Brake drum set, slotted

Prod.No. 7621 The brake drum kit consist of two slotted brake drums. Fit to the front and to the rear axle of Trabant 500, 600 and 601 (all 2-stroke typs). Also useable for QEK-camper

circle of wheel bolts: 4 x 160 mm diameter: 200 mm made in EU one set will be needed for each axle



brake fluid, DOT4, 0,25 litre Prod.No. 6200 1,99 for use in Trabant, Wartburg, B1000, trailer and camper with hydraulical brake system and a lot of other car types

volume: 250 ml

Additional comment: Notes for used oil disposal



brake fluid, DOT4, 0,5 litre Prod.No. 6201 2.99 for use in Trabant, Wartburg, B1000, trailer and camper with hydraulical brake system and other cars

volume: 500 ml

Additional comment: Notes for used oil disposal



brake fluid, DOT4, 1,0 litre for use in Trabant, Wartburg, B1000 and other cars

Prod.No. 6202 4.85

69,00

volume: 1,0 l norms: FMVSS Nr.116 DOT4 und DOT3, SAEJ1703, DIN/ISO 4925

Additional comment: Notes for used oil disposal

	Brake hose longer, Qek Extended brake hose for Qek camper with hydraulical brake system	Prod.No.	6987	5,06
	Length total: 225 mm one side with core thread port M10x1 other side with external thread port M10x1 one piece will be needed for each wheel side			
-100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 -	Brake hose short, Qek camper short brake hose with female and male thread connection To connect the distributor with brake line of Qek camper	Prod.No.	6986	5,54
	thread: M10 x 1 length complete: 18 cm two pieces will be needed			
	Brake shoe set hydraulic brake system The brake shoe rear set fit to trailers and campers like Qek and Campton brake system. Complete set inclusive 4 brake shoes: 2 x with long lining and 2 x with sh lever for the hand brake cable.			
	2x lining length: 215 mm 2x lining length: 165 mm lining thickness: 4 mm wide: 30 mm for brake drum diameter: 200 mm one set will be needed for each trailer			
The brake shoe system.	t hydraulic brake system rear set fit to trailers and campers like Qek and Camptourist / Klappfix and HF clusive 4 brake shoes: 2 x with long lining and 2 x with short lining. made in EU.	Prod.No. 2 500 with me		86,48 brake
2x lining length:	215 mm			

2x lining length: 165 mm lining thickness: 4 mm wide: 30 mm for brake drum diameter: 200 mm one set will be needed for each trailer



Brake shoe set mechanical brake system, overhauled in Germany Prod.No. 7959 139,20 The brake shoe rear set fit to trailers and campers like Qek and Camptourist / Klappfix and HP 500 with mechanical brake system.

Complete set inclusive 4 brake shoes: 2 x with long lining and 2 x with short lining. Excange part, complete overhauled in Germany.

2x lining length: 215 mm 2x lining length: 165 mm lining thickness: 4 mm wide: 30 mm for brake drum diameter: 200 mm one set will be needed for each trailer

For more informations to this exchange part please use the Detail button.

#### Clip for protection bellows

snap ring for mounting the protection bellows at the brake master cylinder.

Prod.No. 8066 1,70

-			
	2	0	
		C C	)

handbrake lever for the parking brake of the caravan Qek.

delivery inclusive unkock push button and toothed segment one piece will be needed

lever for parking brake

Lower release spring ( short ) spring for brake shoes front and rear axle

length: 67 mm diameter: 10 mm made in EU 1 piece will be needed for each rear wheel brake side



Master brake cylinder - one circle, complete Prod.No. 6945 68,00 Used in braked version of camper with hydraulical brake system (QEK Junior/Aero, Bastei, Intercamp/Oase)

Prod.No.

Prod.No.

Prod.No.

6993

313

89,20

2.45

new produced, made in EU one piece will be needed to use this master break cylinder one reservoir for brake fluid will be needed



Master brake cylinder - one circle, original Prod.No. 7190 62,00 Used in braked version of camper with hydraulical brake system (QEK Junior/Aero, Bastei, Intercamp/Oase)

overhauled spare part delivery without reservior for brake fluid and mounting equipment one piece will be needed Please note, we can only exchange you this spare part if you ship 1x used master brake cylinder with the type number TGL BH7 to our company in advance! to use this master break cylinder one reservoir for brake fluid will be needed 6947 3,95



Protection bellows for pressure bar input brake master cylinder

Rear wheel-brake cylinder, original Prod.No. 7191 19.34 Complete in Germany overhauled rear wheel brake cylinder with ring sleeves, brak-piston D=15.87mm. Mark: RENAK BZ 105 Fit to Trabant 601 from 1.4.1968 onwards.

scope of delivery: inclusive ring sleeves and bleeder screw break piston diameter: 15,87mm also used for some IFA-vehicles, Camptourist tent trailer two pieces will be needed

also for Camptourist tent trailer Please note, we can only exchange you this spare part if you ship 1x wheel brake cylinder with the mark Renak BZ 105 to our company in advance!



Rear wheel-brake cylinder, original 19mmProd.No.746235,00Complete in Germany overhauled rear wheel brake cylinder with ring sleeves, brak-pistonD=19,04mm.Fit to Trabant 601 up to 03.1968 and Trabant 1,1 all models.

scope of delivery: inclusive ring sleeves and bleeder screw break piston diameter: 19,04mm also used for some IFA-vehicles, Camptourist tent trailer two pieces will be needed



Rivet bolt for hand-brake leverProd.No.1831Rivet bolt for mounting the hand brake lever at the rear brake shoe (short lining).Fit to Tarabant 601 and Trabant 1,1 rear axle, Wartburg 311,312,353,1.3 and Anhänger wie Qek,<br/>Intercamp, Oase, Camptorist, Klappfix.

material: steel, galvaniced one piece for each rear brake



<u>Sleeve set single brake master cylinder, original, trailer</u> Complete repair set for the 1-circle brake master cylinder. The sleeves was mounted up to vinatge april 1980 at Trabant 601.

material: rubber made in Germany one set will be needed



<u>Sleeve set single brake master cylinder, trailers</u> Prod.No. 6946 10,45 Complete repair set for the original 1-circle brake master cylinder (not fit to our new manufactured master breake cylinder).

material: rubber made in EU one set will be needed



Spring rubber pad, complete for rear axle (leaf spring)Prod.No.9976,75Fit to rear axle of Trabant 500, 600 and 601 with vintage up to 1987 with leaf spring6,75

Also fit to Qek camper und folded tent trailer Klappfix / camptourist



Tank for brake fluid 1 circleProd.No.1919,50Reservoir for brake fluid for Trabant 601 with single-circle brake master cylinder, up to vintage: april 1980and many trailer and camper with hydraulical brake system9,50

scope of delivery: inclusive cap one piece will be needed



Universal boot kit Prod.No. 7010 14,99 Bellows for many exertions at automobiles, trailers, caravans and ships ... size:

length:19cm diameter:10mm / 30mm length:23cm diameter: 35mm / 35mm length:15cm diameter:30mm / 42mm length:13cm diameter:41mm / 48mm length:12cm diameter:41mm / 55mm different length and diameter combinable length of the bellow pice: 95mm 1.21

14,25

Prod.No. 7285



length: 132 mm
diameter: 10 mm
galvaniced
made in EU
2 pieces for each front wheel brake side
1 piece for each rear wheel brake side

# Bulbs

## Bulbs > 12Volt



 Bulb
 12V / 15W (white)
 Prod.No.
 6439
 1,22

 bulb for flasher stop tail lamp and flashing indicator lamp of veteran cars
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 1
 <t

for voltage of 12V power consumption: 15W base typ: BA 15s



Bulb ( )12V / 21W (orange )Prod.No.131Light bulb with yellow coloured glass. Can be used for many vehicles.Nostly use as flasher stop tail lamp and flashing indicator lamp (clear class indicator lenses)

technical data:

An			
	for voltage of 12V power: 21W colour: orange base of lamp: BA 15s		
	Bulb (flasher stop tail lamp and flashing indicator lamp )       12V / 21W F(rowthite.)         Light bulb with clear glass. Can be used for many vehicles.         Mostly use as flasher stop tail lamp and flashing indicator lamp.         technical data:	130	1,12

for voltage of 12V power: 21W colour: white base of lamp: BA 15s 2,48

Bulb (tubular lamp) 12V 10W, 11x35 Longish bulb with one integrated filaments. Can be used at many vehicles. To be the ideal thing for a lot of Young- and Oldtimers.

technical data:

voltage: 12V power: 10 Watt colour: colourless (clear/withe) base type: SV8,5-8 length total: 37mm length of cylindrical glass (without metall caps): 19mm diameter of the glass cylinder: 11mm diameter of metall end cap: ca. 8,5mm single filamentsbulb

#### Bulb (tubular lamp) 12V 10W, 11x41

Longish bulb with one integrated filaments. Can be used at many vehicles. To be the ideal thing for a lot of Young- and Oldtimers.

technical data:

voltage: 12V power: 10 Watt colour: colourless (clear/withe) base type: SV8,5-8 length total: 43mm length of cylindrical glass (without metall caps): 26mm diameter of the glass cylinder: 11mm diameter of metall end cap: ca. 8,5mm single filamentsbulb

Bulb ( tubular lamp ) 12V 15W

Longish bulb with one integrated filaments. Can be used at many vehicles. To be the ideal thing for a lot of Young- and Oldtimers.

technical data:

voltage: 12V power: 15 Watt colour: colourless (clear/withe) base type: SV8,5-8 length total: mm length of cylindrical glass (without metall caps): mm diameter of the glass cylinder: mm diameter of metall end cap: ca. 8,5mm single filamentsbulb _____

1,13

Prod.No. 7487

Prod.No. 7903 2,38

Prod.No. 7404 1,13

 Bulb ( tubular lamp ) 12V 18W
 Prod.1

 Longish bulb with one integrated filaments.
 Can be used at many vehicles.

 To be the ideal thing for a lot of Young- and Oldtimers.
 To be the ideal thing for a lot of Young- and Oldtimers.

 technical data:
 voltage: 12V

 power: 18 Watt
 colour: colourless (clear/withe)

 base type: SV8,5-8
 length total: mm

length total: mm length of cylindrical glass (without metall caps): mm diameter of the glass cylinder: mm diameter of metall end cap: ca. 8,5mm single filamentsbulb

#### Bulb ( tubular lamp ) 12V 3W

Longish bulb with one integrated filaments. Can be used at many vehicles. To be the ideal thing for a lot of Young- and Oldtimers.

technical data:

voltage: 12V power: 3 Watt colour: colourless (clear/withe) base type: S6 length total: mm length of cylindrical glass (without metall caps): mm diameter of the glass cylinder: mm diameter of metall end cap: ca. 8,5mm single filamentsbulb



Bulb ( tubular lamp ) 12V 5W Longish bulb with one integrated filaments. Can be used at many vehicles. To be the ideal thing for a lot of Young- and Oldtimers.

technical data:

voltage: 12V power: 5 Watt colour: colourless (clear/withe) base type: SV8,5-8 length total: 36...37mm length of cylindrical glass (without metall caps): 19mm diameter of the glass cylinder: 11mm diameter of metall end cap: ca. 8,5mm single filamentsbulb Prod.No. 7405 1,67

Prod.No. 7406 2,09

Prod.No. 135 1,13

Bulb (tubular lamp) 12V 7W Longish bulb with one integrated filaments. Can be used at many vehicles. To be the ideal thing for a lot of Young- and Oldtimers.

technical data:

voltage: 12V power: 7 Watt colour: colourless (clear/withe) base type: SV8,5 length total: mm length of cylindrical glass (without metall caps): mm diameter of the glass cylinder: mm diameter of metall end cap: ca. 8,5mm single filamentsbulb



#### Bulb 12 V / 1,2W

Prod.No. 144 1,98 Very small (mini) bulb with glass base used for many Young-and Oldtimer for the control lamp for example switch for flashing warning lights, instrument panel lightings, speedometer lights e.c.

voltage: 12W power: 1,2 Watt colour: colourless (clear/withe) base type: W2 x 4,6D length total: 17 mm ? 19mm diameter: 4,8mm single filamentsbulb



#### Bulb 12V / 2W BA7s

Bulb used for many Young-and Oldtimer for the control lamp for example switch for flashing warning lights, instrument panel lightings, speedometer light e.c.

single filaments: 2W bas type: BA 7s voltage: 12V



#### Bulb 12V / 2W BA9s

147 Prod.No. Bulb used for many Young-and Oldtimer for the control lamp for example switch for flashing warning lights, instrument panel lightings, speedometer light, parking lights e.c.

single filaments: 2W base type: BA 9s voltage: 12V

Bulb H1 12V / 5	<u>5W ( high beam )</u>	Prod.No.	155	4,75
	<u>Bulb H1 12V / 100W ( high beam )</u> Made in Germany	Prod.No.	156	7,92
	without advisory opinion			

Bulb H1 12V / 55W Xenon blue

Prod.No. 161 9,28

Prod.No.

151

1,04

1.04

	Bulb H3 12V / 100W for fog lamp Made in Germany	Prod.No.	158	3,50
	without advisory opinion			
	Bulb H3 12V / 55W for fog lamp	Prod.No.	157	5,09
	Bulb H3 12V / 55W Xenon blue	Prod.No.	162	9,28
	Bulb H4 12V 60/55W Halogen bulb with two integrated filaments. Can be used at many vehicles as insert for the head lights combinated for beam. technical data:	Prod.No. dipped head	145 lights and	3,99 high
	voltage: 12V power: 60W und 55W			
Bulb H4 12	colour: colourless (clear/withe) base type: P43t (Standard-Sockel für H4-Lampen	Prod No.	146	7 98
Bulb H4 12	base type: P43t (Standard-Sockel für H4-Lampen		146 160 lights and	7,98 9,44 high
Bulb H4 12	base type: P43t (Standard-Sockel für H4-Lampen         2V 100/80W         Bulb H4 12V / 60W Xenon blue         Spezial bulb with blue glass cylinder to projected an Xenon lightning effect.         With two integrated filaments.         Can be used at many vehicles as insert for the head lights combinated for	Prod.No.	160	9,44
Bulb H4 12	base type: P43t (Standard-Sockel für H4-Lampen <u>2V 100/80W</u> Bulb H4 12V / 60W Xenon blue Spezial bulb with blue glass cylinder to projected an Xenon lightning effect. With two integrated filaments. Can be used at many vehicles as insert for the head lights combinated for beam. technical data: voltage: 12V power: 60W und 55W colour: Xenon blue	Prod.No.	160 lights and	9,44 high 3,89

ALC: N	
- Part	

Bulb red, (tubular lamp) 12V 5W Longish bulb with one integrated filaments. Can be used at many vehicles. To be the ideal thing for a lot of Young- and Oldtimers.

technical data:

voltage: 12V power: 5 Watt colour: red base type: SV8,5-8 length total: 36...37mm length of cylindrical glass (without metall caps): 19mm diameter of the glass cylinder: 11mm diameter of metall end cap: ca. 8,5mm single filamentsbulb



#### Bulb red, 12V / 21W

Light bulb with red coloured glass. Can be used for many vehicles. Mostly use as stop lamp or fog tail lights. fit to most vehicle types (all with base of lamp: BA 15s).

for voltage of 12V 21W colour: red



#### Bulb with socket 12 V / 1,2W

Prod.No. 6402 2,98 Bulb with glass base and inclusive socket used for many Young-and Oldtimer for the control lamp for example switch for flashing warning lights, instrument panel lightings, speedometer lights e.c.

voltage: 12W power: 1,2 Watt colour: colourless (clear/withe) base type: W2 x 4,6D length total: 17 mm ? 19mm diameter: 4,8mm single filamentsbulb inclisive socket base holder



#### Flashing indicator bulb 12V 21W (white)

Prod.No. 72

Prod.No.

Prod.No.

132

2,48

1,59

136

2,20

Longish bulb with one integrated filaments. Can be used at many vehicles as insert of the flashing indicator lamps with orange-colored lenses. To be the ideal thing for a lot of Young- and Oldtimers.

technical data:

voltage: 12V power: 21 Watt colour: colourless (clear/withe) base type: SV8,5-8 length total: 43...45mm length of cylindrical glass (without metall caps): 26mm diameter of the glass cylinder: 14mm diameter of metall end cap: ca. 8,5mm single filamentsbulb



# Flashing indicator bulb, orange 12V 21W

Prod.No. 73 2,08

Longish bulb with one integrated filaments. Can be used at many vehicles as insert of the flashing indicator lamps with orange-colored lenses. To be the ideal thing for a lot of Young- and Oldtimers.

technical data:

	voltage: 12V power: 21 Watt colour: orange (yellow) base type: SV8,5-8 length total: 4345mm length of cylindrical glass (without metall caps): 26mm diameter of the glass cylinder: 14mm diameter of metall end cap: ca. 8,5mm single filamentsbulb			
	Lamp spare kit H4 / 12V Spare kit with different bulbs fit to voltage of 12V content:	Prod.No.	7057	8,55
	1x H4-lamp 60/55W with base P43t			
Lawyreaman IX	2x spherical lamps 21W white with base Ba15s			
Band Street Works	1x tubular lamp 21W (C21W) with base SV 8,5			
	1x tubular lamp 5W (C5W) with base SV 8,5 1x bulb 4W (T4W) with base BA 9s			
	1x bulb for speedometer 2W with base BA 7s			
	1x Torpedo-fuse 8A			
	1x Torpedo-fuse 16A			
	Lamp spare kit R2 / 12V Spare kit with different bulbs fit to voltage of 12V content:	Prod.No.	6623	14,68
	1x R2-lamp 45/40W with base P45t			
	2x spherical lamps 21W white with base Ba15s			
	1x tubular lamp 21W (C21W) with base SV 8,5			
	1x tubular lamp 5W (C5W) with base SV 8,5			
	1x bulb 4W (T4W) with base BA 9s			
	1x bulb for speedometer 2W with base BA 7s			
	1x Torpedo-fuse 8A			
	1x Torpedo-fuse 16A			
	Ligth bulb (double function) 12V 5W/21W	Prod.No.	6922	0,98
a	Light bulb with two integeated filaments.			
11/30	Fit to new type of rear lamp with double function (brake light and rear light)			
	Technical data:			
	voltage: 12V			
	power: 5W hot-wire (for rear light) and 21W hot-wire (for brake light)			
	colour: colourless (clear/withe)			
	socket type: BAY15d			
	ECE-notation: P21/5W			
	length total: 47mm diameter socket: 15mm			
	max. diameter glas bulb: 25mm			



Ligth bulb (double function) RED 12V 5W/21W

Light bulb red with two integeated filaments. Fit to new type of rear lamp with double function (brake light and rear light) in connection with clear rear light lenses.

Technical data:

voltage: 12V power: 5W hot-wire (for rear light) and 21W hot-wire (for brake light) colour: colourless (clear/withe) socket type: BAY15d ECE-notation: P21/5W length total: 47mm diameter socket: 15mm max. diameter glas bulb: 25mm



X-treme Bulb H4 12V 60/55W

Prod.No. 7401 24,72

Prod.No.

6923

3,74

High power halogen bulb with two integrated filaments. Can be used at many vehicles as insert for the head lights combinated for dipped headlights and high beam. The edge of the high power H4 is 80% more light against standart H4 by the same power rate.

technical data:

voltage: 12V power: 60W und 55W colour: colourless (clear/withe) base type: P43t (Standard-Sockel für H4-Lampen

## Bulbs > 12Volt > bulb for parking lamp

Bulb ( parking lar	np) 12 V / 5W ( white )	Prod.No.	143	1,16
R AR	Bulb ( parking lamp ) 12V / 4W ( blue )	Prod.No.	139	1,61
Bulb ( parking lar	np) 12V / 4W ( white )	Prod.No.	138	0,97
	Lamp spare kit R2 / 12V Spare kit with different bulbs fit to voltage of 12V content:	Prod.No.	6623	14,68
	1x R2-lamp 45/40W with base P45t 2x spherical lamps 21W white with base Ba15s 1x tubular lamp 21W (C21W) with base SV 8,5 1x tubular lamp 5W (C5W) with base SV 8,5 1x bulb 4W (T4W) with base BA 9s 1x bulb for speedometer 2W with base BA 7s 1x Torpedo-fuse 8A			

1x Torpedo-fuse 16A

### Bulbs > 6Volt



Bulb 6V / 18W

bulb for veteran cars for example flasher stop tail lamp and flashing indicator lamp

Prod.No. 6440 1,44

Bulb 6V / 2		Prod.No.	120	1,34
flasher stop tai	il lamp and flashing indicator lamp           Bulb         6V / 21W, orange           indicator lamp	Prod.No.	7578	2,4
	Bulb 6V 2W Bulb with glass base used for many Young-and Oldtin switch for flashing warning lights, instrument panel lightin			2,5 mple
	single filaments: 2 Watt base type: W2 1x9 5D voltage: 6V			
•	<u>I</u> s base used for many Young-and Oldtimer for the control lamp for exan nel lightings, speedometer light e.c.	Prod.No. nple switch for flashing	7375 warning li	1,4 ghts,
single filament base type: W2 voltage: 6V				
	Bulb (control lamp, instrument panel lighting) 6V Bulb used for many Young-and Oldtimer for the control lamp for lights, instrument panel lightings, speedometer light e.c.	<u>/ 1,2W</u> Prod.No. r example switch for fla	7251 ashing wa	1,4 rning
~	single filaments: 1,2W base type: BA 7s voltage: 6V			
Pulb ( tubula	r lamp) 6 V / 3W SV 6-7,6	Prod.No.	7746	2,6
<u>Bluaut j alua</u>		1100.110.		
	Bulb ( tubular lamp ) 6 V / 5W	Prod.No.	121	1,3
Bulb 6V 2W Bulb used for	Bulb ( tubular lamp ) 6 V / 5W	Prod.No. Prod.No.	7373	1,4
Bulb 6V 2W Bulb used for	Bulb ( tubular lamp ) 6 V / 5W many Young-and Oldtimer for the control lamp for example switch for s, speedometer light e.c.	Prod.No. Prod.No.	7373	1,3 1,4 ment

single filaments: 0,6W bas type: BA 7s voltage: 6V

0 55	Bulb 6V 15W Ba15s Bulb for veteran cars for example flasher stop tail lamp and flashing indicator lamp	Prod.No.	7744	2,50
	Voltage: 6V power: 15W			
(F	Bulb R2 6V 45 / 40W Biluxbulb used for many Young-and Oldtimer for the headlights.	Prod.No.	124	8,12
	Bulbtype: two filaments, 1x low beam light (40W), 1x high beam (45W) bas type: P45t voltage: 6V			
	Bulbs spare kit R2 / 6V Spare kit with different bulbs fit to voltage of 12V content:	Prod.No.	7145	14,68
	1x R2-lamp 45/40W with base P45t 1x spherical lamps 18W white with base Ba15s 1x tubular lamp 18W (C21W) with base SV 8,5 1x tubular lamp 5W (C5W) with base SV 8,5 1x bulb 4W (T4W) with base BA 9s 1x bulb for speedometer 0,6W with base BA 7s 1x spherical lamps 21W white with base Ba15s 1x spherical lamps 5W white with base Ba15s 1x Torpedo-fuse 8A 1x Torpedo-fuse 16A			
	<ul> <li>Flashing indicator bulb 6V 18W (white )</li> <li>white cylindrical bulb for use in flashing indicator lamps with orange-colore 6V / 6W</li> <li>hole length: ca. 43mm</li> <li>length of cylindrical glass (without metall caps): 26mm</li> <li>diameter of metall end cap: ca. 8,5mm</li> <li>diameter of cylindrical glass: 14mm</li> </ul>	Prod.No. ed glasses	133	2,25
	Flashing indicator bulb 6V 18W (yellow) orange-colored cylindrical bulb for use in flashing indicator lamps with whi 6V / 18W hole length: ca. 43mm length of cylindrical glass (without metall caps): 26mm diameter of metall end cap: ca. 8,5mm diameter of cylindrical glass: 14mm	Prod.No. te glasses	134	2,67
	Light bulb <u>6 V / 5W (Ba15s)</u> Ball bulb with bayonet socket Ba15s fit to operating voltage of 6V power: 5W for using in back light lamps	Prod.No.	6835	1,34
	Light bulb 6 V / 5W (Ba15s) colour: red Ball bulb with bayonet socket Ba15s fit to operating voltage of 6V power: 5W with red stained glass for using in back light lamps	Prod.No.	6881	2,55
Light bulb ( p	parking lamp) 6V / 4W	Prod.No.	122	1,19



<u>red Bulb (flasher stop tail lamp and flashing indicator lamp ) 6V / 21</u>Mod.No. 6445 2,38 red colored bulb 6V / 21W

Prod.No.

Prod.No. 7403

Prod.No.

137

1,23

148

3,77

3,90

# Bulbs > 24 Volt



Bulb ( tubular lamp )24V 15WLongish bulb with one integrated filaments.Can be used at many vehicles.To be the ideal thing for a lot of Young-, Oldtimers and lorrys

technical data:

voltage: 24W power: 15 Watt colour: colourless (clear/withe) base type: SV8,5-8 length total: 45mm length of cylindrical glass (without metall caps): 26mm diameter of the glass cylinder: 14,5mm diameter of metall end cap: ca. 8,5mm single filamentsbulb



Bulb ( tubular lamp )24V 20WLongish bulb with one integrated filaments.Can be used at many vehicles.To be the ideal thing for a lot of Young-, Oldtimers and lorrys

technical data:

voltage: 24W power: 20 Watt colour: colourless (clear/withe) base type: SV8,5 length total: 43...44mm length of cylindrical glass (without metall caps): 25mm diameter of the glass cylinder: 14,5mm diameter of metall end cap: ca. 8,5mm single filamentsbulb



Bulb ( tubular lamp ) 24 V / 5W , C5W Longish bulb with one integrated filaments.

Can be used at many vehicles. To be the ideal thing for a lot of Young-, Oldtimers and lorrys

technical data:

voltage: 24W power: 5 Watt colour: colourless (clear/withe) base type: SV8,5 length total: 37mm length of cylindrical glass (without metall caps): 19mm diameter of the glass cylinder: 20,5mm diameter of metall end cap: ca. 8,5mm single filamentsbulb

#### voltage: 24V power: 21 Watt colour: colourless (clear/withe) base type: BA15S length total: 48mm

Ball bulb with one integrated filaments and metal socket.

Can be used at many vehicles for instand as display or brake lights. To be the ideal thing for a lot of Young-, Oldtimers and lorrys

length total: 48mm length of the metal base: 15mm diameter of the glass cylinder: 25mm single filamentsbulb

## Bulb 24V 3W

technical data:

Bulb 24V 21W Ba15s

Longish bulb with one integrated filaments. Can be used at many vehicles. To be the ideal thing for a lot of Young-, Oldtimers and lorrys

technical data:

voltage: 24W power: 3 Watt colour: colourless (clear/withe) base type: S6 length total: mm length of cylindrical glass (without metall caps): mm diameter of the glass cylinder: mm diameter of metall end cap: ca. mm single filamentsbulb

# Bulb 24V 3W Ba7s

Ball bulb with one integrated filaments and metal socket. Can be used at many vehicles for instand as display or parking lights. To be the ideal thing for a lot of Young-, Oldtimers and lorrys

technical data:

voltage: 24W power: 3 Watt colour: colourless (clear/withe) base type: BA7S length total: 20mm length of the metal base: 11mm diameter of the glass cylinder: 7mm single filamentsbulb Prod.No. 7616 1,60

Prod.No. 7402 1,98



Bulb H3 24V 70W Pk22s Ball bulb with one integrated filaments and metal socket. Can be used at many vehicles for instand as fog lamp or high beam lights. To be the ideal thing for a lot of Young-, Oldtimers and lorrys

Prod.No. 7663

Prod.No. 7664

4,50

5,27

technical data:

voltage: 24W power: 70 Watt colour: colourless (clear/withe) base type: BA7S length total: 41mm length of the connection wire: 95mm diameter of the glass cylinder: 11mm single filamentsbulb



Bulb H7 24V 100W Px26d


Ball bulb with one integrated filaments and metal socket. Can be used at many vehicles for instand as fog lamp or high beam lights. To be the ideal thing for a lot of Young-, Oldtimers and lorrys

technical data:


voltage: 24W power: 100 Watt colour: colourless (clear/withe) base type: Px26d length total: 57mm connection pins for two flat plugs diameter of the glass cylinder: 11,5mm single filamentsbulb

## connecting wire and asseccory

2	plastic protection hose 10mm (á 1,0m) two-part protection pipe made of plastic inner diameter: 10mm colour: black	Prod.No.	6875	4,19
	plastic protection hose 14mm (á 1,0m) two-part protection pipe made of plastic inner diameter: 14mm colour: black	Prod.No.	6884	7,63
	plastic protection hose 20mm (á 1,0m) two-part protection pipe made of plastic inner diameter: 20 mm colour: black	Prod.No.	6885	11,23
	plastic protection hose 23mm (á 1,0m) two-part protection pipe made of plastic inner diameter: 23 mm colour: black	Prod.No.	6886	14,50



thickness: 7 mm



## connecting wire and asseccory > bicolored car wires

## connecting wire and asseccory > bicolored car wires > 0,75 mm² wire size

FLY/FLRY car wire, 0,75 mm ² (AWG18), blue-green, yard goods	Prod.No.	6956	0,45
FLY/FLRY car wire, 0,75 mm ² (AWG18), blue-red, yard goods	Prod.No.	6955	0,45
FLY/FLRY car wire, 0,75 mm ² (AWG18), blue-white, yard goods	Prod.No.	6954	0,45
FLY/FLRY car wire, 0,75 mm ² (AWG18), brown-white, yard goods	Prod.No.	6951	0,45
FLY/FLRY car wire, 0,75 mm ² (AWG18), grey-black, yard goods	Prod.No.	6957	0,45
FLY/FLRY car wire, 0,75 mm ² (AWG18), grey-grün, yard goods	Prod.No.	6958	0,45
FLY/FLRY car wire, 0,75 mm ² (AWG18), red-blue, yard goods	Prod.No.	6953	0,45
FLY/FLRY car wire, 0,75 mm ² (AWG18), red-yellow, yard goods	Prod.No.	6952	0,45


## connecting wire and asseccory > bicolored car wires > 1,5 mm² wire size (AWG16)

FLRY car wire, 1,5 mm ² (AWG16), blue-black, yard goods	Prod.No.	7650	0,66
FLRY car wire, 1,5 mm ² (AWG16), blue-brown, yard goods	Prod.No.	7646	0,66
FLRY car wire, 1,5 mm ² (AWG16), blue-green, yard goods	Prod.No.	7648	0,66
FLRY car wire, 1,5 mm ² (AWG16), blue-red, yard goods	Prod.No.	7649	0,66
FLRY car wire, 1,5 mm ² (AWG16), blue-white, yard goods	Prod.No.	7651	0,66
FLRY car wire, 1,5 mm ² (AWG16), blue-yellow, yard goods	Prod.No.	7647	0,66
FLRY car wire, 1,5 mm ² (AWG16), brown-black, yard goods	Prod.No.	6807	0,66
PERT car wire, 1,5 mini- (Awg to), brown-black, yard goods			

FLRY car wire, 1,5 mm ² (AWG16), brown-blue, yard goods	Prod.No.	7652	0,66
FLRY car wire, 1,5 mm ² (AWG16), brown-green, yard goods	Prod.No.	7653	0,66
FLRY car wire, 1,5 mm ² (AWG16), brown-red, yard goods	Prod.No.	7654	0,66
FLRY car wire, 1,5 mm ² (AWG16), brown-white, yard goods	Prod.No.	7655	0,66
FLRY car wire, 1,5 mm ² (AWG16), yellow-black, yard goods	Prod.No.	7691	0,66
FLRY car wire, 1,5 mm ² (AWG16), yellow-blue, yard goods	Prod.No.	7688	0,66
FLRY car wire, 1,5 mm ² (AWG16), yellow-green, yard goods	Prod.No.	7689	0,66
FLRY car wire, 1,5 mm ² (AWG16), yellow-red, yard goods	Prod.No.	7690	0,66
FLRY car wire, 1,5 mm ² (AWG16), yellow-white, yard goods	Prod.No.	7692	0,66
FLY/FLRY car wire, 1,5 mm ² (AWG16), black-blue, yard goods	Prod.No.	7693	0,66
FLY/FLRY car wire, 1,5 mm ² (AWG16), black-brown, yard goods	Prod.No.	7694	0,66
FLY/FLRY car wire, 1,5 mm ² (AWG16), black-green, yard goods	Prod.No.	6843	0,66

FLY/FLRY car	wire, 1,5 mm ² (AWG16), black-grey, yard goods	Prod.No.	7695	0,66
	FLY/FLRY car wire, 1,5 mm ² (AWG16), black-red, yard goods	Prod.No.	6805	0,66


FLY/FLRY ca	ar wire, 1,5 mm ² (AWG16), black-violet, yard goods	Prod.No.	7696	0,66
	FLY/FLRY car wire, 1,5 mm ² (AWG16), black-white, yard goods	Prod.No.	6808	0,66



## connecting wire and asseccory > Single colour wire

## connecting wire and asseccory > Single colour wire > 0,75 mm² wire size

FLY/FLRY car wire, 0,75 mm ² (AWG16), black, yard goods Spezial care cable with black PVC-isolation and an wire cross section from 0, Can be used to creat new cable harnesses, to change single wires or to repair	6959 wiring loon	0,45 ns.
 made in Germany colour: black strand: copper		
FLY/FLRY car wire, 0,75 mm ² (AWG16), blue, yard goods Spezial care cable with blue PVC-isolation and an wire cross section from 0,7 Can be used to creat new cable harnesses, to change single wires or to repair {L[made in Germany][colour: blue][strand: copper]	6964 wiring loon	0,45 ns.
FLY/FLRY car wire, 0,75 mm ² (AWG16), brown, yard goods Spezial care cable with brown PVC-isolation and an wire cross section from 0 Can be used to creat new cable harnesses, to change single wires or to repair	6990 wiring loon	0,45 ns.
made in Germany colour: brown strand: copper		



made in Germany colour: yellow strand: copper

## connecting wire and asseccory > Single colour wire > 1,5 mm² wire size (AWG16)



FLY/FLRY car wire, 1,5 mm² (AWG16), black, yard goodsProd.No.66160,53Spezial care cable with black PVC-isolation and an wire cross section from 1,50mm².Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: black strand: copper



 FLY/FLRY car wire, 1,5 mm² (AWG16), blue, yard goods
 Prod.No.
 6618
 0,53

 Spezial care cable with blue PVC-isolation and an wire cross section from 1,50mm².
 0.53

Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: blue strand: copper



 FLY/FLRY car wire, 1,5 mm² (AWG16), brown, yard goods
 Prod.No.
 6615
 0,53

 Spezial care cable with brown PVC-isolation and an wire cross section from 1,50mm².
 Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.
 0,53

made in Germany colour: brown strand: copper

FLY/FLRY car wire, 1,5 mm² (AWG16), gray, yard goods Spezial care cable with gray PVC-isolation and an wire cross section from 1,50mm².

Prod.No. 7144 0,53

Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: gray strand: copper



<u>FLY/FLRY car wire, 1,5 mm² (AWG16), green, yard goods</u> Prod.No. 6801 0,53 Spezial care cable with green PVC-isolation and an wire cross section from 1,50mm². Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: green strand: copper



FLY/FLRY car wire, 1,5 mm² (AWG16), orange, yard goodsProd.No.68020,53Spezial care cable with orange PVC-isolation and an wire cross section from 1,50mm².Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.0,53

made in Germany colour: orange strand: copper

FLY/FLRY car wire, 1,5 mm² (AWG16), pink, yard goods Special care cable with pink PVC-isolation and an wire cross section from 1,50mm².

Prod.No. 7645 0,53

Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: pink strand: copper



FLY/FLRY car wire, 1,5 mm² (AWG16), red, yard goodsProd.No.66170,53Spezial care cable with red PVC-isolation and an wire cross section from 1,50mm².Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.0,53

made in Germany colour: red strand: copper

FLY/FLRY car wire, 1,5 mm² (AWG16), violet, yard goods

Prod.No. 7644 0,53

Special care cable with violet PVC-isolation and an wire cross section from 1,50mm². Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: violet strand: copper



FLY/FLRY car wire, 1,5 mm² (AWG16), yellow, yard goods Prod.No. 6614 0,53 Spezial care cable with green PVC-isolation and an wire cross section from 1,50mm². Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: gelb strand: copper

## connecting wire and asseccory > Single colour wire > 2,5 mm² wire size



FLY/FLRY car wire, 2,5 mm² (AWG14), black, yard goods Prod No. 6098 0.79 Spezial care cable with black PVC-isolation and an wire cross section from 2,5 mm². Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: black strand: cop

## FLY/FLRY car wire, 2,5 mm² (AWG14), blue, yard goods

Spezial care cable with blue PVC-isolation and an wire cross section from 2,5 mm².

Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: blue strand: cop

## FLY/FLRY car wire, 2,5 mm² (AWG14), brown, yard goods

Spezial care cable with brown PVC-isolation and an wire cross section from 2.5 mm².

Prod.No. 7143 0.79

7142

0,79

Prod.No.

Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: brown strand: cop

> FLY/FLRY car wire, 2,5 mm² (AWG14), green, yard goods Prod.No. 6097 0.79 Spezial care cable with green PVC-isolation and an wire cross section from 2,5 mm². Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: green strand: cop



FLY/FLRY car wire, 2,5 mm² (AWG14), red, yard goods Prod.No. 6096 0,79 Spezial care cable with red PVC-isolation and an wire cross section from 2,5 mm². Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: red strand: cop

#### FLY/FLRY car wire, 2,5 mm² (AWG14), white, yard goods Spezial care cable with withe PVC-isolation and an wire cross section from 2,5 mm².

Prod.No. 7140 0,79

Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany
colour: withe
strand: cop

Seite 403 from 443

FLY/FLRY car wire, 2,5 mm² (AWG14), yellow, yard goodsProd.No.71410,79Spezial care cable with yellow PVC-isolation and an wire cross section from 2,5 mm².Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.0,79

made in Germany colour: yellow strand: cop

## connecting wire and asseccory > Single colour wire > 4,0 mm² wire size



 FLY/FLRY car wire, 4.0 mm² (AWG12), black, yard goods
 Prod.No.
 6104
 1,05

 Spezial care cable with black PVC-isolation and an wire cross section from 4,00 mm².
 Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.
 100 mm²

Prod.No.

7138

1,05

made in Germany colour: black strand: copper

## FLY/FLRY car wire, 4,0 mm² (AWG12), blue, yard goods

Spezial care cable with blue PVC-isolation and an wire cross section from 4,00 mm². Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: blue strand: copper



<u>FLY/FLRY car wire, 4,0 mm² (AWG12), red, yard goods</u> Prod.No. 6099 1,05 Spezial care cable with red PVC-isolation and an wire cross section from 4,00 mm². Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.

made in Germany colour: red strand: cop

 FLY/FLRY car wire, 4,0 mm² (AWG12), yellow, yard goods
 Prod.No.
 7139
 1,05

 Spezial care cable with yellow PVC-isolation and an wire cross section from 4,00 mm².
 Can be used to creat new cable harnesses, to change single wires or to repair demaged wiring looms.
 7139
 1,05

made in Germany colour: yellow strand: copper

## connecting wire and asseccory > manufactured wires



Car battery wire 0,74mProd.No.759215,50Connection cable between the negative pole of car battery and the terminal screw of starter.Best use for IFA vehicles.Please note: it is an NOS part and at some wires it is possible that the isolating bushing for the plus pole is demaged or not mounted. This will be no reason for complaints !

for 6V and 12V or 24V pre-finished length total: 720mm one cable tail with battery pole terminal one cable tail with 8mm cable shoe for terminal screw of solenoid switch (mounted on starter) original spare part



Car battery wire 0,9m Prod.No. 7591 13.28 Connection cable between the negative pole of car battery and the terminal screw for enigine / gearbox. Best use for IFA vehicles.

Please note: it is an NOS part and at some wires it is possible that the isolating bushing for the minus pole is demaged or not mounted. This will be no reason for complaints !

for 6V and 12V or 24V pre-finished length total: 920mm one cable tail with battery pole terminal one cable tail with 8mm cable shoe for terminal screw of enigine / gearbox original spare part



#### Car battery wire 1,05m

Connection cable between the negative pole of car battery and the terminal screw for enigine / gearbox.

Prod.No.

7438

15.55

Best use for IFA vehicles.

Please note: it is an NOS part and at some wires it is possible that the isolating bushing for the minus pole is demaged or not mounted. This will be no reason for complaints !

for 6V and 12V pre-finished length total: 1,05m one cable tail with battery pole terminal one cable tail with 8mm cable shoe for terminal screw of enigine / gearbox original spare part



## Car battery wire 1,15m

Prod.No. 7588 16,50 Connection cable between the negative pole of car battery and the terminal screw of starter. Best use for IFA vehicles. Please note: it is an NOS part and at some wires it is possible that the isolating bushing for the plus pole is demaged or not mounted. This will be no reason for complaints !

for 6V and 12V oder 24V pre-finished length total: 1150mm one cable tail with battery pole terminal one cable tail with 8mm cable shoe for terminal screw of solenoid switch (mounted on starter) original spare part



#### Car battery wire 2,48m

Prod.No. 7587 24,30 Connection cable between the negative pole of car battery and the terminal screw of starter. Best use for IFA vehicles. Please note: it is an NOS part and at some wires it is possible that the isolating bushing for the plus pole is demaged or not mounted. This will be no reason for complaints !

for 6V and 12V or 24V pre-finished length total: 2480mm one cable tail with battery pole terminal one cable tail with 8mm cable shoe for terminal screw of solenoid switch (mounted on starter) original spare part

$\bigcirc$	<ul> <li><u>Car wire black-green-red</u></li> <li>Three coloured pree mounted car wire.</li> <li>Universal useable, fit to many Old-and Youngtimers</li> <li>technical details:</li> </ul>	Prod.No.	7722	0,99
	colour: black, green, red wire size: 1,5mm ² length: 510mm connection on both ends: stripped and tin-plated Wire brown, flat-O-plug	Prod.No.	7437	0,99
	Pree mounted car wire. Universal useable, fit to many Old-and Youngtimers technical details:			
	colour: brown wire size: 1,5mm ² length: 248mm connection 1: O-plug hole diameter: 5mm connection 2: flat plug 6,3 x 0,8			
	<u>Wire brown, flat-plug-flat-plug</u> Pree mounted car wire. Universal useable, fit to many Old-and Youngtimers technical details:	Prod.No.	7721	0,99
	colour: brown wire size: 1,5mm ² length: 320mm connection on both ends: flat plug 6,3 x 0,8			

## workshop requirement



2K Hi-Speed Primer Filler 200ml

Prod.No. 6906 16,17 ColorMatic 2K Hi-Speed fill primer can be universelly applied on all steel, zinc-plated sheet steel and aluminium with excellent adhesion and rust prevension. Very fast air drying: 45 min (20°C). Easy to sand, wet and dry. Resistant against solvent. Free of isocyanate.

If both components are mixed the pot life will take 8 houres at least.



adhesion and sealing compound, black Prod.No. 1320 9,95 1-component-PUR adhesion and sealing compound fit for permanently elastic gluings (for example for mudguard gluings)

colour: black good for gluings around the car body (also fit for mud guards of Trabant) cartridge with content of 310 ml easy to spread and to smooth stable overpaintable with 2-component finish, primer and filler after through hardening



adhesion and sealing compound, grey Prod.No. 1324 9,95 1-component-PUR adhesion and sealing compound fit for permanently elastic gluings (for example for mudguard gluings)

colour: grey good for gluings around the car body (also fit for mud guards of Trabant) cartridge with content of 310 ml easy to spread and to smooth stable overpaintable with 2-component finish, primer and filler after through hardening



adhesion and sealing compound, white

Prod.No. 1323 9.95 1-component-PUR adhesion and sealing compound fit for permanently elastic gluings (for example for mudguard gluings)

colour: white good for gluings around the car body (also fit for mud guards of Trabant) cartridge with content of 310 ml easy to spread and to smooth stable overpaintable with 2-component finish, primer and filler after through hardening



Aluminium-sealing ring 20 x 16 x 1,5 mm Aluminium sealing ring, massive construction type A DIN 7603

#### brake fluid, DOT4, 0,25 litre

Prod.No. 6200 1,99 for use in Trabant, Wartburg, B1000, trailer and camper with hydraulical brake system and a lot of other car types

Prod.No. 6429

0,18

volume: 250 ml

Additional comment: Notes for used oil disposal



brake fluid, DOT4, 0,5 litre

Prod.No. 6201 2.99 for use in Trabant, Wartburg, B1000, trailer and camper with hydraulical brake system and other cars

volume: 500 ml

Additional comment: Notes for used oil disposal

-	Surrent prices. http://www.ium-tuming.ue/bootinent aldw on or too.2010.			
	brake fluid, DOT4, 1,0 litre for use in Trabant, Wartburg, B1000 and other cars	Prod.No.	6202	4,85
(00)	volume: 1,0 l norms: FMVSS Nr.116 DOT4 und DOT3, SAEJ1703, DIN/ISO 4925			
	Additional comment: Notes for used oil disposal			
2	Brake pipe spanner 10-11mm angled Special tool for mounting or demounting of screw-cap for brakelines. type: level angleded Fit to brake screws SW10 and SW11.	Prod.No.	7702	21,30
2	Brake pipe spanner 10-11mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW10 and SW11.	Prod.No.	7703	10,47
2	Brake pipe spanner 12-13mm, straight Special tool for mounting or demounting of screw-cap for brakelines. type: sraight Fit to brake screws SW12 and SW13.	Prod.No.	7992	14,26
quick-	<u>e-cleaner 5 Liter</u> cleaner for brake and clutch parts nt: 5 litre	Prod.No.	6253	22,75
	brake-cleaner 600ml quick-cleaner for brake and clutch parts FCKW free volume: 600 ml type: AD delivery as an single spray	Prod.No.	6252	2,93
	eaner 660ml aner for brake and clutch parts	Prod.No.	7898	2,64
FCKW fre volume: 6 typ: X-tren delivery as	60 ml			

	<u>e</u> t
<b>M</b>	

Brake-cleaner, one packing unit, 12x Sprayer 600mlProd.No.703331,80Complete packing unit quick-cleaner for brake and clutch parts

FCKW free content: 12x sprayer with volume of 600 ml



Cleaning and maintenance agent for electrical connectors and components? 200 ml	7094	3,88
quick-cleaner for brake and clutch parts		

content: 200 ml excellent solvency for mixture of grease, oil and dirt protection against creeping current



 Disposable syringe 10ml
 Prod.No. 7054

 Disposable syringe with working volume of 10ml
 Fit to suck away of different fluids or to measure out (for instance epoxy resin and curing agent)



Disposable syringe 20ml Disposable syringe with working volume of 20ml

fit to suck away of different fluids or to measure out (for instance epoxy resin and curing agent)



elring seal repair kit set of different seal plates to customized seals himself

graval and underbody protection, black, spray 500ml based on rubber-synthetic resin color: black recoatable

a solid seal

Prod.No.

Prod.No. 6254 7,50

Prod.No. 7055

Prod.No. 6218

Prod.No. 6950

1,81

1.81

19.63

19,97



Temperature stability: -50°C up to +150°C Fills gabs as small as 0.3mm Instant sealing effect

Solvent-free sealing compund. Ideal for sealing metal haousings, bearing covers, flanges, etc. without

Separates again easily Resistant to water, coolants, synthetic oils, lubricants, organic solvents.

Liquid surface seal *elring AFD 2000* 50g

Anarobic surface seal AFD 2000 made by elring Germany

Seite 409 from 443



Liquid surface seal *elring Teroson Fluid Prod.No. 7734 17,19 Solvent-free sealing compund. Ideal for sealing metal haousings, bearing covers, flanges, etc. without a solid seal

Prod.No.

Prod.No. 6379

Prod.No.

Prod.No.

6381

6380

1325

18.85

12,34

12,34

16,01

Instant sealing effect
Separates again easily
Resistant to water, coolants, synthetic oils, lubricants, organic solvents.
produced by: Teroson



power glue, black Permanent elastic PUR glue with extrem hight UV-resistance

colour: black fit for gluings around the car body overpaintable cartridge with content of 310 ml

Threadlocking - Low Strength, Loctite® 222, 10 ml

Temperature stability: up to +120°C



Recommended for low-strength threadlocking of adjusting screws, countersunk head screws and set screws.

Specifications:

Size of Thread: up to M 36 Strength: Low Functional Strength (typical value @ 22 °C): 6 hrs Breakaway Torque M10 bolts: 6 Nm Long-Term Temperature Resistance: +150°C

<u>Threadlocking - Maximum Strength, Loctite® 2701, 10ml</u> Loctite® 2701 - Maximum Strength (improved Loctite® 270)

For use on all metal fasteners (including stainless steels and those with protective coatings such as zinc) where regular removal for maintenance is not required. Recommended for permanently locking studs on engine blocks and pump housings.

Specifications

Size of Thread: Up to M 20 Strength: High Functional Strength (typical value @ 22 °C): 6 hrs Breakaway Torque M10 bolts: 38 Nm Long-Term Temperature Resistance: +150°C



<u>Threadlocking - Medium Strength, Loctite® 243, 10ml</u> Loctite® 243 - Medium Strength - Oil Tolerant

Effective on all types of metal threaded fasteners. Prevents loosening on vibrating parts such as pumps, motor mounting bolts, gear boxes or presses. Recommended for use where disassembly with hand tools is required for servicing and where parts are contaminated with oil.

Specifications:

Size of Thread: Up to M 36 Strength: Medium Functional Strength (typical value @ 22 °C): 2 hrs Breakaway Torque M10 bolts: 20 Nm Long-Term Temperature Resistance: +150°C

	universal housing seal, demountable, tube 75g - easy demountable, not hardending housing seal - remains plastically over the hole area of temperature in vehicles - resistant against diesel fuel, oils and lubrication materials, water and mix	Prod.No.		9,66
<ul> <li>easy demountal</li> </ul>	ing seal, demountable, tube 200ml ble, not hardending housing seal ally over the hole area of temperature in vehicles	Prod.No.		17,92
workshop requ	irement > hose clips			
$\bigcap$	Fuel hose, 6 mm Flexible fuel hose with texture. The price is for each 1m lenght. If you order for example 3x 1m so you will get one piece with 3m length an	Prod.No. nd so on.	728	5,14
$\bigcirc$	inside diameter: 6 mm material: petrol resistant rubber made in Germany			
$\bigcap$	Fuel hose, 8 mm Flexible fuel hose with texture. The price is for each 50 cm lenght. If you order for example 3x 1m so you will get one piece with 3m length an	Prod.No. nd so on.	729	6,22
$\bigcirc$	inside diameter: 8 mm material: petrol resistant rubber made in Germany			
Hose clip 12 - 2 for fuel hose from the wide of the cli	n D= 12mm up to 20mm.	Prod.No.	6036	1,30
LA L	Hose clip 8 - 12 / 7,5 stainless steel Clip made of stainless steel for fuel hosed from diameter 8mm up to 12mm. The wide of the clip is 7,5mm.	Prod.No.	6034	2,11
	Hose clip, 1-ear 13,2 - 15,8 mm for fuel hose with outside diameter from D=13,2mm up to 15,8mm. the wide of the clip is 8,2mm. start-diameter: 16,5mm	Prod.No.	6203	0,75
	only one time to use			
	Petrol filter universal Gasoline filter for the universal duty. The filter will be mounted between the fuel line.	Prod.No.	7224	3,50
	connection diameter: 6 and 8mm material: petrol resistant plastic with parer filter made in Germany			

	Rubber Fuel hose, 6 mm Flexible fuel hose. The price is for each 50 cm lenght. If you order for example 3x 1 meter so you will get one piece with 3m length	Prod.No.	7113	4,44
	inside diameter: 6mm outside diameter: 12mm material: petrol resistant rubber made in Germany			
	Rubber Fuel hose, 8 mm Flexible fuel hose. The price is for each 1m lenght. If you order for example 3x 1m so you will get one piece with 3,00m lengt	Prod.No. gth and so on.	6308	5,10
	inside diameter: 7,5 mm outside diameter: 13,5mm material: petrol resistant rubber made in Germany			
workshop req	uirement > tools			
<u>2-claw-puller</u> spanning width spanning depth	: 100 mm	Prod.No.	6219	39,33
3-claw-puller spanning width spanning depth	: 100 mm	Prod.No.	6220	59,88
	<u>32-parts screwdriver bit-set</u> Screwdriver bit-set with thirty screwdriver bits, one locator for screwdriver bit in a plastic box with girdle clip screwdriver bits for screws with follow head-types are included:	Prod.No. er bits and one 3	6717 3/8"-tetrał	21,95 nedral
	Phillips-tip (size 1, 2 (2x), 3) Pozidrive-tip (size 1, 2 (2x),3) slotted-head (3mm, 4mm, 5mm, 6mm) hexagon socket (3mm, 4mm, 5mm, 6mm) Torx (T10, T15, T20, T25, T27, T30, T40) Torx with pin (T10, T15, T20, T25, T27, T30, T40)			
	Adapter M14 ignition ajustment adapter for the dial gauge to adjust the ignition point. Fit to the spark plug tap M14. Hexagon nut for mounting SW 22. usefull for the fallowing vehicles:	Prod.No.	6818	28,99
	made in Germany material: brass Trabant 601 Wartburg 353 Barkas B1000			

Barkas B1000



Adapter M18 ignition ajustment adapter for the dial gauge to adjust the ignition point. Fit to the spark plug tap M18. Hexagon nut for mounting SW 22. usefull for the fallowing vehicles:

made in Germany material: brass Trabant 500,600,601 Wartburg 311 Framo IFA F8 / F9 P70



bending tool for brake pipe high-quality tool from HAZET

special for plastic coated brake pipes with diamter of 4,75 mm (our Art.No.: 662 und 663)

Prod.No.

Prod.No. 6310

Prod.No. 6778

Prod.No. 6409

6819

28,99

75,98

14,92

15,00



0

combination wrench HAZET, 17mm High quality tool made by HAZET

wrench opening: 17mm material: chromium-vanadium steel box wrench 15° bent off

combination wrench with ratchet wrench opening: 10mm



	Combination wrench-set XL Gedore 8-pieces open-end spanner - combination wrench with different spanner ga Spanner angular 15°, box wrench 15° bent off.	Prod.No. aps.	6863	89,97
	scope of delivery: wrench opening: 8,9,10,11,13,14,17,19			
	wo 8: length: 170mm			
	wo 9: length: 180mm			
	wo 10: length: 190mm			
	wo 11: length: 200mm			
	wo 13: length: 225mm			
	wo 14: length: 235mm wo 17: length: 280mm			
	wo 19: length: 310mm			
	material: 31CrV3			
	surface: chromed			
	made by Gedore Germany			
RHODIUS	Cutting disk 125 x 0.8 for angle grinder ultra-thin cutting disk fit for One hand- angle grinder	Prod.No.	1317	3,55
and (manifests	only 0,8 mm thin			
💿 🗙 🔶	outer diameter: 125 mm			
	inner diameter of mounting hole: 22,2 mm			
	free of iron and sulphur, usable also for stainless steel			
	particularly applicative for thin sheet metall (fast cutting with thin slit)			

particularly applicative for thin sheet metall (fast cutting with thin slit)

up to 12.200 rpms

	cutting disk 125 x 0,8 for angle grinder (set of 10 pieces) ultra-thin cutting disk fit for One hand angle grinder only 0,8 mm thin outer diameter: 125 mm inner diameter of mounting hole: 22,2 mm free of iron and sulphur, usable also for stainless steel particularly applicative for thin sheet metall (fast cutting with thin slit) up to 12.200 rpms ten pieces	Prod.No.	1318	30,45
	cutting disk 125 x 1,0 for angle grinder thin cutting disk fit for One hand angle grinder thickness: 1,0 mm outer diameter: 125 mm inner diameter of mounting hole: 22 mm free of iron and sulphur, usable also for stainless steel particularly applicative for thin sheet metall up to 12.000 rpms one piece	Prod.No.	1319	2,92
IIIII CO	Dial gauge digitale type Good quality dial indicator for example to adujst the ignition timing. case diameter: 58mm tolerance: 0,01mm effective range: 0-10mm made in China scope of delivery without seperate extension pin non shock proof	Prod.No.	7301	43,59
	Dial gauge shock proof High quality dial indicator for example to adujst the ignition timing. case diameter: 58mm tolerance: 0,01mm effective range: 0-10mm made in Germany scope of delivery without seperate extension pin shock proof	Prod.No.	6821	59,90
	Dial gauge simple type High quality dial indicator for example to adujst the ignition timing. case diameter: 58mm tolerance: 0,01mm effective range: 0-10mm made in Germany scope of delivery without seperate extension pin	Prod.No.	6820	49,10

non shock proof

ý N	Dial gauge simple type Cheap dial indicator for example to adujst the ignition timing.	Prod.No.	7300	14,99
	case diameter: 58mm tolerance: 0,01mm effective range: 0-10mm made in China scope of delivery without seperate extension pin non shock proof			
Series.	<u>Dies set 15 parts</u> Complete kit with dies to tap metrical thread. Best use for handmade. Scope of delivery:	Prod.No.	7473	69,77
	1 pieces of dies M3 1x twist drill for M3 1 pieces of dies M4 1x twist drill for M4 1 pieces of dies M5 1x twist drill for M5 1 pieces of dies M6 1x twist drill for M6 1 pieces of dies M8 1x twist drill for M8 1 pieces of dies M10 1x twist drill for M10 1 pieces of dies M12 1x twist drill for M12 1x tap wrench			
	Dies set 29 parts Complete kit with dies to tap metrical thread. Best use for handmade. Scope of delivery:	Prod.No.	7470	72,55
	3 pieces of dies M3 1x twist drill for M3 3 pieces of dies M4 1x twist drill for M4 3 pieces of dies M5 1 pieces of dies M6 1x twist drill for M6 1x twist drill for M5 3 pieces of dies M8 1x twist drill for M8 3 pieces of dies M10 1x twist drill for M10 3 pieces of dies M12 1x twist drill for M12			
	Extensions pin for Dial gauge, 60mm Extension for dial gauge. Fit to all offered gauges	Prod.No.	7302	3,09
	thread: M2,5 diameter: 4mm tolerance: 0,01mm effective range: 0-10mm made in China scope of delivery without seperate extension pin non shock proof			

	<ul> <li>Impact wrench Hitachi WR16SA</li> <li>Electrical impact screwdriver with right/left rotary.</li> <li>Solid professional model with additional holding lever.</li> <li>Strongest at this level: torque 360Nm</li> </ul>	Prod.No.	6864	319,00
AS J	supply voltage 220V~ tetrahedral 1/2 inch			
ALL REAL	Knot wheel brush, 115 x 22,2 for angle grinder Knot wheel brush fit for One hand angle grinder	Prod.No.	6793	11,77
	outer diameter: 115 mm inner diameter of mounting hole: 22,2 mm brushes made of steel wire for preparation of welding seams and cleaning up to 12.500 rpms one piece			
	lever grease gun german industry quality	Prod.No.	6312	39,36
	pre-installed with reinforced hose and hydraulical connector match grease cartridge: Art.No.: 6311			
	lubrication set consist of:	Prod.No.	6313	68,68
	lever grease gun, Art.No.: 6312 grease cartridge, Art.No.: 6311 adhesive transparent lubricant, Art.No.: 6255			
	<u>plate shears with leverage effect, IDEAL, right</u> IDEAL-plate shears for straight cuttings with leverage effect to reduce the shears for straight cuttings with leverage effect to reduce the shears for straight cuttings with leverage effect to reduce the shears for straight cuttings with leverage effect to reduce the shears for straight cuttings with leverage effect.	Prod.No. the needed hand	6095 strength.	19,94
	right side cutting light version for thickness of plate up to 1,2 mm (sheet steel) or 1,0 mm cutting unit made of die-forged stainless steel cutting edges inductive hardened and with little teeth with spring to open itself	n (stainless steel s	sheet)	
	<u>puller for ball joint 18/38mm</u> gable width: 18 mm max. lenght of ball joint axle: 38 mm	Prod.No.	6192	43,54
	best use for track rod joints of Trabant and Wartburg.			
h	<u>puller for ball joint 23/48mm</u> gable width: 23 mm max. lenght of ball joint axle: 48 mm	Prod.No.	6193	58,10



puller for ball joint 29/55mm gable width: 29 mm max. lenght of ball joint axle: 55 mm

fit to pull up the lever of steering gear



<u>Set of locking pliers, 11-piece</u> eleven-piece set of locking pliers with workshop board Very good suited for spot-welding with MIG-welding equipment

3x with long nose4x with curved jaws and wire-cutter2x with curved jaws2x with straight jaws



# Spot weld driller, 6 mm

Special HSS-twist drill for car body making

Stable construction for hard drill jobs with hand drill. Especially fit to drill out spot welds and to drill thin-walled work pieces. Extremely high precision drill of steel sheet, brass sheet, aluminium sheet, zinc plate, sheet copper and plastic plates.

diameter: 6 mm length: 66 mm special cut with pike surface: sheer dextrorotatory



<u>Spot weld driller, 8 mm</u> Special HSS-twist drill for car body making

Stable construction for hard drill jobs with hand drill. Especially fit to drill out spot welds and to drill thin-walled work pieces. Extremely high precision drill of steel sheet, brass sheet, aluminium sheet, zinc plate, sheet copper and plastic plates.

diameter: 8 mm length: 80 mm special cut with pike surface: sheer dextrorotatory



Tin-solder 35%, 250g Tin-solder stick

weight: about 250g tin content: 35% DIN 1707: L-PbSn35Sb Solidus temperature: 186°C Liquidus temperature: 235°C Prod.No. 6742 8,71

Seite 417 from 443

Prod.No. 6814 75,82

6779

6738

199,50


9,90

13,65

Prod.No.

Prod.No.

Prod.No. 6737




3	high performance grease with molybdenum, tube 100g high load carrying capacity low oxidation, suitable for longterm lubrication resistant to water wash-out good corrosion protection protection against fretting corrosion	Prod.No.	6256	5,20
	High temperatur adhesive lubricant, spray 400ml adhesive lubricant with ceramic, free of metal suited to screw joint inside light alloy to prevent against galvanic corrosion	Prod.No.	7087	8,95
	good adhesion temperature resistance: -30°C (-22°F) up to +1450°C (+2642°F) excellent corrosion protection good water resistance capacitiy: 400ml			
	Iubrication set Iubrication set consist of:	Prod.No.	6313	68,68
	lever grease gun, Art.No.: 6312 grease cartridge, Art.No.: 6311 adhesive transparent lubricant, Art.No.: 6255			
or r	nulti-purpose grease, cartridge 400g nulti-purpose grease for use with a lever grease gun isable in temperature range: -30°C up to +120°C	Prod.No.	6311	3,99
-	For lubrication of ball- and slide bearings with normal up to high revs. Also usable in dusty and soggy operation conditions. for instance: wheel bearings, brake cables, steering gears and bushes)			
	paste for brake cylinders special lubricants paste for brake cylinders no problems with brake fluid and rubber sleevs commended for new wheel brake cylinders	Prod.No.	6204	13,57
Silikon- talterist	silicone cleaner spray, 500ml special solvent and means of degreasing content: 500 ml silicone cleaner spray for fast remove of silicone oils und greases without any remna silicone spray, Art.No.: 6300) 98% sheer active agent	Prod.No. ants (also for	6309 r removin	4,90 g our
	silicone spray, 300ml indoor- and outdoor-spray lubricates but don't greases antistatic	Prod.No.	6300	4,88

Silicol Spray

Vaselinespray 400m Prod.No. 7747 7,78

## workshop requirement > Mounting parts



5 x 50 (50 pieces)

4 x 50 (100 pieces) 5 x 40 (50 pieces)

## workshop requirement > Mounting parts > Bolts and screws metrical

	Cheese head slotted screw M4 x 18 mm, A2 Screw with normal thread M4 and cylinder head slotted. Thread up to head.	Prod.No.	7923	0
~	material: stainless steel VA2 thread: M4 length: 18 mm M4x0,7x18 DIN 84			
	Cheese head slotted screw M5 x 10 mm, A2 Screw with normal thread M5 and cylinder head slotted. Thread up to head.	Prod.No.	7950	0
•	material: stainless steel VA2 thread: M5x0,8 length: 10 mm M5x0,8x10 DIN 84			
	d slotted screw M6 x 16 mm, galvaniced prmal thread M6 and cylinder head slotted.	Prod.No.	7932	0
	k bolt M8 x 20, 10.9 ew with normal thread M8x1,25mm	Prod.No.	7948	1
strength class thread: M8 length of threa length total: 2 head diamete surface: galva socket gap SV DIN 7991	s: 10.9 ad: 16mm 0mm r: 15mm aniced			
	ad M10 x 30 mm prmal thread M10 and haxagon head. complete	Prod.No.	7918	1,



Hexagon head clamping screw M10 x 45 DIN931-10.9 Screw with normal thread M10 and haxagon head. Type: clamping screw

strength class: 10.9 thread: M10x1,5 length: 45mm length of clamp: 17mm surface: galvaniced spanner gap SW 17 DIN 933



Hexagon head clamping screw M10 x 50mm, blank Screw with normal thread M10 and haxagon head. Type: thread complete

strength class: 10.9 thread: M10x1,5 length: 50mm surface: blank, black spanner gap SW 17 DIN 933

spanner gap SW 17

DIN 931

## Hexagon head clamping screw M10 x 60 mm Screw with normal thread M10 and haxagon head.

Type: clamping screw

strength class: 10.9 thread: M10x1,5 length: 60mm length of clamp: 30mm surface: galvaniced spanner gap SW 17 DIN 931



Prod.No. 7913 1,92 Hexagon head clamping screw M10 x 85 mm Screw with normal thread M10 and haxagon head. Type: clamping screw strength class: 8.8 thread: M10x1,5 length: 85mm length of clamp: 55mm surface: galvaniced spanner gap SW 17 DIN 931 Hexagon head clamping screw M10x140, 8.8 DIN931 Prod.No. 7964 2,10 Screw with normal thread M10 and haxagon head. Type: clamping screw strength class: 8.8 thread: M10x1,5 length: 140mm length of clamp: 105mm surface: galvaniced

Prod.No. 7912 1,24

Prod.No.

Prod.No. 7931

7955

1,25

0.65

Seite 422 from 443



<u>Hexagon head clamping screw M12 x 60mm, DIN961-10.9</u> Screw with normal thread M12 and haxagon head. Type: thread complete Prod.No. 7953 1,96

strength class: 10.9
thread: M12x1,5
length: 60mm
surface: galvained
spanner gap SW 19
DIN 961



Hexagon head clamping screw M8 x 140 mm Screw with normal thread M8 and haxagon head.

Screw with normal thread M8 and ha Type: clamping screw

strength class: 8.8 thread: M8 length: 140 mm length of clamp: 110mm surface: galvaniced spanner gap SW 13 DIN 931

#### Hexagon head clamping screw M8 x 35 mm Screw with normal thread M8 and haxagon head.

Type: clamping screw

strength class: 10.9 thread: M8 length: 35mm length of clamp: 10mm surface: galvaniced spanner gap SW 13 DIN 931

## <u>Hexagon head clamping screw M8 x 45 mm</u> Screw with normal thread M8 and haxagon head. Type: clamping screw

strength class: 8.8 thread: M8 length: 45mm length of clamp: 20mm surface: galvaniced spanner gap SW 13 DIN 931

## <u>Hexagon head clamping screw M8 x 95 mm</u> Screw with normal thread M8 and haxagon head. Type: clamping screw

strength class: 8.8 thread: M8 length: 95mm length of clamp: 65mm surface: galvaniced spanner gap SW 13 DIN 931 Prod.No. 7914 1,65

Prod.No. 7911

1,65

Prod.No. 7915 0,18

Prod.No. 7917 0,80

Hexagon head so	rew M10 x 25 mm	Prod.No.	6683	0
strength class: 8.8				
tap: M10				
length: 25 mm				
surface: galvaniced				
made in Germany				
	Hexagon head screw M5 x 16 mm	Prod.No.	7919	0
	Screw with normal thread M5 and haxagon head.			
and the second second	Thread up to head.			
August and a second	strength slope: 9.9			
	strength class: 8.8			
	tap: M5 length: 16 mm			
	surface: galvaniced			
	spanner gap SW 10			
	DIN 933/ISO4017-8.8			
Hexagon head so		Prod.No.	7962	0
	hread M6 and haxagon head.			
Thread up to head.				
strength class: 8.8				
tap: M6x1,0				
length: 14 mm				
surface: galvaniced spanner gap SW 10				
DIN 933				
Hexagon head so	rew M6 x 18 mm	Prod.No.	7949	0
	hread M6 and haxagon head.			
Thread up to head.				
strength class: 8.8				
tap: M6x1,0				
length: 18 mm				
surface: galvaniced				
spanner gap SW 10				
DIN 933				
	Hexagon head screw M6 x 20 mm	Prod.No.	7924	0
	Screw with normal thread M6 and haxagon head.			
and the second second	Thread up to head.			
Contraction of the second seco	strength class: 8.8			
	tap: M6			
	length: 20 mm			
	surface: galvaniced			
	spanner gap SW 10			

DIN 933

-				
	Hexagon head screw M6 x 35 mm	Prod.No.	7980	0,19
	Screw with normal thread M6 and haxagon head.	1100.110.	1000	0,10
P	Thread up to head.			
	meau up to neau.			
	strongth class: 9.9			
	strength class: 8.8			
	tap: M6			
	length: 35 mm			
	surface: galvaniced			
	spanner gap SW 10			
	DIN 933			
	Hexagon head screw M6 x 45 mm	Prod.No.	7981	0,25
-	Screw with normal thread M6 and haxagon head.			-,
6 hourses	-			
Contraction of the local division of the loc	Thread up to head.			
- A A A A A A A A A A A A A A A A A A A	strength class: 8.8			
	tap: M6			
	length: 45 mm			
	surface: galvaniced			
	spanner gap SW 10			
	DIN 933			
Hexagon head s	screw M8 x 10 mm	Prod.No.	6682	0,17
-	I thread M8 and haxagon head.			- 1
Thread up to head	J.			
	J.			
	d.			
Thread up to head				
Thread up to head strength class: 8.8				
Thread up to head strength class: 8.8 tap: M8				
Thread up to head strength class: 8.8 tap: M8 length: 10 mm	3			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice	3 ed			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 2	3 ed			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice	3 ed			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933	3 9d 13	Prod.No.	7954	0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u>	3 9d 13 <u>screw M8 x 20, DIN933-10.9</u>	Prod.No.	7954	0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma	3 2d 13 <u>Screw M8 x 20, DIN933-10.9</u> I thread M8 and haxagon head.	Prod.No.	7954	0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u>	3 2d 13 <u>Screw M8 x 20, DIN933-10.9</u> I thread M8 and haxagon head.	Prod.No.	7954	0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma	3 2d 13 <u>Screw M8 x 20, DIN933-10.9</u> I thread M8 and haxagon head.	Prod.No.	7954	0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma	ad 13 <u>Screw M8 x 20, DIN933-10.9</u> I thread M8 and haxagon head. d.	Prod.No.	7954	0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 4 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10.	ad 13 <u>Screw M8 x 20, DIN933-10.9</u> I thread M8 and haxagon head. d.	Prod.No.	7954	0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25	ad 13 <u>Screw M8 x 20, DIN933-10.9</u> I thread M8 and haxagon head. d.	Prod.No.	7954	0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm	3 2d 13 <u>Screw M8 x 20, DIN933-10.9</u> I thread M8 and haxagon head. d.	Prod.No.	7954	0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice	ed 13 <u>screw M8 x 20, DIN933-10.9</u> I thread M8 and haxagon head. d. .9	Prod.No.	7954	0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice spanner gap SW 7	ed 13 <u>screw M8 x 20, DIN933-10.9</u> I thread M8 and haxagon head. d. .9	Prod.No.	7954	0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice	ed 13 <u>screw M8 x 20, DIN933-10.9</u> I thread M8 and haxagon head. d. .9	Prod.No.	7954	0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice spanner gap SW 7	ed 13 <u>screw M8 x 20, DIN933-10.9</u> I thread M8 and haxagon head. d. .9	Prod.No. Prod.No.		0,21
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice spanner gap SW 7	3 ad 13 <u>Screw M8 x 20, DIN933-10.9</u> I thread M8 and haxagon head. d. .9 ad 13			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice spanner gap SW 7	A A A A A A A A A A A A A A			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice spanner gap SW 7	3 2d 13 2screw M8 x 20, DIN933-10.9 I thread M8 and haxagon head. d. .9 2d 13 Hexagon head screw M8 x 25 mm			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice spanner gap SW 7	A A A A A A A A A A A A A A			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice spanner gap SW 7	ed ad ad ascrew M8 x 20, DIN933-10.9 I thread M8 and haxagon head. d. .9 .9 .9 .9 .9 .9 .9 .9 .9			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice spanner gap SW 7	ad ad ad ad ad ad ad ad ad ad			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice spanner gap SW 7	A A A A A A A A A A A A A A			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice spanner gap SW 7	A A A A A A A A A A A A A A A A A A A			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice spanner gap SW 7	A A A A A A A A A A A A A A A A A A A			
Thread up to head strength class: 8.8 tap: M8 length: 10 mm surface: galvanice spanner gap SW 7 DIN 933 <u>Hexagon head s</u> Screw with norma Thread up to head strength class: 10. tap: M8 x 1,25 length: 20 mm surface: galvanice spanner gap SW 7	A A A A A A A A A A A A A A A A A A A			

<u>Hexagon socket cylinder head screw M12 x 50 mm</u> Screw with normal thread M12 and hexagon socket head. Type: clamping screw

strength class: 8.8 thread: M12 length: 50mm length of clamp: 27mm surface: galvaniced socket gap SW 10 DIN 912

## workshop requirement > Mounting parts > Bolts metrical fine-pitch th



Hexagon bolt M12 x 1,5 x 1080mmProd.No.79683,06Hihg grade bolt with metrical thread.Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles,<br/>steering and so on..

strength class: 10.9 tap: M12 x 1,5mm length total: 108 mm bolt length: 100mm length of the barrel: 65mm spanner gap: SW19 surface: galvaniced made in Germany

## Hexagon bolt M12 x 1,5 x 30mm

Prod.No. 7982 1,98

Prod.No.

7611

2,14

Hihg grade bolt with metrical thread. Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles, steering and so on...

strength class: 10.9 thread: M12 x 1,5mm length total: 38 mm bolt length: 30mm without barrel spanner gap: SW19 surface: galvaniced made in Germany



## Hexagon bolt M12 x 1,5 x 35mm

Hihg grade bolt with metrical thread. Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles, steering and so on..

strength class: 10.9 thread: M12 x 1,5mm length total: 43 mm bolt length: 35mm without barrel spanner gap: SW19 surface: galvaniced made in Germany



Hexagon bolt M12 x 1,5 x 40mm Prod.No. 7468 Hihg grade bolt with metrical thread. Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles,

strength class: 10.9 tap: M12 x 1,5mm length total: 48 mm bolt length: 40mm length of the barrel: 15mm spanner gap: SW19 surface: galvaniced made in Germany

steering and so on ...



## Hexagon bolt M12 x 1,5 x 55mm Hihg grade bolt with metrical thread.

Prod.No. 7824 2,40

Prod.No.

Prod.No.

7471

2,58

2,87

2,14

Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles, steering and so on ...

strength class: 10.9 tap: M12 x 1,5mm length total: 62 mm bolt length: 40mm length of the barrel: 22mm spanner gap: SW19 surface: blank



## Hexagon bolt M12 x 1,5 x 60mm

Hihg grade bolt with metrical thread. Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles, steering and so on ...

strength class: 10.9 tap: M12 x 1,5mm length total: 67 mm bolt length: 60mm length of the barrel: 26mm spanner gap: SW19 surface: galvaniced made in Germany



## Hexagon bolt M12 x 1,5 x 70mm

Hihg grade bolt with metrical thread. Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles, steering and so on ...

strength class: 10.9 tap: M12 x 1,5mm length total: 78 mm bolt length: 70mm length of the barrel: 37mm spanner gap: SW19 surface: galvaniced made in Germany





Hexagon bolt M12 x 1,5 x 80mm

Hihg grade bolt with metrical thread. Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles, steering and so on ...

strength class: 10.9 tap: M12 x 1,5mm length total: 88 mm bolt length: 80mm length of the barrel: 45mm spanner gap: SW19 surface: galvaniced made in Germany



## Hexagon bolt M14 x 1,5 x 60mm

Prod.No. 7684

Prod.No.

7469

3,06

4,23

## Hihg grade bolt with metrical thread.

Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles, steering and so on ...

strength class: 10.9 tap: M14 x 1,5mm length total: 70 mm bolt length: 60mm length of the barrel: 24mm spanner gap: SW22 surface: galvaniced made in Germany



## Hexagon bolt M14 x 1,5 x 70mm Hihg grade bolt with metrical thread.

Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles, steering and so on ...

strength class: 10.9 tap: M14 x 1,5mm length total: 78 mm bolt length: 70mm length of the barrel: 32mm spanner gap: SW22 surface: galvaniced made in Germany



## Hexagon bolt M14 x 1,5 x 80mm

Hihg grade bolt with metrical thread. Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles, steering and so on ...

strength class: 10.9 tap: M14 x 1,5mm length total: 90 mm bolt length: 80mm length of the barrel: 44mm spanner gap: SW22 surface: galvaniced made in Germany

Prod.No.

7474

4,27

Prod.No. 7683 4,85

highness: 8,5mm Hexagon nut M10 DIN934 - 10, galvaniced Screw nut with hexagon head and thread M10x1,5. thread: M10 spanner: SW17 grate: 10.9

# length of the barrel: 39mm spanner gap: SW24 surface: galvaniced made in Germany

Hexagon nut M10 DIN934 - 10, blank

Screw nut with hexagon head and thread M10x1,5.

# workshop requirement > Mounting parts > Screw-nuts

thread: M10 spanner: SW17 grate: 10.9

surface: blank, black

strength class: 10.9 tap: M16 x 1,5mm length total: 60 mm bolt length: 50mm length of the barrel: 20mm spanner gap: SW24 surface: galvaniced made in Germany

strength class: 10.9 tap: M16 x 1,5mm length total: 90 mm bolt length: 80mm

Hexagon bolt M16 x 1,5 x 80mm

Hihg grade bolt with metrical thread.

Hexagon bolt M16 x 1,5 x 50mm Prod.No. 7685 Hihg grade bolt with metrical thread. Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles, steering and so on..

Ideal use for Old and Youngtimer to clamp dynamic load components like chassis, brakes, axles, steering and so on..

Prod.No. 7686

Prod.No.

7930

0.25


0,35

0,85

5,92

4,23

powered by 2orange.de





Hexagon nut M14x1,5 DIN934 - 10, galvaniced Screw nut with hexagon head and thread M14x1,5.

thread: M14 x 1,5mm spanner: SW22 grate: 10.9 surface: galvaniced highness: 10,5mm

## workshop requirement > Mounting parts > Washer

Flat washer DIN433 for M12, galvaniced Flat washer for all srews and bolts with diameter of 12mm		Prod.No.	7935	0,05
surface zinc coat inside diameter: outside diameter: thickness: 2 mm DIN 433	13 mm			
0	Flat washer for M4, Polyamid Flat plastic washer for all srews and bolts with diameter of 4mm	Prod.No.	7922	0,04
	material: platic, polyamid inside diameter: 4,3 mm outside diameter: 9,0 mm thickness: 0,8 mm DIN 125 PA6.6			
	Flat washer for M5 Flat washer for all srews and bolts with diameter of 5mm	Prod.No.	7920	0,04
	surface zinc coated inside diameter: 5,3 mm outside diameter: 10 mm thickness: 1,0 mm type: A DIN 125A			
Flat washer for Flat washer for a	<u>M6</u> Il srews and bolts with diameter of 6mm	Prod.No.	7926	0,04
surface zinc coat inside diameter: ( outside diameter: thickness: 1,6 mr type: A DIN 125A	6,4 mm : 12 mm			
Flat washer for Flat washer for a	<u>M8</u> Il srews and bolts with diameter of 8mm	Prod.No.	6435	0,09
surface zinc coat inside diameter: { outside diameter: thickness: 1,4 mr	8,4 mm : 16 mm			

DIN 125A

External teeth lock washer D=6mm, outside teeth 0,09 Prod.No. 7933 Lock washer DIN 6797 type A with teeth on the outside can be used for bolt connection with middle tightening torques and low dynamic power. Properly for bolts M6

surface zinc coated inside diameter: 6,4 mm outside diameter: 11mm thickness: 0,7 mm teeth: 8



External teeth lock washer M12 Prod.No.

6679 0.13

Lock washer Schnorr with teeth can be used for bolt connection with hight tightening torques. Properly for bolts M12

surface zinc coated inside diameter: 12,8 mm outside diameter: 18 mm thickness: 1 mm made in Germany



External teeth lock washer S10 Prod.No. 6681 0,12 Lock washer Schnorr with teeth can be used for bolt connection with hight tightening torques. Properly for bolts M10

surface zinc coated inside diameter: 10,4 mm outside diameter: 16mm thickness: 1 mm made in Germany



External teeth lock washer S14 Prod.No. 6686 0,15 Lock washer Schnorr with teeth can be used for bolt connection with hight tightening torques. Properly for bolts M14

surface zinc coated inside diameter: 16 mm outside diameter: 22mm thickness: 1 mm made in Germany

External teeth lock washer S6

Prod.No. 7929 Lock washer Schnorr with teeth can be used for bolt connection with hight tightening torques. Properly for bolts M6

7928

Prod.No.

0.09

0,09

surface zinc coated inside diameter: 6,3 mm outside diameter: 10mm thickness: 1 mm made in Germany

External teeth lock washer S8

Lock washer Schnorr with teeth can be used for bolt connection with hight tightening torques. Properly for bolts M8

surface zinc coated inside diameter: 8,4 mm outside diameter: 13mm thickness: 1 mm made in Germany

Spring washer for screws M8	Prod.No.	7916	0,06
Crinkled spring washer for diameter 8mm screw or bolt mounting connections with low dynamic	al stress.		

outside diamter: 15mm inside diameter: 8,4mm thickness: 0,8mm max. high: 3mm surface: galvaniced DIN 137

## workshop requirement > Mounting parts > blind rivets



 Blind rivet Alu F 11-8mm
 Prod.No. 7729

 Bind rivet with big head.
 Prod.No. 7729

 head diameter: 11mm
 hole diameter: 5mm

 rivet length: 5 mm
 can be use to connect parts with the thickness of 2-5mm

 made in Germany
 Prod.No. 7729

<u>Blind rivet Alu F 11-8mm, Box 100 pieces</u> Bind rivet with big head. Packing unit: 100 pieces.

head diameter: 11mm hole diameter: 5mm rivet length: 5 mm can be use to connect parts with the thickness of 2-5mm made in Germany

## workshop requirement > Mounting parts > Splint-pins

## workshop requirement > fuel tank coating

FEDOX	FeDOX concentrated rust remover, 1000ml	Prod.No.	6669	17,94
ferten	FERTAN, 1000ml	Prod.No.	6670	37,89

0,09

7,90

Prod.No. 7730



<u>fuel stabiliser, 250ml</u> for trouble free over-wintering of engines and fuel tanks. The volume of the boddle protect 50 liter petrol.

THE REAL

TAPOX 2-part fuel tank coatingProd.No.649136,29Fuel resistant 2-component epoxy resinvarnish fit to inner coating of fuel tanks und also as high-qualityrust protection paint.Depending on shape of fuel tank sufficent for tank volume from 16 to 40 litre.content:

TAPOX (component 1) 415g TX-10 hardener (component 2) 125g detailed description of workmanship for tank coating inclusive all preliminaries

## workshop requirement > Protection equipment

Laminated class r	<u>round</u>	Prod.No.	6861	1,91
Protection glass ins	ert fit to manny glasses with diamether D=50mm.			
6-0	Welding glasses Robusta 310 Protection glasses for autogenic welding method. Ring nut system with rubber hose cover, elastic band and plan glasses dia protection class DIN A5	Prod.No. mether D=50r	6860 mm.	9,92

## workshop requirement > Varnish and paint



Grinding fleece - pad, rotProd.No.78891,07Fleece to buff surfaces form coatings and cleaning of aluminium, brass ec.Can be used for working by hand.

Price per pice Pice size: 100x10mm and 20cm long Rauheit: very fine: 320

## workshop requirement > Accessory

SECON	1000		3
Vint 1	3 M		14
100		100	

Grease nipple 1/4 -28 inchProd.No.7574Conical nipple type A, standardVersion: H 1 1/4? -284Ball grease nipple for using at many Old- and Youngtimers.55Thread: american low climp.55

thread: 1/4? -28 spanner cap: SW7 delivery as an single part



Grease nipple A10

Conical nipple type A, standard Version: H 1 M 10x1 Ball grease nipple for using at many Old- and Youngtimers. Thread: M10 self sealed (conical)

thread: M10x1 spanner cap: SW11 delivery as an single part Prod.No. 7575 0,49

powered by 2orange.de

0.34

	<u>Grease nipple A10, self forming thread</u> Conical nipple type A, DIN 71412 Version: H 1 M 10x1 Ball grease nipple for using at many Old- and Youngtimers. Thread: M10 self forming	Prod.No.	7582	0,4
	thread: M10x1 spanner cap: SW11 delivery as an single part			
	<u>Grease nipple A6</u> Conical nipple type A, standard Version: H 1 M 6x1 Ball grease nipple for using at many Old- and Youngtimers. Thread: M6 self sealed (conical)	Prod.No.	7561	0,3
	thread: M6x1 spanner cap: SW7 delivery as an single part			
Conical nipple typ Version: H 1 M 6>	for using at many Old- and Youngtimers.	Prod.No.	7580	0,3
thread: M6x1 spanner cap: SW delivery as an sin				
	<u>Grease nipple A8</u> Conical nipple type A, standard Version: H 1 M 8x1 Ball grease nipple for using at many Old- and Youngtimers. Thread: M8 self sealed (conical)	Prod.No.	7562	0,4
	thread: M8x1 spanner cap: SW9 delivery as an single part			
Conical nipple typ Version: H 1 M 8>	for using at many Old- and Youngtimers.	Prod.No.	7581	0,4
thread: M8x1 spanner cap: SW delivery as an sin				
Grease nipple E Conical nipple typ Version: H 2 M 6>	36 (45°) e B, standard, connection 45 degrees inclined. d e for using at many Old- and Youngtimers.	Prod.No.	7583	0,8
thread: M6x1 spanner cap: SW delivery as an sin				

	<u>Grease nipple R 1/4 inch</u> Conical nipple type A, standard Version: H 1 R 1/4? Ball grease nipple for using at many Old- and Youngtimers. Thread: 1/4 inch self sealed (conical)	Prod.No.	7577	0,99
	thread: 1/4? spanner cap: SW14 delivery as an single part			
Þ	<u>Grease nipple R 1/8 inch</u> Conical nipple type A, standard Version: H 1 R 1/8? Ball grease nipple for using at many Old- and Youngtimers. Thread: 1/8 inch self sealed (conical)	Prod.No.	7576	0,49
	thread: 1/8? spanner cap: SW11 delivery as an single part			
Best use to creat Material Abil N Usable for oel, gr Parental useable	aling paper for using at vehicles and hobby parts. te and cut formes with knife or scissors by self. rease, petrol and air. e for water. eem and temperatures higher 150°C.			
material type: Ab thickness: 0,25n maximum length wide: 1000 mm ( price per meter producer: Elring	nm : 25000 mm (25m)			
Sealing paper ( Special made se Best use to creat Material Abil N Usable for oel, gi Parental useable	aling paper for using at vehicles and hobby parts. te and cut formes with knife or scissors by self. rease, petrol and air.	Prod.No.	8072	18,51
material type: Ab thickness: 0,5mi maximum length wide: 1000 mm ( price per meter	m : 25000 mm (25m)			

producer: Elring

Scaling paper 0.75mm	Drod Mc	0070	07.00
Sealing paper 0,75mm Special made sealing paper for using at vehicles and hobby parts. Best use to create and cut formes with knife or scissors by self. Material Abil N Usable for oel, grease, petrol and air. Parental useable for water. Unsuitable for steem and temperatures higher 150°C.	Prod.No.	8073	27,09
material type: Abil N thickness: 0,75mm maximum length: 25000 mm (25m) wide: 1000 mm (1m) price per meter producer: Elring			
Sealing paper 1,0mm Special made sealing paper for using at vehicles and hobby parts. Best use to create and cut formes with knife or scissors by self. Material Abil N Usable for oel, grease, petrol and air. Parental useable for water. Unsuitable for steem and temperatures higher 150°C.	Prod.No.	8074	32,98
material type: Abil N thickness: 1,0mm maximum length: 25000 mm (25m) wide: 1000 mm (1m) price per meter producer: Elring			
Sealing paper 1,5mm Special made sealing paper for using at vehicles and hobby parts. Best use to create and cut formes with knife or scissors by self. Material Abil N Usable for oel, grease, petrol and air. Parental useable for water. Unsuitable for steem and temperatures higher 150°C.	Prod.No.	8075	43,93
material type: Abil N thickness: 1,5mm maximum length: 25000 mm (25m) wide: 1000 mm (1m) price per meter producer: Elring			

# workshop requirement > Corrosion protection

Underbody protection wax 1000ml	Prod.No.	8087	10,67
Protecton wax for the underside and wheel cases for many vehicles.			
To spray the wax an special atomizer pistol lance will be needed.			
Recommended amount 300g/qm, source function 3-4qm.			
Best use for body work, vehicle manufacturing and road maintenance.			
The wax protect the cars against mechanical and chemical stress like rock chips, gritting s corrosion will be bewared.	alt, water a	nd so on.	And

contens: 1000ml corrosion protection at salt dust like DIN 50021: 500 hours without rost Dust dry after 2 hours, dry after 4-5 hours temperature from -25° C bis 80° C wax based product

 Underbody protection wax 500ml, Spray
 Prod.No. 8088
 7,69

 Protecton wax for the underside and wheel cases for many vehicles.
 To spray the wax no special tools will be needed.
 Recommended amount 300g/qm, source function 1,5qm.

 Best use for body work, vehicle manufacturing and road maintenance.
 The wax protect the cars against mechanical and chemical stress like rock chips, gritting salt, water and so on. And corrosion will be bewared.

contens: 500ml corrosion protection at salt dust like DIN 50021: 500 hours without rost Dust dry after 2 hours, dry after 4-5 hours temperature from -25° C bis 80° C wax based product colour: brown

## care products



deer sebum rubber care penProd.No.62593,84for care and protection of rubber parts in cars, caravan and inside of houseprotects against frost and weathering555disabled the freezing together of car door with rubber seal55555

silicone free natural product



ELSTERGLANZ universal polish paste, 150mlProd.No.64204,35ELSTERGLANZ is the legendary universal polish paste from East GermanyThe translation for name ELSTERGLANZ is magpie brilliance.FilleFille

Elsterglanz cleans, polishes and preserves by means of a protective film all metall materials like copper, brass, tin, nickel, silver, gold and unsurpassable stainless-steel.

Recommend to care all of our polished articles, for instance our Design-dorrhandles-pair for Trabant 601 und 1.1 or polished fuel tank plug.



ELSTERGLANZ universal polish paste, 150ml ELSTERGLANZ Chrome-care with orange oil The translation for name ELSTERGLANZ is magpie brilliance.

Elsterglanz chrome-care cleans, polishes and preserves reliably chrome surfaces. Particularly good for hard chrome-plated surfaces of car- or motorbike parts. big tube with 150ml

Chrome-care is free of acid and because of using natural ingredients sparing to the material. The special ingredients act cleaning and particularly grease dissolving and leavs a protective film.



silicone cleaner spray, 500mlProd.No.63094,90special solvent and means of degreasing<br/>content: 500 mlsilicone cleaner spray for fast remove of silicone oils und greases without any remnants (also for removing our<br/>silicone spray, Art.No.: 6300)98% sheer active agent4,90

6664

4,35

Prod No.



silicone spray, 300ml indoor- and outdoor-spray lubricates but don't greases antistatic



## SONAX Chrome- & Alupaste 75ml

6325 Prod.No. Gently and effectively removes rust and tarnished areas from chrome, aluminium and all non-ferrous metals. Restores the original shine and preserves by means of a protective film which prevents the build up of new rust.

Recommend to care all of our polished articles, for instance our Design-dorrhandles-pair for Trabant 601 und 1.1 or polished fuel tank plug.



SONAX motor cleaner 400ml cleaner for motor, car body and repair parts for oily dust quick and thoroug

producer: Henkel AG&Co contens: 400ml made in Germany

SONAX motor cleaner 500ml cleaner for motor, car body and repair parts for oily dust quick and thoroug

spray bottle producer: Sonax contens: 500ml made in Germany

> Prod.No. 6195 8,87

Prod.No. 7747

ONA

SONAX motor plast 300ml protective coating for motor protection against corrosion and current leak

Vaselinespray 400m

Antifriction bearing

5,41

9,66

4,88

Prod.No. 7414 10,47

Prod.No. 6194

Prod.No.

6300

powered by 2orange.de

7,78

## Antifriction bearing > Grooved ball bearing



Ball bearing 34 x 64 x 3 7 original DKFProd.No.686225,50Original stock of ball bearing for the Trabant 601 front axle with constant velocity drive shaft (tripode)

double row angular contact ball bearing front axle 34 x 64 x 37 2RSR manufactured by DKF (DDR) for one alxe you need 1 piece



Ball bearing, front axle 34 x 64 x 37Prod.No.99123,57Ball bearing, front axle 34 x 64 x 37 2RS. Fit to Trabant 601 front axle constant velocity drive shaft(tripode), Trabant 1,1 front axle and VW Golf I.

for one alxe you need 1 piece



<u>Bearing 6204 C2</u> One row grooved ball bearing 6204 C2.

Outside diameter: 47mm Inside diameter: 20mm wide: 14mm typ: without cover DIN 625 bearing clearance: C2 made in Germany



Bearing 6206 C2 One row grooved ball bearing 6206 C2.

Outside diameter: 62mm Inside diameter: 30mm wide: 16mm typ: without cover DIN 625 bearing clearance: C2 made in Germany



Roller bearing 6003 ZZ

Single row roller bearing 6003, ZZ, 17x35x10. Made by FAG. Fit to AC generator 12V Trabant, Wartburg und Barkasrotor shaft front side

ZZ- synonym for bearing cover, both side bearing play CN(CO)-normale bearing play one piece will be needed made by FAG



Roller bearing 6205 C2 One row grooved ball bearing 6205 C2.

Outside diameter: 52mm Inside diameter: 25mm wide: 15mm typ: without cover DIN 625 bearing clearance: C2 made in Germany

6330

Prod.No.

Prod.No. 7289 11,33


Prod.No. 7940

12,38

8,57

Prod.No. 7936 9,84

	Surrent phoes. http://www.hum-tuning.de Document and on or 500.2010.			
	Roller bearing 6303 ZZ Single row roller bearing 6303, ZZ, 17x47x14. Made by FAG. Fit to AC generator 12V Trabant, Wartburg, Barkasrotor shaft rear side ZZ- synonym for bearing cover, both side bearing play CN(CO)-normale bearing play	Prod.No.	6333	9,79
	one piece will be needed			
	made by FAG			
	Roller bearing 6304 C2 One row grooved ball bearing 6304 C2.	Prod.No.	7943	15,71
C R C	Outside diameter: 52mm			
	Inside diameter: 20mm wide: 15mm			
	typ: without cover			
	DIN 625			
	bearing clearance: C2			
	made in Germany			
One row roller bea	o <u>r fan shaft 6202 ZZ</u> rring 6202 ZZ for Trabant axial cooling fan. ool for both side covered	Prod.No.		6,50
		Duad Ma	7004	44.00
00	Wheel bearing set FAG, front axle hinge shaft Front axle bearing-set for Trabant 500,600 and 601 with hinge shaft drive. consit of:	Prod.No.	7984	44,90
	2 pieces bearings 6206 C2 1 piece radial sealing 48 x 62 x 8 without additional dust lip 1x grease 1x lock plate axle			
	All parts maufactured by FAG. For each wheel side, one set will be needed			
	Wheel bearing set, 6206 C2, front axle hinge shaft drive Front axle bearing-set fit to Trabant 500,600 and 601 with hinge shaft drive. consit of:	Prod.No.	7985	25,99
	2 pieces bearings 6206 C2 1 piece radial sealing 48 x 62 x 8 with additional dust lip 1x snap ring wheel bearing 1x lock plate axle			
	All parts made in Germany with high quality. For each wheel side, one set will be needed			



## oils



 ADDINOL 4 stroke motor oil SAE 10W-40, 1 litre
 Prod.No.
 6248
 7,33

 ADDINOL SEMI SYNTH SAE 10W-40
 for Trabant 1.1, Wartburg 1.3 and most other motors from VAG-combine (Audi, VW, Seat, Skoda)
 particulate with synthetic oil
 no sheer minerally oil

 contens: 1 Litre
 Additional comment: Notes for used oil disposal
 6248
 7,33



ADDINOL 4 stroke motor oil SAE 10W-40, 20 litreProd.No.625087,03ADDINOL SEMI SYNTH SAE 10W-40for Trabant 1.1, Wartburg 1.3 and most other motors from VAG-combine (Audi, VW, Seat, Skoda)particulate with synthetic oilno sheer minerally oilcontens: 20 Litre



ADDINOL 4 stroke motor oil SAE 10W-40, 4 litre Prod.No. 6249 ADDINOL SEMI SYNTH SAE 10W-40 for Trabant 1.1, Wartburg 1.3 and most other motors from VAG-combine (Audi, VW, Seat, Skoda) particulate with synthetic oil no sheer minerally oil contens: 4 Litre Additional comment: Notes for used oil disposal

23.84



ADDINOL FLUSHING OIL SUPER, 0,51 ADDINOL FLUSHING OIL SUPER

The perfect inside cleaner for engines of Trabant 1.1, Wartburg 1.3 and most other 4-stroke engines

proper flushing guarantees complete removal of used oil and maximum cleanliness of the engine

contens: 0,5 Litre (sufficent for appr. 5 L engine oil filling)

Power Conditioner increasing the engine output

dissolves sludge and solids

ADDINOL gear box oil GS80W (GL60), 1 Litre High-end-car-gearbox oil for Wartburg 353, Barkas B1000 and other vehicles Made of german high-quality producer ADDINOL

Prod.No. 6620 7,66

Prod.No.

6889

11,00



for usability in countrys with central european weather (with a cold winter) needed volume for one gearbox of Wartburg 353: 1,8 Litre needed volume for one gearbox of Barkas B1000: 2,75 Litre corresponds with the old name of viskosity: GL60 (SAE 80 EP) SAE 80W; API GL-4; MIL-L-2105


homologations:

Mercedes-Benz 235.1 MAN 341 ZF TE-ML 02 A, 17A

application:

Hypoid gears with small offset manual gear change-, steering- and distributing gear boxes

Additional comment: Notes for used oil disposal



# Special items

·Lar	Flasher insert Insert for the Trabant 601 and 1,1 front flasher with angular lenses, complete material: plastic, white inside chrom plated made in EU	Prod.No. with bulb c	7313 arrier.	1,99
	Outer rear view mirror, original, without clamp Outer rear view mirror for Trabant 601. This part is an original IFA-spare part It can be used for the right (codriver side) or the left (driver side). The mirror is mounted at the door fram right or left hand. Please choose your favoured color at the bottom button.	Prod.No. made in G	7287 ermany.	35,50
	delivery without holder and clamp, may be can be used from your old mirror scop of delivery inclusive mirror glas one or two pieces will be needed			
Rear mudguard, ri mudguard for the Tr special offer	ight side, original abant 601 rear right hand.	Prod.No.	7327	29,99
	Secure-Nut M10, special offer Secure nut for bolts M10 with plastic insert. strength class: unknown thred: M10x1,5 (metrical) wrench opening: SW17	Prod.No.	7271	0,15
	Secure-Nut M10x1, special offer Secure nut for bolts M10 with plastic insert. strength class: 8.8 thred: M10x1,0(metrical) wrench opening: SW17	Prod.No.	7306	0,17
Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry Henry	Set of switch for reverse speed Switch set for mounting the reverse speed light. delivery inclusive wiring diagram and connection cable. original spare part.	Prod.No.	7292	19,50
*	shock absorber for rear axle of Sharan/Alhambra/Galaxy (1 pair) one pair of shock absorbers fit to rear axle of:	Prod.No.	6106	66,00
	VW Sharan (7M8, 7M9, 7M6) SEAT ALHAMBRA (7V8, 7V9) FORD Galaxy (WGR)			
	fit to all variants (all types of engines) gas-filled shock absorber like original (no pulpy oil pressure shock absober) with non-corrosive protection cap made of plastik Made in Spain			
	This article is now available at www.autoteile-plauen.de!			
-	<u>ver Trabant 1,1</u> the inner trak rods at the steering rack. gled, please note only fit to Trabant 1,1	Prod.No.	7312	4,99